

Eye Prote Remove Watermark Now

Ensuring employee safety is required! Training and proper fitting of protective eyewear is key in preventing eye injuries. Eyewear must be selected specifically for and best suited to the tasks.

Visit www.osha.gov for complete details and regulation requirements.





Uvex HydroShield[™] Anti-Fog coating Clearer. Longer. Safer.

HydroShield is a groundbreaking anti-fog lens coating, our best ever. Permanently bonded to the lens, HydroShield requires no application and no maintenance. Its dual-action properties work together by first absorbing and then repelling moisture away from the lens once a saturation point has been reached.

HydroShield Anti-Fog Coating is available only from Uvex, on these top selling eye protection products.

Uvex Genesis - Engineered for comfort, protection and style. Built with MMT—Multi-Material Technology® and a high level of adjustability, Genesis provides workers with extraordinary all-day comfort and raises the bar on compliance

Uvex Genesis XC - The all-in-one solution in protective eyewear, Genesis XC eyewear sets the standard for extra coverage and extra comfort on the job. Its design extends protection and offers more than 180 degrees of peripheral coverage. Additionally, its ergonomically balanced MMT — MultiMaterial Technology® frame provides exceptional all-day comfort. With the Rx lens insert, it offers an alternative for workers requiring vision correction

Uvex Protégé* - Designed with proprietary Uvex® Floating Lens® technology, an expandable wrap-around brow, soft temple tip pads and nosepiece, the Uvex Protégé provides workers with exceptional comfort and flexible style. The Uvex Protégé delivers sport-styling, lightweight comfort and flexible design — all weighing less than an ounce. Comfort never felt so light.

Uvex Livewire* - Uvex Livewire Sealed Eyewear is ENGINEERED for the EXTREME to deliver fit, performance and protection required in extreme environments. With a simple temple-to-headband exchange system that makes switching between temples or headband quick and easy, Uvex Livewire protects workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity.

Uvex Stealth* - Never before have goggles offered such comfort and protection as well as sleek, futuristic styling. The Uvex Stealth goggle combines modern design, technology, materials and high-performance lens coatings to create the highest levels of worker comfort and acceptance. One of the most popular goggles on the market, the Uvex Stealth makes it easy — even fashionable — to wear goggles on the job.

www.uvex.us

Honeywell

Safety Glasses

Uvex Hypershock™ Safety Glasses

Delivers high-performance protection and aggressive sport-inspired styling. Full frame design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit. Lightweight, wrap-around frame is engineered to fit a wide range of workers, providing increased coverage, side protection and superior peripheral vision. 100% Dielectric. Can be worn in environments where accidental exposure to electrical charge is possible. Available with Uvextreme Plus® anti-fog lens coating for superior, long-lasting fog free vision that lasts up to 10X longer and provides 2X better scratch resistance than competitive anti-fog coated products. Also offered with scratch-resistant hardcoat lens coating for long-lasting protection from scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1-2010 High Impact standard. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
S2951XP	341597571	Matte black	SCT-Blue, Uvextreme Plus	Ea
S2960XP	341597581	Smoke brown	Clear, Uvextreme Plus	Ea
S2961XP	341597591	Smoke brown	Espresso, Uvextreme Plus	Ea
S2964	341597611	Smoke brown	Gold mirror, hardcoat	Ea
S2969	341597621	Smoke brown	Espresso polarized, hardcoat	Ea
S2970XP	341597631	Clear ice	Clear, Uvextreme Plus	Ea
S2974	341597641	Clear ice	Red mirror, hardcoat	Ea
\$2975	341597651	Clear ice	Blue mirror, hardcoat	Ea



S3200HS

S3201HS



UVEX Genesis® Safety Glasses with HydroShield™

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. HydroShield anti-fog coating is permanently-bonded and lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Lifetime frame guarantee. Meets the ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
\$3200HS	314032001	Black	Clear, HydroShield	Ea	
\$3201HS	314032011	Black	Espresso, HydroShield	Ea	



Genesis® Safety Glasses

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat, or Infra-dura® welding tint. Lifetime frame guarantee. Meets the ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Clear, Espresso, Amber, and Gold Mirror lens tints meet Military V_o Ballistic Test for Impact. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
S3200	341532271	Black	Clear, Ultra-dura	Ea	
S3200X	341532281	Black	Clear, Uvextreme	Ea	
\$3201	341532291	Black	Espresso, Ultra-dura	Ea	
S3201X	341532301	Black	Espresso, Uvextreme	Ea	
\$3202	341532311	Black	Amber, Ultra-dura	Ea	
S3203	341532331	Black	Gold mirror, Ultra-dura	Ea	



ITEM#	ORDER#	FRAME	LENS	UOM	
S3207	341532371	Black	Shade 3.0 Infra-dura, Ultra-dura	Ea	
\$3208	341532381	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea	
\$3209	341532391	Black	SCT-Low IR, Ultra-dura	Ea	
S3240	341532511	Vapor blue	Clear, Ultra-dura	Ea	
S3240X	341532521	Vapor blue	Clear, Uvextreme	Ea	

S2500C

S2509







\$1112

S1359C

Spitfire® Safety Glasses

Features a dual 9-base, wraparound unilens design for superior optical clarity and peripheral protection. Frameless design uses flexible adjustments for temple length and spatulite temples for comfort. Impact-resistant, replaceable polycarbonate lenses absorb greater than 99.9% of UV rays and are available with either Uvextreme® anti-fog coating or Ultra-dura® hardcoat. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
S1800X	341531031	Spitfire	Black	Clear, Uvextreme	Ea
S1801	341531041	Spitfire	Black	Espresso, Ultra-dura	Ea



Sport-styled, protective eyewear offers single, panoramic, polycarbonate lens with molded sideshields and browguard.


Features adjustable temples, patented adjustable lens inclination, and universal nosebridge. Choose from standard flat spatula or soft cushioned Duoflex® temple styles. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat, and Infra-dura® welding tint. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Clear lens meets Military V₀ Ballistic Test for Impact. 10/Box.

ITEM#	ORDER#	FRAME	LENS	UOM	
Astrosp	ec 3000, Spatul	la Templ	e		
S135	341530621	Black	Clear, Ultra-dura	Ea	
\$1112	341530471	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea	
Astrosp	ec 3000, Duofle	x Temp	le		
\$1359	341530641	Black	Clear, Ultra-dura	Ea	
S1359C	341530651	Black	Clear, Uvextreme	Ea	



Uvex Astro OTG® 3001 Safety Glasses

"Over-the-Glass" style provides an economical alternative to prescription eyewear. Features soft Duoflex® cushioned temples, adjustable ratchet lens inclination, universal nosebridge, and single panoramic polycarbonate lens with molded sideshields and browguard. Lenses available with Uvextreme® anti-fog coating, Ultra-dura®



ITEM #	ORDER #	FRAME	LENS	UOM	
\$2500	341531611	Black	Clear, Ultra-dura	Ea	
S2500C	341531621	Black	Clear, Uvextreme	Ea	
\$2504	341531651	Black	Gray, Ultra-dura	Ea	
\$2508	341531701	Black	Shade 3.0 Infra-dura, Ultra-dura	Ea	
\$2509	341531711	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea	





Uvex Protégé® Safety Glasses

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design (only 25 grams), soft cushioned temple tip pads and soft nosepads. Lenses available with Uvextreme® anti-fog coating or Ultra-dura® hardcoat. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
\$4200	341533181	Metallic black	Clear, Ultra-dura	Ea	
S4200X	341533191	Metallic black	Clear, Uvextreme	Ea	
\$4201	341533221	Metallic black	Gray, Ultra-dura	Ea	
S4201X	341533231	Metallic black	Gray, Uvextreme	Ea	
\$4202	341533261	Metallic black	SCT-Reflect 50, Ultra-dura	Ea	





S2453

Uvex Instinct™ Safety Glasses

Provides high-performance protection with a sleek design and lightweight frame, featuring a variety of adjustability features for a comfortable, customized fit. Equipped with a dual, 7-base wraparound lens for uncompromised peripheral vision, with a fully integrated, cushioned browguard to comfortably diffuse and deflect impact energy. Ratcheting temples, flexible nosepiece and padded temple tips provide a comfortable, tension free fit. Available with Uvextreme® Plus anti-fog lens coating for superior fog-free vision that lasts up to 10X longer and provides 2X better scratch-resistance than competitive anti-fog coated products. Also offered with Supra-Dura® anti-scratch lens coating for high-particulate environments where lens scratching is a severe problem. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V₀ Ballistic Test for Impact. 10/Box.

	ITEM #	ORDER#	FRAME	LENS	UOM
	S2820	341569701	Matte black	Clear, Supra-Dura	Ea
	32020	341303701	Matte Diack	oleai, Supra-Dura	Ed
•	S2820XP	341569711	Matte black	Clear, Uvextreme Plus	Ea
	S2821	341569721	Matte black	Gray, Supra-Dura	Ea
	32021	341309721	Matte Diack	Gray, Supra-Dura	Ed
•	S2821XP	341569731	Matte black	Gray, Uvextreme Plus	Ea
	S2822	341569741	Matte black	Ambar Cunra Dura	Го
	32022	341309741	Matte Diack	Amber, Supra-Dura	Ea

ITEM #	ORDER#	FRAME	LENS	UOM
* S2822XP	341569751	Matte black	Amber, Uvextreme Plus	Ea
\$ \$2823	341569761	Matte black	Blue mirror, Supra-Dura	Ea
\$ \$2824	341569771	Matte black	SCT-Reflect 50, Supra-Dura	Ea
S2825XP	341569781	Matte black	SCT-Gray, Uvextreme Plus	Ea
♦ S2829XP	341569791	Matte black	SCT-Low IR, Uvextreme Plus	Ea



Genesis XC® Safety Glasses with HydroShield"

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. HydroShield anti-fog coating is a permanently-bonded, anti-fog lens coating that lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V_o Ballistic Test for Impact. 10/Box.

	ITEM #	ORDER#	FRAME	LENS	UOM	
	S3300HS	314033001	Black	Clear, HydroShield	Ea	
*	\$3301HS	314033011	Black	Gray, HydroShield	Ea	



Tomcat® **Safety Glasses**

Sleek, sporty wraparound metal frame design is lightweight and durable. Includes adjustable saddle nosepads for improved fit and flexible rubber temple grips for increased comfort. Dual, 10-base curve, impact-resistant polycarbonate lenses feature anti-scratch hardcoat and absorb greater than 99.9% of UVA and UVB. Meets ANSI Z87.1+ High Impact standard. 10/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
S2450	341531571	Gunmetal	Clear, anti-scratch	Ea
S2451	341531581	Gunmetal	Gray, anti-scratch	Ea
\$2453	341531591	Gunmetal	Silver mirror, anti-scratch	Ea
S2454	341531601	Gunmetal	SCT-Reflect 50, anti-scratch	Ea

S3300X



Genesis XC® Safety Glasses

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. Lenses available with Uvextreme® anti-fog coating or Ultra-dura® hardcoat. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
\$3300	341532621	Black	Clear, Ultra-dura	Ea	
S3300X	341532631	Black	Clear, Uvextreme	Ea	



S1600 **\$1604** UVEX **Bandit™ Safety Glasses** Sporty design features contemporary wraparound styling with molded-in sideshields and browguards. Lenses coated with Ultra-dura® hardcoat (enhanced chemical and scratch resistance). Adjustable spatulite temples ensure comfortable, custom fit. Lifetime frame quarantee. Meets ANSI Z87.1+ High Impact standard. Meets Military V. Ballistic Test for Impact. 10/Box. ITEM # ORDER # FRAME LENS UOM 341530791 Black Clear, Ultra-dura \$1601 341530811 Black Amber, Ultra-dura Ea S1603 341530821 Black Espresso, Ultra-dura Ea S1604 341530841 Black Gold mirror, Ultra-dura

UVEX

Skyper® Safety Glasses

Polycarbonate unilens and wraparound sideshields provide peripheral vision.

Includes simple lens replacement system and adjustable Duoflex® temples. Lenses coated with Ultra-dura® hardcoat. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V_0 Ballistic Test for Impact. 10/Box.

IILIVI #	ONDER #	INAME	ELNO	OUN	
\$1900	341531091	Black	Clear, Ultra-dura	Ea	
		P. 1105	St. Communication		
	1	OV	UVE	MEN LE	VIDE IN
UVE	EX W				VEN WU

S2601HS

Uvex Livewire[™] Sealed Eyewear with HydroShield[™]

Delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Optimized design ensures excellent, comfortable fit for almost any wearer. Streamlined, wraparound frame design accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer maximum comfort and a gap-free seal around the eyes to keep debris out. Padded temples are engineered to provide ideal tension and flex for superior comfort and fit. Ratcheting temples adjust lens angle by up to 15° for optimal coverage and air circulation. HydroShield anti-fog coating is permanently-bonded and lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Can be worn with a headband like a goggle or with temples like a spectacle. Highly adjustable, flame-resistant cloth headband provides an excellent fit and is latex-free. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
S2600HS	314032001	Matte black	Clear, HydroShield	Ea
S2601HS	314032011	Matte black	Espresso, HydroShield	Ea

Remove Watermark Now

S0600



Uvex Seismic® Sealed Eyewear

Contemporary, flexible design can be worn with or without the removable temples. Includes flame-resistant, adjustable headband and cushioned subframe. Protects against impact, sun, wind, dust and airborne debris, making it ideal for dirty, high-particulate work environments. Includes soft nasal pads, face cushioning and padded temple tips. Wraparound 8-base dual-lens style for maximum peripheral coverage. Available with Uvextra® anti-fog or hardcoat anti-scratch coating options. Top and bottom indirect ventilation helps to minimize fogging. Meets ANSI Z87.1+ High Impact standard for use with and without cushion-lined frame. Certified to the requirements of the CSA Z94.3 standard only with subframe in place. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
S0600	341560741	Black	Clear, anti-scratch	Ea	
S0600X	341558841	Black	Clear, Uvextra	Ea	
S0604X	341559391	Black	SCT-Reflect 50, Uvextra	Ea	
S0620X	341539181	Metallic blue	Clear, Uvextra	Ea	



\$1900

Uvex Ambient™ OTG Safety Glasses

Stylish alternative to prescription safety glasses offers "Over-the-Glass" coverage. Available in two sizes which fit over a variety of Rx eyewear; medium lens is 13% smaller than the large. Lightweight, wraparound, unilens design offers peripheral protection, cushioned nosepiece, bendable wire-core temples for flexibility and soft nasal fingers to minimize slippage. Ratcheting temples with 3-position lens inclination for custom fit. Ultra-dura® anti-scratch lens hardcoat. Easy lens replacement. Size large. Lifetime frame guarantee. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
\$3150	341559561	Blue	Clear, Ultra-dura	Ea



Lightweight protection offers sporty, 1-piece, wraparound unilens made of 100% impact-resistant polycarbonate. Provides over 99.9% UV protection. Features durable frame with integrated side protection and universal nosebridge. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
A400	341529321	Clear	Clear, hardcoat	Ea	
A401	341529331	Gray	Gray, hardcoat	Ea	
A403	341529351	Gray	Silver mirror, hardcoat	Ea	



UVEX

Uvex Livewire™ Sealed Eyewear

Delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Optimized design ensures excellent, comfortable fit for almost any wearer. Streamlined, wraparound frame design accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer maximum comfort and a gap-free seal around the eyes to keep debris out. Padded temples are engineered to provide ideal tension and flex for superior comfort and fit. Ratcheting temples adjust lens angle by up to 15° for optimal coverage and air circulation. Uvextreme Plus® anti-fog lens coating provides long-lasting, fog-free vision. Can be worn with a headband like a goggle or with temples like a spectacle. Highly adjustable, flame-resistant cloth headband provides an excellent fit and is latex-free. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
S2600XP	341563841	Livewire	Matte black	Clear, Uvextreme Plus	Ea
S2601XP	341592641	Livewire	Matte black	Espresso, Uvextreme Plus	Ea
S2602XP	341592651	Livewire	Matte black	Amber, Uvextreme Plus	Ea
S2604XP	341592661	Livewire	Matte black	SCT-Reflect 50, Uvextreme Plus	Ea
S2607XP	341592681	Livewire	Matte black	Shade 3.0, Uvextreme Plus	Ea
S2608XP	341592691	Livewire	Matte black	Shade 5.0, Uvextreme Plus	Ea
S2609XP	341592701	Livewire	Matte black	SCT-Low IR, Uvextreme Plus	Ea









NORTH

Adaptec™ Safety Glasses

Each temple hinge ratchets to seven positions for 30° of custom adjustability allowing lens to be angled for optimal eye protection and ideal space for air circulation. Adjustable nosebridge centers eyes to reduce fatigue. Self-adjusting nose pads add to worker comfort. Features vented, cushioned frame and easy-to-replace lenses. The 4A lens coating ensures excellent anti-fog, anti-static and scratch-resistant properties plus 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER#	SIZES	FRAME	LENS	UOM	ITEM #	ORDER #	SIZES	FRAME	LENS	UOM	
T5900LTK	347690561	Regular	Black/red	Clear	Ea	T5900WTK	347690631	Wide	Black/red	Clear	Ea	



where dust, dirt and debris present the risk of eye injury.
Features a large unilens design for a wide field of unobstructed peripheral vision, and a soft foam subframe to ensure a comfortable gap-free fit. Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes. Quick-release hinge system converts easily from temples to headband. Available in a variety of lens tints with Uvextra® anti-fog lens coating. Dependable, cost-effective solution for indoor and outdoor environments requiring sealed eyewear protection. Removable temples and standard adjustable headband included; hypoallergenic latex-free option available. 100% Non-conductive dielectric design. Can be worn in environments where accidental exposure to electrical charge is possible. Meets the ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard (with and without foam subframe in place). Not for chemical splash applications. 10/Box.

	ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
	\$4040	341564881	Tirade	Gloss black	Clear, Uvextra	Ea
	\$4041	341569801	Tirade	Gloss black	Gray, Uvextra	Ea
٠	\$4042	341569811	Tirade	Gloss black	Amber, Uvextra	Ea
*	\$4043	341569821	Tirade	Gloss black	Silver mirror, Uvextra	Ea
*	S4044	341569831	Tirade	Gloss black	SCT-Reflect 50, Uvextra	Ea
*	\$4049	341569841	Hypo-allergenic	, latex-free fab	oric headband	Ea



A800 Series Safety Glasses

Features sports-styled temples, extra flexible, padded inserts and soft nosepiece for a non-slip fit. The 9-base curve, polycarbonate, hardcoated lens provides 180° field of distortion-free vision and 99.9% UV protection. Available with the Uvextra® anti-fog lens coating that minimizes fogging. Meets ANSI Z87.1-2010 standard. 10/Box.

A805

A800 341529431 Clear hardcoat hardcoat Ea A801 341529441 Gray hardcoat TSR® gray, hardcoat Ea A804 341529451 Gray Gray Silver mirror, hardcoat Ea A805 341529461 Clear Clear, Clear, Fa Ea	ITEM #	ORDER#	FRAME	LENS	UOM	
A804 341529451 Gray Silver mirror, hardcoat Ea A805 341529461 Clear Clear, Ea	A800	341529431	Clear		Ea	
A804 341529451 Gray hardcoat Ea	A801	341529441	Gray		Ea	
	A804	341529451	Gray		Ea	
Uvextra	A805	341529461	Clear	Clear, Uvextra	Ea	





A700 Series Safety Glasses



Lightweight design with sport temples and soft temple tip pads provide secure, wraparound fit. Features molded universal nosebridge, 9-base polycarbonate hardcoated lenses that provide 180° field of distortion-free vision, and optional Uvextra® coating that minimizes lens fogging. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
A700	341529371	Clear	Clear, hardcoat	Ea
A701	341529381	Gray	TSR® gray, hardcoat	Ea
A702	341529391	Amber	Amber, hardcoat	Ea
A703	341529401	Gray	Blue mirror, hardcoat	Ea
A704	341529411	Gray	I/O mirror, hardcoat	Ea
A705	341529421	Clear	Clear, Uvextra	Ea





VX9™ Safety Glasses

Sporty wraparound frame design with non-slip rubber nose piece and temples. High-impact polycarbonate lenses with anti-fog and scratch-resistant coating provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM	
5510-01	G73579871	Black	Clear	Ea	
5510-02	G73579891	Black	Gray	Ea	
5510-03	G73579901	Black	Yellow	Ea	
* 5510-04	G73579911	Black	Smoke mirror	Ea	



Ultra-spec® 2001 OTG Safety Glasses

Lightweight, "Over-the-Glass,"

unilens design fits over Rx eyewear. Features adjustable Duoflex® spatula temples to provide an added level of comfort and a wraparound design with browguards and sideshields. Lenses coated with Ultra-dura® hardcoat. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

Remove Watermark Now

S0112

S0360X

ITEM #	ORDER#	FRAME	LENS	UOM	
S0112	341529931	Clear	Clear, Ultra-dura	Ea	



Ultra-spec® 2000 Safety Glasses

Polycarbonate, wraparound, unilens design is lightweight and impact-resistant. Adjustable spatula temple length provides added comfort. Lenses are available

with either Uvextreme® anti-fog coating or Ultra-dura® hardcoat (enhanced chemical and scratch resistance). Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
S0250X	341529971	Clear	Clear, Uvextreme	Ea	
S0300	341530001	Clear	Clear, Ultra-dura	Ea	
S0360X	341530031	Orange	SCT-Orange, Uvextreme	Ea	





Vulcan™ Safety Glasses

Features foam padded brow guard, detachable/adjustable elastic fabric strap, and non-slip rubber nose piece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coating provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

FRAME	LENS	UOM	
61 Black	Clear	Ea	
71 Black	Gray	Ea	
81 Black	Yellow	Ea	
91 Black	Smoke mirror	Ea	
	61 Black 71 Black 81 Black	61 Black Clear 71 Black Gray 81 Black Yellow	61 Black Clear Ea 71 Black Gray Ea 81 Black Yellow Ea





Spectro™ Safety Glasses

Sporty wraparound frame design with non-slip adjustable rubber nose piece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coating provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

	ITEM #	ORDER#	FRAME	LENS	UOM	
	5511-01	G73579921	Black	Clear	Ea	
	5511-02	G73579931	Black	Gray	Ea	
•	5511-03	G73579941	Black	Yellow	Ea	
•	5511-04	G73579951	Black	Smoke mirror	Ea	





NSX™ Turbo Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design and scratch-resistant coating. Provides 99.9% UV protection. No slip temples. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER#	LENS	UOM	
5330	G73553301	Clear	Ea	
5331	G73553311	Gray	Ea	
5332	G73553321	Yellow	Ea	
5333	G73553331	Light blue	Ea	
5334	G73553341	I/O mirror	Ea	



Diamondbacks™ **Safety Glasses**

Features wraparound design and non-slip nose piece and temples. Highimpact polycarbonate lenses with scratch-resistant and anti-fog coatings provide 99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER#	FRAME	LENS	UOM	
540-0200	G73502001	Black	Clear	Ea	
540-0203	G73502031	Black	Smoke mirror	Ea	

BD110PF



99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

	ITEM #	ORDER#	DESCRIPTION	LENS	UOM
	5340	G73553401	NSX	Clear	Ea
	5341	G73553411	NSX	Yellow	Ea
	5342	G73553421	NSX	Orange	Ea
*	5343	G73553431	NSX	Gray	Ea
	5344	G73553441	NSX	Gold mirror	Ea
	5346	G73553461	NSX	Shade 5.0	Ea
	5347-00	G7358004	NSX econo visitor spec	Clear	100/Bx



Zion X™ Safety

Features indirect ventilated rubber seal and adjustable elastic fabric 1" head strap. High-impact polycarbonate lenses with anti-fog and scratch-resistant coating provide

99.9% UV protection. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER#	FRAME	LENS	UOM	
* 5104-01	G73580001	Black	Clear	Ea	
5104-02	G73580011	Black	Gray	Ea	
5104-03	G73580021	Black	Yellow	Ea	
* 5104-04	G73580031	Black	Smoke mirror	Ea	



Backdraft® Safety Glasses

Lightweight, contoured

frameless design features soft TPR internal sideshields for an added layer of protection from particles or debris, and also added comfort and stability. Dielectric. Lenses coated with MAX6™ anti-fog coating. Dielectric break away cord included. Meets ANSI Z87+. 12/Box.

ITE	M #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
BD.	110PF	331441891	Backdraft	Gun metal	Clear, anti-fog	Ea
+ BD	112PF	331442391	Backdraft	Gun metal	Gray, anti-fog	Ea



Yukon® and Yukon XL® **Visitor Glasses**

Low-cost safety eyewear for temporary workers or visitors. Features contemporary, wraparound style, increased angular coverage, improved peripheral vision, molded-in browguard, and vented sideshields. Uncoated for extra cost savings. Yukon XL is an enlarged version which can be worn over regular Rx eyewear. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER#	DESCRIPTION	FRAME	LENS	UOM
9800	331405321	Yukon	Clear	Clear, uncoated	Ea
9800XL	331405351	Yukon XL	Clear	Clear, uncoated	Ea



9800XL







BearKat® Safety Glasses

Popular "frameless" safety glasses feature wide, 1-piece wraparound, polycarbonate lens for unobstructed vision and close fit. Flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords. Treated with Duramass® scratch-resistant coating; also available with Duramass A4 anti-fog coating. Provide 99.9% UV protection. Smaller sizes available for smaller face shapes. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER#	DESCRIPTION	FRAME	LENS	UOM
BK110	331401111	BearKat	Frost	Clear, anti-scratch	Ea
BK110AF	331400211	BearKat	Frost	Clear, anti-scratch, anti-fog	Ea
BK112	331400221	BearKat	Frost black	Gray, anti-scratch	Ea
BK112AF	331400231	BearKat	Frost black	Gray, anti-scratch, anti-fog	Ea
BK113	331400241	BearKat	Frost blue	Light blue, anti-scratch	Ea
BK114	331401141	BearKat	Translucent yellow	Amber, anti-scratch	Ea
BK117	331411171	BearKat	Frost black	Silver mirror, anti-scratch	Ea
BK118	331400251	BearKat	Smoke	Blue mirror, anti-scratch	Ea
BK119	331411191	BearKat	Frost	I/O, clear mirror, anti-scratch	Ea



Rubicon® Safety Glasses

Features curved, frameless lens design and resilient, spring-hinge temples. Curved lens offers 180° optically

correct viewing area with a close orbital seal for increased protection. Non-slip gel temple sleeves and soft, secure gel nosepiece reduce slippage. Provides 99.9% UV protection. Includes carrying case and breakaway cord. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
T4110AF	331404131	Platinum	Clear, anti-fog	Ea
T4112AF	331404141	Platinum	Gray, anti-fog	Ea
T4113AF	331404151	Platinum	Light blue, anti-fog	Ea
T411G	331404111	Platinum	Emerald mirror	Ea
T411R	331404121	Platinum	Fire mirror	Ea



Features super-lightweight design, nearly total eye-orbital seal, flexible bayonet temples, gel temple sleeves and universal gel nosebridge. Strong, lightweight

polycarbonate lens features single lens design with wraparound sideshields. Choose from Duramass® scratch-resistant or Duramass AF4 anti-fog lens coating. Filters over 99.9% of UV radiation. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
CK210	331412101	Smoke	Clear, anti-scratch	Ea	
CK210AF	331400331	Smoke	Clear, anti-fog	Ea	
CK212	331400341	Smoke	Gray, anti-scratch	Ea	
CK212AF	331400351	Smoke	Gray, anti-fog	Ea	





Stratos® Safety Glasses

T411G

Stylish wraparound design with lightweight frame. One-piece polycarbonate lens with integral sideshields provides 99.9% UV protection and is treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER #	FRAME	LENS	UOM
SS010	331402921	Black	Clear, uncoated	Ea
SS110	331441101	Black	Clear, anti-scratch	Ea
SS130	331402961	RWB	Clear, anti-scratch	Ea



Tomahawk® Safety Glasses

Features fully adjustable, 5-position, ratchet-action temples. Offers stylish wraparound design, 1-piece polycarbonate lens treated with Duramass® scratch-resistant coating, integral sideshields, and lightweight frame. Available with patriotic red/white/blue (RWB) frame option. Provides more than 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
TK110	331464011	Black	Clear, anti-scratch	Ea
TK112	331403541	Black	Gray, anti-scratch	Ea

ITEM #	ORDER#	FRAME	LENS	UOM
TK120	331464021	Blue	Clear, anti-scratch	Ea
TK130	331464031	RWB	Clear, anti-scratch	Ea



CL112



CheckMate® Safety Glasses

Super-lightweight design offers nearly total eye-orbital seal, flexible bayonet temples and universal nosebridge. Strong, lightweight polycarbonate lens.

Available with Duramass® scratch-resistant coating, Duramass A4 anti-fog lens coating or uncoated. Provides

99% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
CK100	331400271	Clear	Clear, uncoated	Ea
CK110	331401101	Clear	Clear, anti-scratch	Ea
CK110AF	331400281	Clear	Clear, anti-fog	Ea
CK112	331401121	Gray	Gray, anti-scratch	Ea
CK114	331400291	Amber	Amber, anti-scratch	Ea
CK117	331400301	Silver mirror	Silver mirror, anti-scratch	Ea
CK118	331400311	Rainbow mirror	Rainbow mirror, anti-scratch	Ea
CK119	331400321	I/O clear mirror	I/O clear mirror, anti-scratch	Ea



CK118

Checklite[®] Safety Glasses

Flexible spatula temple design for comfortable fit during long use. Nearly total eye-orbital seal assures the highest level of protection, and lightweight, polycarbonate lens filters over 99.9% of UV radiation. Available uncoated or with Duramass® scratch-resistant or Duramass A4 anti-fog lens coatings. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER#	FRAME	LENS	UOM	
CL010	331400461	Clear	Clear, uncoated	Ea	
CL110	331400471	Clear	Clear, anti-scratch	Ea	
CL110AF	331400481	Clear	Clear, anti-fog	Ea	
CL112	331400491	Smoke	Gray, anti-scratch	Ea	
CL119	331400511	I/O	Clear mirror, anti-fog	Ea	



CREWS USS Defense® **Safety Glasses**

Sleek co-injected TPR over polycarbonate temples. Fixed closed cell foam-lined option available. Available with MAX6™ anti-fog coating, which is proven to provide six times greater fog-resistance and dissipation. N

	ITEM #	ORDER#	FRAME	LENS	UOM	
•	UD110PF	331442401	Gun metal	Clear, anti-fog	Ea	
*	UD112PF	331442411	Gun metal	Gray, anti-fog	Ea	
*	UD11RZ	331442421	Gun metal	Polarized fire mirror	Ea	
*	UD120PF	331442431	Trans dark blue	Clear, anti-fog	Ea	

Meets ANSI Z87	7+. Meets Mi	litary Ballistic F	ligh Velocity St	andard. 12/B	OX.
ITEM #	ORDER#	FRAME	LENS	UOM	
♦ UD122PF	331442441	Trans dark blue	Gray, anti-fog	Ea	
♦ UD128B	331442451	Trans dark blue	Blue diamond mirror	Ea	
♦ UD210PF	331442461	Black	Clear, anti-fog	Ea	

Gray, anti-fog

Black



Klondike® Safety **Glasses**

Popular frame style fits a variety of head shapes. Features strong,

lightweight polycarbonate lens with 11-base curve, optional Duramass® anti-fog coating, adjustable temples and soft gel nosepiece. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
KD110	331432011	Black	Clear	Ea
KD110AF	331402101	Black	Clear, anti-fog	Ea
KD11B	331401531	Black	Brown	Ea
KD112	331401541	Black	Gray	Ea
KD113	331401131	Black	Light blue	Ea
KD114	331401561	Black	Amber	Ea
KD117	331401571	Black	Silver mirror	Ea
KD119	331401191	Black	I/O clear mirror	Ea
KD120	331402121	Blue	Clear	Ea



♦ UD212PF



Ea

Storm® Safety Glasses

331442471

Face-flattering eyewear features 5-position ratchet-action temples and non-slip temple sleeves for adjustable fit. Lightweight, polycarbonate lens delivers advanced visual acuity. Treated with Duramass® scratch-resistant coating; also available with Duramass AF4 anti-fog coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
ST110	331464051	Black	Clear, anti-scratch	Ea	
ST110AF	331401311	Black	Clear, anti-scratch, anti-fog	Ea	
ST112	331402991	Black	Gray, anti-scratch	Ea	
ST112AF	331403001	Black	Gray, anti-scratch, anti-fog	Ea	
ST114	331403021	Black	Amber, anti-scratch	Ea	
ST117	331401171	Black	Silver mirror, anti-scratch	Ea	
ST119AF	331403041	Black	I/O clear mirror, anti-scratch, anti-fog	Ea	
ST1130	331403011	Black	Shade 3.0, anti-scratch	Ea	
ST1150	331403031	Black	Shade 5.0, anti-scratch	Ea	





Blackjack[®] Safety Glasses

Sleek, wraparound chrome metal frame design. Duramass® scratch-resistant coated S2119 lenses; Duramass AF4 anti-fog coating optional. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
S2110	331421111	Chrome	Clear, anti-scratch	Ea
S2110AF	331403111	Chrome	Clear, anti-scratch, anti-fog	Ea
\$2112	331403121	Chrome	Gray, anti-scratch	Ea
S2112AF	331403131	Chrome	Gray, anti-scratch, anti-fog	Ea
\$2119	331421191	Chrome	I/O, clear mirror, anti-scratch	Ea
S2119AF	331403181	Chrome	I/O, anti-scratch, anti-fog	Ea

SR122AF

SR137

IA112



Swagger Safety Glasses

Features soft material co-injected onto temples, thermoplastic rubber (TPR) nose grips, breakaway cord and wider temples for better side protection. Excellent orbital seal. Lenses

have Duramass® scratch-resistant hard coating. Strong polycarbonate lens blocks 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
SR110	331440861	Black	Clear, anti-scratch	Ea	
SR112	331440871	Black	Gray, anti-scratch	Ea	
SR114	331440931	Black	Amber, anti-scratch	Ea	
SR118B	331440881	Black	Blue diamond, anti-scratch	Ea	
SR11R	331440951	Black	Fire mirror, anti-scratch	Ea	
SR120	331440891	White	Clear, anti-scratch	Ea	
SR122AF	331451021	White	Gray, anti-scratch, anti-fog	Ea	
SR128B	331440911	White	Blue diamond, anti-scratch	Ea	
SR137	331440971	Red	Silver mirror, anti-scratch	Ea	
SR13R	331440981	Red	Fire mirror, anti-scratch	Ea	



Inertia™ Safety Glasses

Features a dielectric, lightweight polycarbonate frame with a single, flexible lens. Flarefit™ temple design for style. Non-slip, wraparound thermoplastic rubber (TPR) temple sleeve and adjustable, TPR soft nose pad for comfort. Lenses are treated with the Duramass® scratch-resistant coating and block 99.9% UV. Anti-fog coating optional. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
IA110	331468061	Black	Clear, anti-scratch	Ea
IA112	331468081	Black	Gray, anti-scratch	Ea
IA113	331468101	Black	Light blue, anti-scratch	Ea
IA120AF	331439201	Silver	Clear, anti-scratch, anti-fog	Ea
IA122AF	331439211	Silver	Gray, anti-scratch, anti-fog	Ea
IA128B	331438761	Silver	Blue diamond mirror, anti-scratch	Ea
IA130AF	331439071	White	Clear, anti-scratch, anti-fog	Ea
IA132AF	331468141	White	Gray, anti-scratch, anti-fog	Ea
IA137	331468151	White	Silver mirror, anti-scratch	Ea



ForceFlex® and ForceFlex® 2 Safety Glasses




Designed with opaque polycarbonate frame and sleek, polycarbonate dual $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right) \left(\frac{1}{2}\right)$ lens. Features Duramass® scratch-resistant coating, bayonet temples and universal nosebridge. ForceFlex 2 feature a half-frame design. Carrying case included. Provides 99.9% UV protection. Lifetime frame warranty. Meets ANSI Z87.1+ High Impact standard. Meets MIL-PRF-31013 clause 3.5.1.1 for High Velocity Impact Protection. 12/Box.

	ITEM #	ORDER#	FRAME	LENS	UOM	
	ForceFl	ex				
*	FF120	331438281	Opaque black	Clear, anti-scratch	Ea	
	FF122	331456821	Black	Gray, anti-scratch	Ea	
	FF124	331438271	Opaque black	Amber, anti-scratch	Ea	
	FF128B	331438381	Black	Blue diamond, anti-scratch	Ea	
	FF132	331456811	Translucent orange	Gray, anti-scratch	Ea	
	FF137	331438261	Translucent orange	Silver mirror, anti-scratch	Ea	
	ForceFl	ex 2				
	FF210	331439861	Black w/ black rubber	Clear, anti-scratch	Ea	1
	FF212	331439611	Black w/ black rubber	Clear, anti-scratch	Ea	
	FF214	331438271	Black w/ black rubber	Amber, anti-scratch	Ea	
	FF220	331452201	Translucent brown w/ white rubber	Clear, anti-scratch	Ea	
	FF222	331439901	Translucent brown w/ white rubber	Gray, anti-scratch	Ea	
	FF232	331492321	Translucent yellow w/ white rubber	Gray, anti-scratch	Ea	



Mantis™ Safety Glasses



compact storage. Rotating design also allows for user to adjust lens angle while wearing. Dielectric, containing no metal pieces that could conduct electricity. Soft, secure, TPR nose pad adds comfort and hybrid, non-slip rubber head grips hold eyewear in place. Excellent orbital seal. Lightweight polycarbonate, wraparound lenses, coated with Duramass® scratch-resistant coating, filters 99.9% of UV. Anti-fog coating optional. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
MT110AF	331477171	Black	Clear, anti-fog	Ea	
MT112AF	331477191	Black	Gray, anti-fog	Ea	
MT114	331477201	Black	Amber	Ea	
MT119	331477221	Green	I/O clear mirror	Ea	
MT120	331477231	Green	Clear	Ea	
MT122	331477241	Green	Gray	Ea	
MT127	331477251	Green	Silver mirror	Ea	
MT129	331477261	Green	I/O clear mirror	Ea	
MT130	331477271	White	Clear	Ea	
MT132	331477281	White	Gray	Ea	
MT139	331477291	White	I/O clear mirror	Ea	





MT129

3M™ Virtua™ Safety Eyewear

Features lightweight frame design, unisex styling and a high-wrap lens for front and side impact protection. Lenses available with anti-fog coating or hardcoat. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER#	FRAME	LENS	UOM	
11326-00000-20	665564381	Clear	Clear, hardcoat	Ea	
11327-00000-20	665570141	Gray	Gray, hardcoat	Ea	
11328-00000-20	665570151	Clear	I/O mirror, hardcoat	Ea	

ITEM #	ORDER#	FRAME	LENS	UOM
11329-00000-20	665570161	Clear	Clear, anti-fog	Ea
11330-00000-20	665570171	Gray	Gray, anti-fog	Ea
11331-00000-20	665570181	Blue mirror	Blue mirror, hardcoat	Ea

3M 3M™ Virtua™ V4 Safety Eyewear

Soft, dual-injected temples for all-day comfort. Lightweight design and unisex styling. Polycarbonate wraparound lens. Meets ANSI Z87.1+ High Impact standard. 20/Case.

11847-00000-20

SF202AS

- 4	4	c	7	4		^		•	•	•	-2	•
		0	•		-	u	u	w	u	u	-2	u

SF401AF

ITEM #	ORDER#	FRAME	LENS	UOM
11670-00000-20	665564111	Black	Clear, hardcoat	Ea
11671-00000-20	665564121	Black	Gray, hardcoat	Ea

ITEM #	ORDER#	FRAME	LENS	UOM
11672-00000-20	665573851	Black	Clear, anti-fog	Ea
11673-00000-20	665570321	Black	Gray, anti-fog	Ea

11873-00000-20

3M

3M™ Virtua™ AP Protective Eyewear

Sleek, unisex styling, lightweight comfort and exceptional value. Frameless design with high-wrap polycarbonate lenses and

integral sideshields to provide comfortable fit and ultimate protection. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM	
11819-00000-	20 665525241	Clear	Clear, hardcoat	Ea	
11815-00000-	20 665570451	Gray	Gray, hardcoat	Ea	
11818-00000-2	20 665550751	Clear	Clear, anti-fog	Ea	
11847-00000-2	20 665540231	Mirror	I/O mirror, hardcoat	Ea	

3M

3M™ Virtua™ CCS Protective Eyewear with Foam Gasket

Comfortable, lightweight frame features the Cord Control System (CCS) with a removable foam gasket attachment. CCS is designed to keep a corded earplug attached, untangled, and ready for use. Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning. Anti-fog polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM # ORDER #	LENS	UOM
11872-00000-20 665527311	Clear, anti-fog	Ea
11873-00000-20 665527301	Gray, anti-fog	Ea

3M

3M™ SecureFit™ Protective Eyewear

3M™ Pressure Diffusion Temple Technology means there are no moving parts and nothing to adjust, while the versatile design is suited for a wide variety of faces. Lightweight, weighs less than 1 oz. Continually self-adjusting for a secure, comfortable fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER#	FRAME	LENS	UOM	
SF202AS	665527811	Gray	Gray, anti-scratch	Ea	
♦ SF203AS	665527821	Amber	Amber, anti-scratch	Ea	

3M

3M™ SecureFit™ 400-Series Protective Eyewear

Stylish design weighs less than 1 oz., has a soft adjustable nosepiece to help reduce slippage, incorporates dual-material on temples to provide cushioned comfort plus enhanced style and features the proprietary 3MTM Pressure Diffusion Temple Technology – a scientific advancement that helps diffuse pressure over the ear, enhanced temple comfort while not compromising the security of fit across diverse workforces. Polycarbonate lens absorbs 99.9% UV. Meets the ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER#	LENS	UOM	
SF401AF	665527831	Clear, anti-fog	Ea	
SF402AF	665527851	Gray, anti-fog	Ea	
SF410AS	665527841	I/O mirror	Ea	

⚠ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



3M 3M™ BX™ Safety Eyewear

Contoured, fully adjustable design features soft nosebridge, three lens angles for custom fit, and polycarbonate lenses that absorb 99.9% UV. Adjustable soft-tip temples. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
11380-00000-20	665522531	BX	Silver/black	Clear, anti-fog	Ea





15258-00000-100

3M™ Lexa™ Safety Eyewear

Aspheric lens follows and blends with facial outline to provide optimum, full coverage. Adjustable length temples and lens angle adjustment for customized fit. Polycarbonate lens absorbs 99.9% UV.

DX™ anti-fog hardcoat helps protect lens from fog, scratching, and many chemicals. Meets
ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER#	DESCRIPTION	SIZES	FRAME	LENS	UOM
15100-00000-20	665522211	Lexa	L	Metallic slate	Clear, DX	Ea
15200-00000-20	665572331	Lexa	M	Metallic slate	Clear, DX	Ea
15258-00000-100	665572461	Lexa Fighter	M	American RWB	Clear, DX	100/Cs

3M™ Nūvo™ Safety Eyewear

Lightweight, retro-styled protective eyewear features adjustable temples, an integral brow bar and soft nosepiece.

Contoured frame and sideshields offer additional comfort. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER#	FRAME
11411-00000-20	665522821	Gray
11412-00000-20	665522831	Grav

LENS	UOM
Clear, anti-fog	j Ea
Gray, anti-fog	Ea

11412-00000-20

3M™ KX™ 1000 Safety Eyewear

Stylish, value choice for visitor safety. Lightweight, contoured design and Duralite® polycarbonate lenses provide a panoramic view. Seamless lens with built-in sideshields offers excellent

eye coverage and 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER#	FRAME	LENS	UOM
12150-00000-20	665522621	Black	Clear, uncoated	Ea



11654-00000-10

3M

3M™ Metaliks™ and Metaliks Sport Safety Eyewear

Features silver-plated metal frame, spatula temples, 10-base de-centered lens, and adjustable fit. Polycarbonate lenses with choice of anti-fog or hardcoat. Metaliks Sport features the popular sports style lens design. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

12150-00000-20

ITEM # ORI	DER#	DESCRIPTION	FRAME	LENS	UOM
11343-10000-20 665	5521191	Metaliks Sport	Nickel	Clear, anti-fog	Ea
15170-10000-20 665	5521141	Metaliks	Silver	Clear, anti-fog	Ea
15172-10000-20 665	5564181	Metaliks	Silver	I/O mirror, hardcoat	Ea



3M

3M™ Fuel2™ Safety Eyewear

Nylon frame construction with soft touch nosebridge. Hardcoat lens helps improve scratch resistance. Lens absorbs 99.9% UV. Includes lanyard and microfiber bag. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
11650-00000-10	665522111	Metallic sand	Red mirror	Ea	
11652-00000-10	665522121	Silver	Blue mirror	Ea	
11653-00000-10	665522161	Silver	Clear, anti-fog	Ea	
11654-00000-10	665520821	Black	Gray, anti-fog	Ea	

↑ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

afety Glasses

Remove Watermark Now

3M™ Privo™ **Safety Eyewear**



Features color-accented temples and European-inspired styling. Soft-tipped temples for comfortable fit. Polycarbonate lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER#	FRAME	LENS	иом
12261-00000-20	665522631	Black	Clear,	Ea

3M™ Smart Lens **Photochromic Safety Eyewear**



Light reactive lens lightens and darkens with changing outdoor light conditions: light to dark in less than 20 seconds, dark to light in less than 3 minutes. Nylon brow and magnesium alloy temples. Spring-hinged temples for a narrow or wide fit. Soft, adjustable nosebridge. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact requirements of ANSI Z87.1-2003. 5/Case.

Note: Safety directors should assess their particular workplace and make all Smart Lens wearers aware of the time required for the lens transition. Special care should be taken when moving from outdoors to indoors. Outdoor temperatures may affect lens transition time.

ITEM #	ORDER#	FRAME	LENS	UOM	
13407-00000-5	665522461	Black	Photochromic, anti-fog	Ea	

3M™ Tour-Guard™ III Safety Eyewear

Ideal for visitors and temporary workers.

Polycarbonate construction features integral sideshields. Regular size designed to fit over most personal Rx eyewear. Lenses absorb 99.9% UV. 100/Dispenser box. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 100/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
41110-00000-100	665564291	Clear	Clear	Ea

3M™ OX™ 2000 Safety Eyewear

Fits over most prescription eyewear.

12166-00000-20 Adjustable length temples and Secure-Grip temple tips. Polycarbonate lens with DX™ anti-fog hardcoat protects lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
12166-00000-20	665574651	Black	Clear, DX	Ea

3M™ Moon Dawg™ Safety Eyewear



Surf-style sunwear features wide temples, rectangular lenses and a lightweight, comfortable frame. Polycarbonate lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
11215-00000-20	665574381	Black	Gray, anti-fog	Ea
11216-00000-20	665574391	Black	I/O mirror	Ea

3M™ Light Vision™ and **Light Vision2™ Safety Eyewear with LED Lights**

11356-00000-10

Features hands-free, adjustable direct lighting, (2) bright, adjustable LED lights, wraparound design, and cushioned brow, nosebridge and temple tips for comfort. Polycarbonate lenses absorb 99.9% UV. Includes replaceable CR2032 3 V batteries, microfiber storage bag and lanyard. Both models meet ANSI Z87.1+ High Impact standard; Light Vision2 also certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
11356-00000-10	665520801	Gray	Clear, anti-fog	Ea	
11476-00000-20	665574241	Gray	Clear, anti-fog	Ea	

41110-00000-100

3M™ Maxim™ GT Safety Eyewear

14246-00000-20

Lightweight frame is designed with a high-wrap lens for extended coverage and optical clarity. Features elastomeric browguard and dual-injected adjustable temples with 3-position lens adjustment for better fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
14246-00000-20	665542461	Silver/black	Clear, anti-fog	Ea

3M™ OX™ 1000 Safety Eyewear

Designed to fit over most personal prescription eyewear. Standard spatula temples.

12159-00000-20

Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
12159-00000-20	665570201	Black	Clear uncoated	Fa	

3M™ HIE6 Safety Eyewear

Attaches directly to hard hat suspension, nearly eliminating the weight of the evewear on the nose and temples. Retracts between hard hat suspension and shell, helping to protect the lens when not in use. Stable, stays in place and secure when not in use. Easy to maneuver and adjust for closeness and height. Comfort: no temples, minimal weight on nosebridge. 20/Box.

	ITEM #	ORDER#	FRAME	LENS	UOM	
*	HIE601AF	66552930	Black	Clear, anti-fog	Cs	HIE602AF
*	HIE602AF	66552931	Black	Amber, anti-fog	Cs	IIILOUZAI
*	HIE603AF	66552932	Black	Grav. anti-fog	Cs	





Expressional

Jackson Safety* V20 Visio* Safety Eyewear

One-piece polycarbonate lens with 3-point adjustable temples for a comfortable fit. Unique duo-tone frame. Base curve 8 lens. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
14470	C24119131	Black/silver	Clear	Ea	
14471	C24119891	Black/silver	Clear, anti-fog	Ea	
14472	C24119151	Black/silver	Smoke	Ea	
14473	C24119901	Black/silver	Smoke, anti-fog	Ea	
14474	C24119171	Black	Amber	Ea	
14475	C24119181	Black	Blue mirror	Ea	
14476	C24119191	Black	Indoor/outdoor	Ea	



Jackson Safety* V30 Nemesis* Safety Eyewear

Sporty, flexible, lightweight design with wraparound, 8-base curve lens and soft-touch temples for added comfort. Lenses provide 99.9% UV protection. Neck cord included. Meets ANSI Z87.1+2010 High Impact standard. 12/Box.

	000E0 #	PERCENTION		. = 110		
ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM	
14481	C24133581	V30 Nemesis*	Black	Blue mirror	Ea	
19642	C24120311	V30 Nemesis*	Black	Copper blue shield	Ea	
22475	C24124701	V30 Nemesis*	Black	Smoke, anti-fog	Ea	
25659	C24119491	V30 Nemesis*	Black	Amber	Ea	
25671	C24119511	V30 Nemesis*	Black	IRUV 5.0	Ea	
25676	C24119441	V30 Nemesis*	Black	Clear	Ea	
25679	C24119451	V30 Nemesis*	Black	Clear, anti-fog	Ea	
25685	C24124161	V30 Nemesis*	Black	Indoor/outdoor	Ea	
25688	C24126061	V30 Nemesis*	Black	Smoke mirror	Ea	
25692	C24119501	V30 Nemesis*	Black	IRUV 3.0	Ea	
19644	C24120321	V30 Nemesis*	Camouflage	Bronze	Ea	
22608	C24129781	V30 Nemesis*	Camouflage	Clear, anti-fog	Ea	
22609	C24124441	V30 Nemesis*	Camouflage	Smoke, anti-fog	Ea	
22610	C24137081	V30 Nemesis*	Camouflage	Amber, anti-fog	Ea	
19639	C24120301	V30 Nemesis*	Blue	Light blue	Ea	
22611	C24124381	V30 Nemesis*	Inferno red	Smoke	Ea	
28635	C24186351	V30 Nemesis* Polarized	Gunmetal	Polarized smoke	Ea	
28637	C24186371	V30 Nemesis* Polarized	Brown	Polarized brown	Ea	

ENGRESSIONAL

Remove Watermark Now

Jackson Safety* V30 Nemesis* VL Safety Eyewear

Frameless, lightweight no-brow design increases upward and peripheral vision. Features slip-stop temples. Compact profile accommodates smaller faces. Neck cord included. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
29111	C24120731	Gunmetal	Clear, anti-fog	Ea
25704	C24120741	Gunmetal	Smoke	Ea



Jackson Safety* V40 Hellraiser* Safety Eyewear

Streamlined, sunglass styling with lightweight and flexible design. Features flex-point temples for comfort and stability and 8-base curve lens. Meets ANSI Z87.1+ High Impact standard. Models 28615, 25714 and 25716 are CE Certified. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
20539	C24121001	Black	Clear	Ea	
20541	C24121031	Black	Amber	Ea	1
20543	C24121061	Black	Blue mirror	Ea	
20544	C24121071	Black	IRUV 3.0	Ea	
20545	C24121081	Black	IRUV 5.0	Ea	
25714	C24121021	Black	Smoke	Ea	
25716	C24121041	Black	Indoor/outdoor	Ea	
28615	C24121011	Black	Clear, anti-fog	Ea	



Smith & Wesson® Elite* Safety Glasses

Lightweight, "retro-style" design with wide temples and wraparound, anti-scratch, dual base curve 8 lenses. Provides 99.9% UV protection. Includes micro-fiber carry pouch that doubles as a cleaning cloth. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
21302	C24163121	Black	Clear, anti-fog	Ea
21303	C24163131	Black	Smoke, anti-fog	Ea



Smith & Wesson® Magnum® 3G Safety Glasses



Ergonomic design provides 3-point fit, built-in hinge helps prevent scratches. Self-adjusting nose pads with rubber fingers for comfort. Base curve 7 lens. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
19794	C24121331	Black	Clear, anti-fog	Ea	
19796	C24121341	Black	Copper blue block	Ea	
19799	C24121351	Black	Clear	Ea	
19823	C24121371	Black	Smoke	Ea	
19826	C24121391	Black	Amber	Ea	
19831	C24121441	Metallic gray	Gradient indoor/outdoor	Ea	
19961	C24121911	Platinum	Clear	Ea	

*G*Gateway StarLite[®] Safety Glasses


Popular design resembles sunglasses to encourage worker compliance. Scratch-resistant, hardcoated 100% polycarbonate lenses with dual 9.75 base curve enhance the wearer's range of visibility and block 99.9% of UV light. Features full brow protection and deep, universal-fit temples. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM#	ORDER#	FRAME	LENS	UOM
4675	323346751	Amber	Amber	Ea
4679	323346791	Clear	Clear, anti-fog	Ea
4680	323346801	Clear	Clear	Ea

ITEM #	ORDER#	FRAME	LENS	UOM
4683	323346831	Gray	Gray	Ea
460M	323304601	Clear	Clear I/O mirror	Ea
468M	323300481	Gray	Silver mirror	Ea

28CM5M

28GB83





StarLite® Squared Safety Glasses

Squared design offers fashionable fit for both men and women. Lightweight eyewear weighs less than 1 oz. Soft, pliable temples provide comfort, and fingertip nosepiece minimizes slippage. Scratch-resistant, hardcoated 100% polycarbonate lens for long life. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
4476	323300391	Blue	Pacific blue	Ea	
4479	323300401	Clear	Clear, anti-fog	Ea	
4480	323300421	Clear	Clear	Ea	
4483	323300431	Gray	Gray	Ea	
440M	323300371	Clear	Clear mirror	Ea	
448M	323300411	Gray	Silver mirror	Ea	



Flight® Safety Glasses

Cushioned temple 'wings' softly hug the user's head, alleviating pinching. Floating lens design fights fogging and provides 35BK8M ultramodern style. Lightweight construction and soft rubber nosepiece. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM
35BK83	323327121	Black/gray	Gray	Ea
♦ 35BK8M	323327141	Black/gray	Silver mirror	Ea
35BK9M	323327131	Black/gray	Blue mirror	Ea
♦ 35GY79	323327111	Gray/black	Clear, anti-fog	Ea
♦ 35GY80	323327101	Gray/black	Clear	Ea



440M

Protective Eyewear

Cost-effective eye protection in a sleek, sporty style. Features durable polycarbonate wraparound lens, soft, comfortable nosepiece and ergonomic, contoured temple tips.

Adjustable length retainer included with each pair. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

	ITEM #	ORDER#	FRAME	LENS	UOM	
	28CM5M	323302851	Camo	Bronze mirror	Ea	
٠	28CM78	323327031	Camo	Gray, anti-fog	Ea	
٠	28GB79	323327011	Black	Clear, anti-fog	Ea	
	28GB80	323327001	Black	Clear	Ea	
•	28GB83	323327021	Black	Gray	Ea	





DEWALT® DPG52-Contractor Pro™ Safety Glasses

DPG52-1D

High-performance eyewear in a lightweight design. Tough, distortion-free polycarbonate lens provides impact resistance and 99.9% UV protection. Features rubber-tipped temple pads and soft rubber nosepiece for all-day comfort. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
DPG52-1D	336535731	Clear	Clear	Ea	
DPG52-2D	336535751	Smoke	Smoke	Ea	
DPG52-6D	336535761	Silver mirror	Silver mirror	Ea	



RaDiaNs Mirage™ Safety Glasses

Sleek design allows perfect fit for both men and women, ensuring worker acceptance. Optically correct and distortion-free lenses feature scratch-resistant hardcoat. Dual wraparound 9.75-base lens provides a nearly perfect orbital seal. Weighs less than 1 oz. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
MR0110ID	336531751	Clear	Clear, hardcoat	Ea	
MR0111ID	336531761	Clear	Clear, hardcoat, anti-fog	Ea	
MR0120ID	336531771	Smoke	Smoke, hardcoat	Ea	



ITEM #	ORDER#	FRAME	LENS	UOM
MR0121ID	336531781	Smoke	Smoke, hardcoat, anti-fog	Ea
MR0190ID	336531791	I/O	I/O mirror, hardcoat	Ea

Safety Glasses

Remove Watermark Now



BOIDNE DEWALT® DPG54-Protector Safety Glasses

Sleek, unisex design features rubber-tipped temples for a secure fit and distortion-free optics for fatigue-free use. Weighs less than 1 oz., providing lightweight comfort. Tough, impact-resistant polycarbonate lens provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
DPG54-1D	336535791	Clear	Clear	Ea
DPG54-2D	336535811	Smoke	Smoke	Ea



Rad-Sequel™ Safety Glasses

Lightweight design features rubber-tipped temples and soft, rubber nosepiece for secure, custom fit. Polycarbonate lens provides impact resistance and 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM	
R\$1-10	336531461	Clear	Clear, hardcoat	Ea	
RS1-11	336531471	Clear	Clear, hardcoat, anti-fog	Ea	
RS1-20	336531481	Smoke	Smoke, hardcoat	Ea	







DEWALT® DPG59 Reinforcer Rx™ Radians Safety Glasses

Combines safety glasses with reading glasses. Magnification diopter is molded into the polycarbonate lens, eliminating the need for clip-ons or (2) pairs of glasses. Features ergonomically positioned handgrip pattern on the temple for a secure grip and soft, non-slip rubber nosepiece and cushioned non-slip temple pads for all-day comfort. Impact-resistant polycarbonate lens provides 99.9% UV protection, and scratch-resistant hardcoat protects lens and maintains optical clarity for fatigue-free use. Protective eyeglass sleeve included. Meets ANSI Z87.1+ High Impact standard, 12/Box.

ITEM #	ORDER #	LENS	UOM
DPG59-110	336536011	Clear, +1.0	Ea
DPG59-115	336536021	Clear, +1.5	Ea
DPG59-120	336536031	Clear, +2.0	Ea
DPG59-125	336536041	Clear, +2.5	Ea
DPG59-130	336536051	Clear, +3.0	Ea





11374-00000-20

Contoured, fully adjustable design features soft nosebridge, three lens angles for custom fit, and polycarbonate lenses that absorb 99.9% UV. Adjustable soft-tip temples. Integrated bifocal reader for workers who need extra magnification during close-up work. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER#	FRAME	LENS	UOM
11374-00000-20	665570241	Silver/black	Clear, anti-fog, +1.5	Ea
11375-00000-20	665520811	Silver/black	Clear, anti-fog, +2.0	Ea
11376-00000-20	665564091	Silver/black	Clear, anti-fog, +2.5	Ea
11377-00000-20	665522521	Silver/black	Gray, anti-fog, +1.5	Ea
11378-00000-20	665522001	Silver/black	Gray, anti-fog, +2.0	Ea
11379-00000-20	665522711	Silver/black	Gray, anti-fog, +2.5	Ea



Readers Safety Eyewear



11436-00000-20

"Retro" styling with molded-in magnifying diopters on the lower lens. Features adjustable temples, integral brow bar and soft nosepiece. Designed for workers who have difficulty reading small print or who are engaged in small detail work. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER#	FRAME	LENS	UOM	
11434-00000-20	665563881	Gray	Clear, +1.5	Ea	
11435-00000-20	665574221	Gray	Clear, +2.0	Ea	
11436-00000-20	665574231	Gray	Clear, +2.5	Ea	

⚠ WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



J∨EX Genesis® Readers

Dual, 9-base curve wraparound lens provides peripheral vision and protection. Soft flexible fingers adjust and conform to any nasal profile and minimize slippage. Elastomer browguard diffuses and deflects impact. Diopters available from +1.0 to +3.0. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

	ITEM #	ORDER #	FRAME	LENS	UOM	
•	\$3760	341586001	Black	Clear, +1.0	Ea	
	S3761	341586011	Black	Clear, +1.5	Ea	
	\$3762	341586021	Black	Clear, +2.0	Ea	
•	\$3763	341586031	Black	Clear, +2.5	Ea	
	\$3764	341586041	Black	Clear, +3.0	Ea	







Jackson Safety* V60 Safeview* Safety Eyewear with Rx Inserts

Lightweight safety glass with adjustable temples for a custom fit. Universal fit. Close fit Rx insert behind the polycarbonate eye shield that doesn't impede peripheral vision with a chunky frame. Base curve 8.25 lens. Meets ANSI Z87.1+ High Impact standard. 12/Box.

	ITEM #	ORDER#	FRAME	LENS	UOM
٠	38503	C24185031	Black	Clear anti-foo	Fa



Uvex Seismic® Sealed Eyewear with Reading Magnifiers

\$0661X

Superior coverage provided in dirty, high-particulate work environments such as grinding and sanding. Flexible design can be worn with temples or adjustable headband as conditions change. Headband and subframe are cushion-lined, flame-resistant and replaceable. Soft, high-quality face cushioning and padded temple tips for comfort. Available in clear with Uvextra® anti-fog coating. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

	ITEM #	ORDER#	FRAME	LENS	UOM
+	S0661X	341588321	Black	Clear, Uvextra, +1.5	Ea
+	S0662X	341588331	Black	Clear, Uvextra, +2.0	Ea
•	S0663X	341588341	Black	Clear, Uvextra, +2.5	Ea



Jackson Safety* V60 Nemesis* Rx Safety Eyewear

"Cheaters" style with diopters for vision assistance. Larger lens provides wraparound impact protection. Enhanced nosepiece design channels away sweat. Base curve 8 lens. Neck cord included. Clear lenses, diopter +1.0, +1.5, +2.0, +2.5 and +3.0 are CE certified compliant and certified to the requirements of the CSA Z94.3 standard. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
28618	C24120551	Black	Clear, +1.0	Ea	
28621	C24120561	Black	Clear, +1.5	Ea	
28624	C24120571	Black	Clear, +2.0	Ea	
28627	C24120581	Black	Clear, +2.5	Ea	
28630	C24120591	Black	Clear, +3.0	Ea	
22516	C24124291	Black	Smoke, +1.5	Ea	
22518	C24124681	Black	Smoke, +2.0	Ea	
22519	C24124621	Black	Smoke, +2.5	Ea	





One-piece, wraparound, polycarbonate lens offers unobstructed vision and filters more than 99.9% of UV radiation. Flexible temples enhance comfort. Non-slip, rubber head grips are notched for a clip-on breakaway cord. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
BKH10	331400031	Clear	Clear, +1.0	Ea	
BKH15	331400051	Clear	Clear, +1.5	Ea	
BKH20	331400071	Clear	Clear, +2.0	Ea	
BKH25	331400091	Clear	Clear, +2.5	Ea	
BKH15G	331400061	Smoke	Gray, +1.5	Ea	
BKH20G	331400081	Smoke	Gray, +2.0	Ea	
BKH25G	331400201	Smoke	Gray, +2.5	Ea	

S39610C



UVEX Uvex Stealth® Goggles with HydroShield™

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Unique lens system for quick and simple replacement. HydroShield anti-fog coating is a permanently-bonded, anti-fog lens coating that lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Quick-adjust neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

	ITEM #	ORDER#	FRAME	LENS	UOM
•	S3960HS	314039601	Gray/gray	Clear, HydroShield	Ea
+	S3961HS	314039611	Gray/gray	Gray, HydroShield	Ea



Uvex Stealth® Goggles

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Unique lens system

for quick and simple replacement. Uvextreme® anti-fog coating and indirect ventilation system minimize fogging and direct airflow over the lens. Quick-adjust neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER#	FRAME	LENS	UOM
S3960C	341533001	Gray/gray	Clear, Uvextreme	Ea
S39610C	341533021	Teal/gray	Clear, Uvextreme	Ea



Uvex Stealth® OTG Goggles

Low-profile, wraparound style provides complete coverage. Dura-streme™ dual lens coating combines Uvextreme® anti-fog coating on the interior and Ultra-dura® anti-scratch on the exterior. Pivoting headband clip and wide adjustable-slide headband allow a full range of adjustability. High-quality elastomer body conforms and contours for secure fit. Can be worn over most Rx eyewear. Ideal for impact, dust/airborne particles, chemical splash and optical (UV and welding/heat) radiation. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
S3970D	341558741	Stealth OTG w/ neoprene headband	Navy	Clear, Dura-streme	Ea





Frameless design combines fit of a goggle with styling of a spectacle. The 9-base curve polycarbonate unilens provides wraparound protection. Lenses absorb more than 99.9% of UV light and



feature Uvextreme® anti-fog coating. Ideal for use in dust/mist conditions. Soft, flame-resistant, ventilated face foam and adjustable headband. Not designed for chemical applications. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
S1890X	341531081	Black	Clear, Uvextreme	Ea

UVEX Flex Seal® Goggles

Lightweight, all-silicone body conforms to almost any facial profile and fits easily over most Rx eyewear. Stays soft and supple in extreme temperatures. Features low-profile frame, optically correct polycarbonate lens and indirect ventilation system.

S3400X

Lenses feature Uvextreme® anti-fog coating. Pivoting clips allow for positioning on a hard hat or adjusting the neoprene headband above the ears. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM # ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3400X 341534001	Flex Seal, indirect vent	Navy	Clear, Uvextreme	Ea

UVEX

Uvex Classic™ Goggles

Two models for dust, mist or chemical splash protection: indirect vented or indirect hooded. Soft, PVC body is flexible for increased comfort, and durable neoprene headband prevents slippage and chemical attack. Impact-resistant polycarbonate lenses feature Uvextreme® anti-fog coating and absorb 99.9% of UV light. Fit over most Rx eyewear. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
\$350	341532881	Classic, indirect hooded vent	Clear	Clear, Uvextreme	Ea
S360	341532901	Classic, indirect vent	Clear	Clear, Uvextreme	Ea







UVEX

Uvex Futura™ Goggles

Wraparound sports style with neoprene headband provides excellent panoramic vision. Frosted browguard reduces glare, and indirect venting increases airflow, adding to overall comfort. Uvextreme® anti-fog coating on lens. Fits over most Rx eyewear. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER#	FRAME	LENS	UOM	
S345C	341532851	Frosted clear	Clear, Uvextreme	Ea	



Uvex Strategy® Goggles

"Over-the-Glass" (OTG) goggles provide protection against impact, chemical splash, dust, sand and debris. Lightweight, TPE body provides exceptional comfort and a snug fit. Lenses feature the Uvextra® anti-fog coating and offer more than 99.9% UV protection. Neoprene headband for chemical applications. Fits over most Rx eyewear. Meets ANSI 287.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
\$3810	341532941	Strategy, indirect vent	Gray	Clear, Uvextra	Ea





40660-00000-10

3M™ 334 Splash Goggles

Indirect vent goggles help provide protection against liquid splash applications. Lightweight design features impact-resistant, clear polycarbonate lens that absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
40660-00000-10	665574851	334 Splash goggles	Clear	Clear	Ea
40661-00000-10	665573051	334AF Splash goggles	Clear	Clear, anti-fog	Ea



40301-00000-10

3M™ Centurion™ Goggles

Impact-resistant, wraparound lens offers exceptional peripheral vision. Large lens opening fits over most Rx eyewear. Two styles available: impact (direct vented) and splash (indirect vented). Polycarbonate lens with anti-fog coating provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

	ITEM #	ORDER#	DESCRIPTIONGOGGLES	FRAME	LENS	UOM
	40301-00000-10	665572951	Centurion impact goggles	Clear	Clear, anti-fog	Ea
*	40304-00000-10	665572961	Centurion splash goggles	Clear	Clear	Ea
	40305-00000-10	665572971	Centurion splash goggles	Clear	Clear, anti-fog	Ea



3M™ Lexa™ Splash GoggleGear™

Lightweight, low-profile, contoured design with soft PVC shroud that gently hugs the face. Patented ellipsoidal lens extends the viewing range in every direction. Indirect ventilation allows air to circulate and helps reduce fogging. Comes fully assembled with Lexa eyewear and headstrap. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
16644-00000-10	665522731	Lexa Splash GoggleGear	М	Clear	Clear, DX	Ea
16645-00000-10	665522741	Lexa Splash GoggleGear	L	Clear	Clear, DX	Ea



3M™ Fectoggles™

DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Wraparound design features adjustable lens angle and choice of elastic headband or adjustable length temples for custom fit. Foam flange seals perimeter of lens to help keep out particulates. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM# ORI	DER#	DESCRIPTION	SIZES	FRAME	LENS	UOM
16400-00000-10 665	5572031	Fectoggles, elastic headband	M	Black	Clear, DX	Ea
16420-00000-10 665	5572591	Fectoggles, adjustable temple	L	Black	Clear, DX	Ea



3M™ Maxim™ 2 x 2 Goggles

Ideal when protection from dust, wind and the sun is needed. Polycarbonate lenses absorb 99.9% UV. Features high-impact nylon frame construction, vented design to help reduce heat and fogging, interchangeable lenses, strap and temples. Meets ANSI Z87.1+ High Impact standard. 10/Case.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM
40686-00000-10	665570271	Maxim 2 x 2	Black	Clear, anti-fog	Ea
40687-00000-10	665522401	Maxim 2 x 2	Black	Gray, anti-fog	Ea

/!\ WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Gloggles™

Switch from glasses to goggles with a simple push, pull and snap. Foam padding forms a snug fit to keep out dust and airborne particles. Lenses provide 99.9% UV protection. Anti-fog, anti-scratch coating on lenses. Includes goggle strap and eyeglass temples for easy interchangeability. Meets current ANSI Z87.1+ standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5103	G73551031	Black	Clear	Ea
5103-01	G73551041	Black	Gray	Ea
5103-02	G73551051	Black	Yellow	Ea







Stryker™ Safety Goggles

Transparent PVC body works with most half-mask respirators and protects against impact and splash. Features wide lens for unobstructed field of vision and indirect vents for chemical splash protection. Lens treated with Duramass® AF4 anti-fog coating. Easy adjusting rubber

	es personal fit. Meets		5 5	, ,	ing rubber
ITEM #	ORDER #	FRAME	LENS	UOM	1_
2310AF	331404701	Black	Clear, anti-fog	Ea	



Protective Safety Goggles

Provides an unobstructed field of vision and can be worn with most half-mask respirators. Transparent PVC body permits comfortable fit over Rx eyewear while protecting against impact. Indirect vents on chemical splash models prevent the direct passage of liquid. Meets ANSI Z87.1+ High Impact standard.

ITEM#	ORDER #	DESCRIPTION	FRAME	LENS	UOM	
2120	331404551	Perforated goggles, small	Clear	Clear	Ea	
2220R	331479911	Perforated goggles w/ rubber strap	Clear	Clear	Ea	
2230R	331404681	Chemical splash goggles, indirect vent	Clear	Clear	Ea	
2235R	331422351	Chemical splash goggles, indirect vent	Clear	Clear, anti-fog	Ea	



2220F





⊆ ^{Gateway} Swap® Safety Eyewear

Change from glasses to goggles to guickly and easily meet your needs. Temples and adjustable head strap included, which can be switched out with the simple push of a button. Foam-lined frame helps block dust and debris, with venting channels to minimize fogging. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+. 10/Box.

ITEM #	ORDER#	FRAME	LENS	UOM	
21GB79	323321791	Black	Clear, anti-fog	Ea	
21GB78	323321781	Black	Gray, anti-fog	Ea	
21GB0F	323321601	Black	Clear I/O mirror, anti-fog	Ea	
21GB9F	323327201	Black	Blue mirror, anti-fog	Ea	







Jackson § **Goggle Protection**

Extreme heat resistance; will not melt, drip or ignite at 350° F for 5 minutes. Adjustable side vents to help increase airflow. Fits naturally to contour of the face. Lightweight and comfortable. Pivot headband allows for optimal placement. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM#	ORDER#	FRAME	LENS	UOM
20525	C24120951	Black	Clear, anti-fog	Ea
20529	C24120991	Black	IRUV 5.0, anti-fog	Ea



Jackson Safety* V80 Monogoggle* **XTR* OTG Goggle Protection**

Stylish goggle protects against splashes, while providing increased visibility due to the cylindrical lens. Soft pliable frame conforms to the face and is easy to clean and sanitize. Indirect ventilation. Can be worn over most Rx eyewear. Meets ANSI Z87.1+ High Impact standard.

ITEM #	ORDER#	DESCRIPTION	FRAME	LENS	UOM	
18624	C24120021	V80 Monogoggle* XTR*	Blue	Clear, anti-fog	Ea	



Jackson Safety* **V90 Monoshield* Goggle Protection**

Combines goggle and faceshield into a one-piece face protection system by attaching PVC gaskets to the Monogoggle 211. Polycarbonate shield provides splash and impact protection. Meets ANSI Z87.1+ High Impact standard.



ITEM #	ORDER#	FRAME	LENS	UOM	
16671	C24150591	Green	Clear, VisiClear*	Ea	



ANSI Z8	7.1+ High Imp	act standard		
ITEM #	ORDER#	FRAME	LENS	UOM
18629	C24120111	Blue	Clear, anti-fog	Ea



18633 C24120131 Black IRUV 5.0, anti-fog Ea

shield for full face protection. Curved polycarbonate faceshield conforms to the shape of face offering added protection. Shield detaches from goggle. Can be used over most Rx eyewear. Provides 99.9% UV protection. Meets



3M™ Clear Eyewear **Side Covers**

Can be used with many different spectacle styles. 20 Pair/case.

WARNING: This product does not meet the side impact performance requirement of ANSI Z87.1+ High Impact standard. If user is exposed to potential side impacts, use ANSI Z87.1 compliant safety spectacles with side protection, goggles or faceshields with primary eye protection to avoid serious eye injuries.

ITEM #	ORDER#	UOM	
23451-00030-20	665572621	Ea	

23451-00030-20

!\ WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

18629





Uvex Clear® Lens Cleaning Tissues

High-absorbency, non-abrasive tissues are specially formulated for anti-fog and scratch-resistant hardcoats. Tough enough to remove grit and grime from safety eyewear, but gentle enough not to leave abrasive marks. For best results, use with Uvex Clear cleaning solution. 60 Boxes/case.

ITEM #	ORDER # DESCRIPTION	UOM
S462	341533465 Lens cleaning tissues	500/Bx



Fog Eliminator® Cloths

UVEX

Protect against the potentially dangerous temporary loss of vision that occurs when lenses fog up. Reusable and safe for all types of lenses and lens coatings. Each cloth provides 40 applications. Streak- and film-free, alcohol- and silicone-free, non-flammable and non-toxic. Individually wrapped. 8 Boxes/case



S477	

S463

ITEM #	ORDER#	DESCRIPTION	UOM
S477	341533515	Fog eliminator cloths	100/Bx



Eyewear Hang Cord

Provides convenient access to safety eyewear and encourages greater compliance. Universal cord fits all Uvex® spectacles. Black. 25/Bag.

ITEM #	ORDER # DESCRIPTION	UOM	
S501	341533571 Universal hang cord	Ea	









Uvex Clear® Disposable Lens Cleaning Station

Ideal for construction sites or remote locations where a permanent access location is not available. Includes everything needed to keep eyewear clean and in good condition: 16 oz. lens cleaning spray bottle and (500) tissues, packaged in a disposable box. 6/Case.

ITEM #	ORDER#	DESCRIPTION	CASE QTY	UOM	
S467	341533491	Disposable lens cleaning station	6/Cs	Ea	
\$468	341533505	Lens cleaning towelettes	10 Bx/Cs	100/Bx	



Uvex Clear® Permanent Lens Cleaning Station

Easy-to-use, easy-to-install and reminds employees to frequently clean safety eyewear. Refill capabilities eliminate replacing the entire system. Unit includes 16 oz. Uvex Clear cleaning solution, (4) boxes of (500) tissues, 3 1/2" x 4 1/2" mirror, screw mounts and adhesive foam for quick mounting.

ITEM #	ORDER#	DESCRIPTION	CASE QTY	UOM
S461	341533451	Permanent lens cleaning station	1/Cs	Ea
\$463	341533471	Lens cleaning solution refill, 16 oz.	12/Cs	Ea
S464	341533481	Lens cleaning solution refill, 1 gal.	4/Cs	Ea





Lens Cleaning Products

Towelettes are pre-moistened with anti-fog and anti-static cleaning solution. Each box contains (100) individually wrapped towelettes. Lens cleaning station contains (1) 8 oz. bottle of anti-fog, anti-static cleaning spray and (2) boxes of (300) tissues. Convenient, portable and ready to hang on the wall.

ITEM# OR	DER# DESCRIPTION	CASE QTY	UOM
LCT 33	1400105 Lens cleaning to	owelettes 10 Bx/Cs	100/Bx
LCS1 33	1402351 Lens cleaning s	tation 6/Cs	Ea