



No. 4VDT1

## Walk-Behind Floor Scrubbers and Brushes

By Tennant Company

Feature large front wheels for maneuverability in tight spaces and parabolic squeegees for excellent water recovery. Can cover over 80,000-sq-ft. on a single charge; over 4-hr. continuous run time. Dual vacuum fan increases vacuum lift by 30% to pick up most tough soils. Scrubbers are compatible with Multipurpose Cleaner No. 4VDT3 and Heavy-Duty Cleaner No. 4VDT4.

**Cylindrical Deck**—Deliver up to 90 lb. of scrubbing pressure.

**Disc-Style Deck**—Deliver up to 200 lb. of scrubbing pressure.

**FaST Technology**—Scrubbers are equipped with FaST Technology, an on-board chemical dispensing system that applies a light cleaning detergent foam to the floor. Helps reduce cleaning water usage by up to 70% and chemical usage by up to 90%. FaST is certified by the National Floor Safety Institute to increase traction up to 21% while reducing the risk of slips and falls.

Cleaning Path	Power Source	Vacuum Motor	Solution Tank Capacity	Recovery Tank Capacity	CYLINDRICAL DECK		DISC-STYLE DECK			
					Mfr. Model	Item No.	Mfr. Model	Item No.		
<b>Walk Behind Floor Scrubbers</b>										
28"	235Ah Battery	3 Stage 0.8 HP	30 gal.	40 gal.	MV-5700-0003	4VDT1	✓	MV-5700-0001	4VDR8	✓
32"	235Ah Battery	3 Stage 0.8 HP	30 gal.	40 gal.	MV-5700-0004	4VDT2	✓	MV-5700-0002	4VDR9	✓

Description	Size	Item No.
<b>FaST Floor Scrubber Chemicals</b>		
Multipurpose Cleaner	2L	4VDT3
Heavy-Duty Cleaner	2L	4VDT4
Description	For Use With	Item No.
<b>Replacement Brushes and Pad Drivers</b>		
Mfr. No. MV-5700-0001		4VMA7
Mfr. No. MV-5700-0002		4VMA9
Mfr. No. MV-SS5-0025, MV-5700-0004, MV-SSR-0017		4VLY3
Mfr. No. MV-5700-0003, MV-SSR-0015		4VLX9
Pad Driver	Mfr. No. MV-5700-0001	4VMA6
16" Pad for 32" Machine	Mfr. No. MV-5700-0002	4VMA8



No. 49H339

## Industrial Rider Floor Scrubbers and Brushes

By Tennant Company

Clean up to 38,280-sq.-ft. per hour. Feature a shock-absorbing frame and a durable polyethylene exterior. Rotomolded tanks are suitable for daily commercial or industrial use. A large front wheel and 3-point wheel design for maneuverability in tight spaces.

**Cylindrical Deck, No. 49H430**—Delivers up to 200 lb. of scrubbing pressure.

**Disc-Style Deck, No. 49H439**—Delivers up to 250 lb. of scrubbing pressure.

Cleaning Path	Power Source	Vacuum Motor	Solution Tank Capacity	Recovery Tank Capacity	CYLINDRICAL DECK		DISC-STYLE DECK			
					Mfr. Model	Item No.	Mfr. Model	Item No.		
<b>Industrial Rider Floor Scrubbers</b>										
32"	240Ah Battery	0.85 HP	35 gal.	44 gal.	MV-T12-0012	49H340	✓	MV-T12-0011	49H339	✓
Description		Item No.	Description		Size	Item No.				
<b>Replacement Brushes and Pad Drivers</b>										
<b>Brushes</b>										
Cylindrical Poly Scrub		49H341	Cylindrical HD Poly Scrub		49H342					
Cylindrical Abrasive Scrub		49H343	Disk HD Poly Scrub		49H344					
Disk Abrasive Bristle Scrub		49H345								
<b>Pad Drivers</b>										
13" Pad For 26" Machine		4VLX7								
16" Pad for 32" Machine		4VMA8								
Description		Size	Item No.							
<b>Chemicals</b>										
Neutral pH Daily Cleaner, Clear		2.5 gal.	6ENZ7							
Cleaner, Purple Color		2.5 gal.	6ENZ8							
Neutral Solvent Degreaser, Yellow Color		2.5 gal.	6ENZ9							

No. 4VDL6



By Tennant Company

## Micro Rider Floor Scrubbers and Brushes

Cover over 75,000-sq.ft. on a single charge; over 4½-hr. continuous run time. Clean a variety of surfaces and up to a 4° incline. Have easy to use 1-button control. Indicator lights warn when solution tank is empty and recovery tank is full.

**Cylindrical Deck**—Deliver up to 120 lb. of scrubbing pressure and operate at 69 dB.

**Disc-Style Deck**—Deliver up to 160 lb. of scrubbing pressure and operate at 67 dB.

Cleaning Path	Power Source	Vacuum Motor	Solution Tank Capacity	Recovery Tank Capacity	CYLINDRICAL DECK		DISC-STYLE DECK			
					Mfr. Model	Item No.	Mfr. Model	Item No.		
<b>Micro Floor Scrubbers</b>										
26"	235Ah Battery	3 Stage 0.6 HP	29 gal.	29 gal.	—	—	MV-SSR-0011	4VDL6	✓	
28"	235Ah Battery	3 Stage 0.6 HP	29 gal.	29 gal.	MV-SSR-0015	4VDN1	✓	—	—	
32"	235Ah Battery	3 Stage 0.6 HP	29 gal.	29 gal.	MV-SSR-0017	4VDN3	✓	MV-SSR-0013	4VDL8	✓

Description	For Use With	Item No.
<b>Replacement Brushes and Pad Drivers</b>		
Mfr. No. MV-SSR-001		4VLX8
Mfr. No. MV-SSR-0013		4VLY2
Mfr. No. MV-5700-0003, MV-SSR-0015		4VLX9
Mfr. No. MV-SS5-0025, MV-5700-0004, MV-SSR-0017		4VLY3
13" Pad For 26" Machine	Mfr. No. MV-SSR-001	4VLX7
Pad Driver	Mfr. No. MV-SSR-0013	4VLY1

Remove Watermark Now



### Mid-Size Walk-Behind Floor Scrubbers and Brushes

Large drive wheels and tight wheel base coupled with a parabolic squeegee provides maneuverability and easy water pick up on turns. Constructed with noncorroding scrub deck and roto-molded tanks; built for commercial and light industrial use. Ideal for noise-sensitive environments. Feature 1-button quick-train controls and no-tool squeegee change for easy operator training. Cleans up to 20,000 sq. ft. per hr. Console is height adjustable and the onboard charger allows the unit to be easily stored.

**Cylindrical Deck**—Operates at 68 dB.

**Disc-Style Deck**—Operates at 67 dB.



No. 4VDN5

Description	For Use With	Item No.	Cleaning Path	Power Source	Vacuum Motor	Solution Tank Capacity	Recovery Tank Capacity	CYLINDRICAL DECK		DISC-STYLE DECK		
								Mfr. Model	Item No.	Mfr. Model	Item No.	
<b>Replacement Brushes and Pad Drivers</b>			<b>Mid-Size Floor Scrubbers</b>									
Poly Brush	Mfr. No. MV-SS5-0018	4VLY5	24"	(4) 6V, 235Ah Batteries	0.85 HP	22.5 gal.	27 gal.	—	—	MV-SS5-0018	4VDN5	✓
	Mfr. No. MV-SS5-0020	4VLY8	26"	(4) 6V, 235Ah Batteries	0.85 HP	22.5 gal.	27 gal.	MV-SS5-0024	4VDP2	✓	—	—
	Mfr. No. MV-SS5-0022	4VLZ1	28"	(4) 6V, 235Ah Batteries	0.85 HP	22.5 gal.	27 gal.	—	—	MV-SS5-0020	4VDN7	✓
	Mfr. No. MV-SS5-0024	4VLY6	32"	(4) 6V, 235Ah Batteries	0.85 HP	22.5 gal.	27 gal.	MV-SS5-0025	4VDP4	✓	MV-SS5-0022	4VDN9
Pad Driver	Mfr. No. MV-SS5-0025, MV-5700-0004, MV-SSR-0017	4VLY3										
	Mfr. No. MV-SS5-0018	4VLY4										
	Mfr. No. MV-SS5-0020	4VLY7										
	Mfr. No. MV-SS5-0022	4VLY9										

### Compact Walk-Behind Floor Scrubbers and Brushes



Onboard charger allows scrubber to charge at any 120V outlet. Large drive wheels and tight wheel base coupled with parabolic squeegee increases maneuverability and allows for easy water pickup on turns. Provide 90 lb. of brush scrubbing pressure with a whisper quiet design 68.5 dBA.



No. 39DK97

Description	For Use With	Item No.						
<b>Replacement Brushes and Pad Drivers</b>								
Poly Brush	Mfr. No. MV-SS300-0001	4VLZ3						
	Mfr. No. MV-SS300-0003	4VLZ5						
Pad Driver	Mfr. No. 9002885-H, 9002886-H	4VLZ2						
	Mfr. No. 9002887-H, 9003062-H, 9003063-H, 9003064-H	4VLZ4						
Cleaning Path	Power Source	Brush Motor	Vacuum Motor	Solution Tank Capacity	Recovery Tank Capacity	Mfr. Model	Item No.	
<b>Compact Floor Scrubbers</b>								
17"	105Ah Battery	1 HP	0.5 HP	11 gal.	14 gal.	MV-SS300-0001	39DK97	✓
20"	130Ah Battery	1 HP	0.5 HP	11 gal.	14 gal.	MV-SS300-0003	39DK99	✓
20"	155Ah Battery	1 HP	0.5 HP	11 gal.	14 gal.	MV-SS300-0005	39DL02	✓
20"	155Ah Battery	0.6 HP	0.5 HP	11 gal.	14 gal.	MV-SS300-0009	39DL06	✓



### Compact 15" Floor Scrubbers

Dual squeegees allow forward and backward cleaning. Adjustable handle, all-in-one trigger operation, and simple controls for operator comfort. Battery-operated models eliminate cord hazards and constraints with quiet design 68 dBA.

Ideal for grouted tile floors, kitchens, locker rooms, hotel, and hospitals.



No. 4VDR3

Cleaning Path	Power Source	Vacuum Motor	Solution Tank Capacity	Recovery Tank Capacity	Mfr. Model	Item No.	
<b>AGM Battery-Operated (Includes Charger), Dayton</b>							
15"	(2) 33Ah Battery	0.5 HP	3.5 gal.	3.5 gal.	20HW28	20HW28	✓
<b>AGM Battery-Operated (Includes Charger), Nobles</b>							
15"	50Ah Battery	0.5 HP	2.5 gal.	3.4 gal.	9008637	10D945	✓
<b>Electric (Includes 50-ft. Power Cord), Nobles</b>							
15"	120VAC, 60 Hz	1.2 HP	3 gal.	4.5 gal.	9004200-H	4VDR3	✓
<b>Li-Ion Battery-Operated, Nobles</b>							
15"	Lithium Ion Battery	0.5 HP	2.5 gal.	3.4 gal.	9008640	10D946	✓



### Walk-Behind Floor Scrubbers and Brushes

Feature parabolic squeegee and shroud-protected scrub deck. All include traction drive battery, except no. 14X829 which is corded. No. 14X831 provides up to 200 lb. of brush scrubbing pressure. Nos. 4NEL8 and 14X832 provide up to 150 lb. of brush scrubbing pressure.



No. 4NEL4

Cleaning Path	Power Source	Vacuum Motor	Solution Tank Capacity	Recovery Tank Capacity	Mfr. Model	Item No.	
<b>Floor Scrubbers</b>							
18"	120VAC, 60 Hz	2 Stage 1.33 HP	8 gal.	11 gal.	14X829	14X829	✓
20"	(2) 12V, 105Ah Batteries	0.75 HP	13 gal.	15 gal.	4NEL4	4NEL4	✓
	(2) 12V, 215Ah Batteries	0.75 HP	16 gal.	16 gal.	14X831	14X831	✓
26"	(2) 215Ah Batteries	0.75 HP	17 gal.	17 gal.	4NEL8	4NEL8	✓
28"	(2) 12V, 215Ah Batteries	3 Stage 0.8 HP	17 gal.	17 gal.	14X832	14X832	✓
Machine Size		Brushes Req.		Item No.			
<b>Replacement Poly Brushes</b>							
18"		1"		14X830			
20"		1		4NEL7			
26"		2		4NE22			
28"		3"		14X833			



No. 4VDT7



No. 4NEK6

## Carpet Extractors

### STRIVE® SERIES WITH READYSpace®

ReadySpace® technology allows carpets to dry and be ready for foot traffic in 30 min. or less. Rollers and deep cleaning brushes can perform interim and restorative carpet cleaning.

### SELF-CONTAINED EXTRACTORS

**EX-SC-1020P**—10-gal. push extractor cleans an average of 3500 sq. ft. per hr. Features large nonmarking wheels, drop-down drain hose for quick emptying, and 5 spray jets.

**EX-SC-1020**—Extractors have a drop-down hose for easy emptying, a solenoid valve that helps prevent drips, and simple controls for ease of use.

**Speed EX™ Compact**—Electric extractor features lift-off solution and recovery tanks for easy cleaning and filling. Noncorrosive aluminum scrub head and rotomolded tanks for durability. Handle is adjustable for ease of use and folds down for storage.

**EX-SC-412**—Cleans 1400 sq. ft. per hr. Has a lift-off recovery tank and an adjustable folding handle. Includes trigger grips for solution dispersal, 2 spray jets that evenly dispense solution and require no tools to remove, and a floating brush head that requires no manual adjustment.

**Falcon™ Ultra Battery**—Self-propelled front-mounted head allows for easy maneuvering around corners and narrow aisles. 6 spray heads with 100 psi for enhanced solution dispersal and better cleaning performance. Runs up to 4 hr. on a single charge.

**Falcon™ 2800 Plus**—Self-propelled extractor has a 75-ft. power cord and electronic speed control for greater efficiency. Rear-mounted pivoting head provides greater solution recovery for faster drying time. Includes a prespray wand for cleaning heavily soiled areas.

★ **Dayton Extractor**—16" 10-gal extractor with twist lock spray jet and easy one pass cleaning.

Description	Cleaning Path	Solution Tank Capacity	Recovery Tank Capacity	Pump Pressure	Vacuum Motor	Brand	Mr. Model	Item No.
<b>Strive® w/ReadySpace®</b>								
Strive Rider	28"	32 gal.	28 gal.	250 psi	(2) 3-Stage, 0.6 HP	Nobles	MV-STRVR-0002	4VDT7 ✓
Strive Walk Behind	22"	21 gal.	21 gal.	100 psi	(2) 3-Stage, 0.6 HP	Nobles	MV-STRV-0001	4VDT8 ✓
Strive Compact	15"	5 gal.	5 gal.	65 psi	2-Stage, 1.2 HP	Nobles	9004202-H	4VDU5 ✓
<b>Self-Contained Extractors</b>								
EX-SC-1020P	20"	10 gal.	14.5 gal.	100 psi	3-Stage, 1.8 HP	Nobles	9007480	4VDU2 ✓
EX-SC-1020	20"	10 gal.	14.5 gal.	100 psi	3-Stage, 1.8 HP	Nobles	9007486	4VDU3 ✓
Speed EX™ Compact	15"	5 gal.	5 gal.	65 psi	2-Stage, 1.2 HP	Nobles	9004201-H	4VDU6 ✓
EX-SC-412	12"	4 gal.	4 gal.	60 psi	2-Stage, 1.5 HP	Nobles	9007478	4VDU7 ✓
Falcon™ 2800 Plus	22"	28 gal.	18 gal.	100 psi	3-Stage, 2 HP	Nobles	608352	4VDU1 ✓
Falcon™ Ultra Battery	22"	17 gal.	17 gal.	100 psi	2-Stage, 1 HP	Nobles	608351	4VDT9 ✓
Carpet Extractor	16"	10 gal.	7 gal.	100 psi	3-Stage	Dayton	4NEK6	4NEK6 ✓
<b>Portable Extractors</b>								
EX-SPOT	4"	2 gal.	2 gal.	30 psi	2-Stage, 1.12 HP	Nobles	9007502	4VDV5 ✓
EX-SPOT with Cart	4"	2 gal.	2 gal.	30 psi	2-Stage, 1.12 HP	Nobles	9007629	4VDV6 ✓
Portable Carpet Spotter	3½"	1 gal.	1 gal.	30 psi	2-Stage	Dayton	4NEL2	4NEL2 ✓

Description	For Use With	Brand	Item No.
<b>Accessories</b>			
15-ft. Extraction Hose	Mr. No. 608352, 9007480, 9007486, 1002564, 9007478, 9007623, 608570, 9001690-G, 9000503, 608351	Nobles	4VMA4
5" Metal Hand/Upholstery Tool	Mr. No. 160400	Nobles	4VMA5
12" Wand	4NEK6	Dayton	4NEK7
3.5" Hand Tool	4NEK6 and 4NEL2	Dayton	4NEK8
15-ft. Vacuum Hose	4NEK6 and 4NEL2	Dayton	4NEK9
15" Solution Hose	4NEK6 and 4NEL2	Dayton	4NEL1
8" Wand Assembly	4NEL2	Dayton	4NEL3

## Compact Carpet Extractors

### ★ DAYTON

Designed with a 100 psi pump and 3-stage vacuum motor for heavy-duty cleaning. Large rear wheels for easy mobility and stair climbing. Includes 15-ft. vacuum and solution hoses, 3.5" hand tool, and 12" wand.

### TENNANT

#### ■ ETL Listed

Easy-to-use design with a large capacity 15-gal. tank increases productivity by letting you run the machine longer before you need to add more solution. Include a long 15-ft. hose, easy-grip handles, and a sturdy carpet wand for increased maneuverability and access to hard-to-reach spaces. Easy access fill port reduces spills and keeps you in an ergonomic position during fill ups. Roto-mold double-walled construction increases extractor life and performance.

Nos. 19XZ88 to 19XZ94 come with a heating element and are ideal for cleaning jobs where a more aggressive approach is needed.



No. 14X836



No. 19XZ88

Cleaning Path	Pump Pressure	Solution Tank Capacity	Recovery Tank Capacity	Vacuum Motor	Item No.
<b>Walk Behind Carpet Extractor, Dayton</b>					
12"	100 psi	10 gal.	7 gal.	3-Stage, 1.7 HP	14X836 ✓
<b>Canister Extractor, Tennant</b>					
12"	220 psi	15 gal.	13.5 gal.	3-Stage, 0.685 HP	19XZ91 ✓
13"	120 psi	15 gal.	13.5 gal.	3-Stage, 0.685 HP	19XZ92 ✓
<b>Canister Extractor with Heat, Tennant</b>					
12"	120 psi	15 gal.	13.5 gal.	3-Stage, 0.685 HP	19XZ93 ✓
	220 psi	15 gal.	13.5 gal.	3-Stage, 0.685 HP	19XZ89 ✓
	120 psi	15 gal.	13.5 gal.	3-Stage, 0.685 HP	19XZ94 ✓
13"	220 psi	15 gal.	13.5 gal.	3-Stage, 0.685 HP	19XZ90 ✓
	50 to 500 psi	15 gal.	13.5 gal.	3-Stage, 0.342 HP	19XZ88 ✓



No. 2CYF6



## Carpet Treatments **Diversey**

### ★ Tough Guy™ Carpet

**Defoamer**—Reduces or eliminates problems due to foam in recovery tanks, pump reservoirs, and cleaning machines.

**Defoamer Liquid®**—Pour into the recovery tank to eliminate foam and reduce related problems.

Rec. Dilution	Size	Brand	Item No.
1:256	1 gal.	Tough Guy	2CYF6
Ready to Use (RTU)	1 qt.	Diversey	2ZHU1

Remove Watermark Now



**Heavy-Duty Stripping**  
No. 1MER7



**Nylon General Scrubbing**  
No. 1MEP2



**Medium Scrubbing**  
No. 1MEC9



**Light Scrubbing**  
No. 1MEP9



**Stripping Brush**  
No. 1MEC8



**Poly General Scrubbing**  
No. 1MEE7



**Carpet Cleaning**  
No. 1MEE5



**Sanding Disc**  
No. 1MEK8



## Replacement Floor Scrubber Rotary Brushes

Clutch Plate is sold separately. More sizes and styles available on Grainger.com®.

**Poly General Scrubbing Brush**—Polypropylene 0.028" bristles for general scrubbing of most floor types.

**Nylon General Scrubbing Brush**—Nylon 0.028" bristles for general scrubbing of most floor types.

**Light Scrubbing Brushes**—Nylon 0.018" fibers with 500-grit silicon carbide for light to medium scrubbing of vinyl, sealed concrete, terrazzo, slate, and marble floors.

**Medium Scrubbing Brushes**—Nylon 0.022" fibers with 320-grit silicon carbide for medium to mildly aggressive scrubbing of resilient floors, nonslip flooring, terrazzo, quarry tile,

and concrete. Irregular bristle length assures cleaning on uneven surfaces.

**Stripping Brushes**—Nylon 0.050" fibers with 80-grit silicon carbide for aggressive scrubbing of concrete and stripping of resilient floors, terrazzo, and tile. Irregular bristle length assures cleaning on uneven surfaces.

**Heavy-Duty Stripping Brushes**—Nylon 0.060" fibers with 46-grit silicon carbide for aggressive scrubbing of concrete surfaces and aggressive stripping of resilient floors. Irregular bristle length assures cleaning on uneven surfaces.

**Carpet Cleaning Brushes**—Polyester bristle scrubs carpet while glide plate supports the weight of the machine.

**Sanding Discs**—For aggressive and effective sanding of wood floors.

Machine Size	Block Size	POLY GENERAL SCRUBBING	NYLON GENERAL SCRUBBING	LIGHT SCRUBBING	MEDIUM SCRUBBING
		Item No.	Item No.	Item No.	Item No.
13"	11"	—	1MEP2	1MEP9	1MEF3
15"	13"	—	1MEP3	1MER1	1MEF7
16"	14"	—	—	1MER2	1MEG2
17"	15"	1MEE7	1MEP5	1MER3	1MEC9
18"	16"	—	1MEP6	1MER4	1MEG7
19"	17"	—	1MEP7	1MER5	1MEH2
20"	18"	1MEE6	1MEP8	1MER6	—

Machine Size	Block Size	STRIPPING BRUSHES	HEAVY-DUTY STRIPPING	CARPET CLEANING
		Item No.	Item No.	Item No.
13"	11"	1MEF4	1MER7	—
15"	13"	1MEF8	1MER8	—
16"	14"	1MEG3	1MER9	—
17"	15"	1MEE1	1MET1	1MEE5
18"	16"	1MEG8	1MET2	—
19"	17"	1MEH3	1MET3	—
20"	18"	1MEC8	1MET4	1MEE4

Machine Size	Block Size	SANDING DISCS
		Item No.
16" or 17"	15"	1MEK8
17" or 18"	16"	1MEK9
18" or 19"	17"	1MEL1
19" or 20"	19"	1MEL2



## Indoor/Outdoor Vacuum

Quickly and easily cleans small to medium areas, collecting litter, dirt, and debris from any hard-surface area or low-nap commercial carpeting. Heavy-duty nylon impeller mulches as it cleans. 19"-wide nozzle with 1½" intake has 2 height settings and an easy-access On/Off switch. 8-gal. filter/collector bag has a zipper for easy emptying. Built-in kickstand. Single-stage motor. Double insulated. 120V, 60Hz.



Amps	HP	Item No.
6	1.25 Peak	6H003 ✓



No. 5N425



No. 3U908



No. 3HKD1



No. 3U911



No. 3HKD4



## Carpet Bonnets

Extend carpet life and enhance appearance when used for interim carpet maintenance. Double edge stitching extends bonnet life.

**Low-Profile Bonnets**—Provide improved operator control on rotary floor machines from 175-300 rpm.

**Standard Thickness Bonnets**—Work well with shampoo or solvent-based chemicals. Use with standard 175 rpm rotary floor machines for intensive carpet maintenance.

**Microfiber Bonnets**—Offers better cleaning power and longer product life. Can withstand over 100 launderings and has double the durability of standard blend bonnets.

Size	LOW PROFILE	LOW PROFILE W/SCRUBBING STRIPS	MICROFIBER LOW PROFILE	STANDARD THICKNESS	MICROFIBER STANDARD THICKNESS
	Item No.	Item No.	Item No.	Item No.	Item No.
17"	5N425	3U908	3HKD1	3U911	3HKD4
19"	5N426	3U909	—	3U912	3HKD5
21"	—	3U910	—	3U913	3HKD6



## Floor Surface Preparation Pads

Environmentally preferable floor pads require only a neutral cleaner or water, reducing the use of chemicals. Nonwoven mineral floor pad construction enables pad to remove floor finish from a variety of hard floor surfaces, including vinyl tile, marble, terrazzo, concrete, and wood floors. Compatible with water-based or solvent-based finishes.



No. 1EKC3

Size	Speed	Color	Mfr. Model	Item No.	Pkg. Qty.
13"	175 to 350 rpm	Maroon	SPP13	4LGR1	10
15"	175 to 350 rpm	Maroon	SPP15	1EKC3	10
17"	175 to 350 rpm	Maroon	SPP17	4LGR2	10
16"	175 to 350 rpm	Maroon	SPP16	1EKC4	10
20"	175 to 350 rpm	Maroon	SPP20	1EKC5	10

Remove Watermark Now



No. 6XZV8



No. 6XZX3



No. 6XZW5

**Recycled Floor Stripping Pads**

Made from recycled poly-ester fiber.

**Burgundy**—Heavy-duty denier fiber with more abrasive grit and open weave. Removes years of dirt and finish buildup.

**Brown**—Quick-stripping pads provide fast, uniform results. Can be used either wet or dry for removal of wax, dirt, and finish.

**Black**—Long-lasting pads provide heavy-duty stripping power. Recommended for wet use only.



Color		Size	FLOOR PADS Case Qty.	Item No.	USE TOUGH GUY PAD DRIVER* Item No.
<b>Recycled Stripping Pads, 175 to 350 RPM</b>					
Burgundy	11"	5	6XZV8	—	—
	13"	5	6XZV9	—	—
	15"	5	6XZW0	—	—
	17"	5	6XZW1	1MEG4	—
	18"	5	6XZW2	1MEG5	—
	19"	5	6XZW3	1MEG9	—
Brown	20"	5	6XZW4	1MEH4	—
	11"	5	6XZX3	—	—
	13"	5	6XZX4	—	—
	15"	5	6XZX5	1MEG4	—
	17"	5	6XZX6	1MEG9	—
	19"	5	6XZX7	1MEH4	—
	20"	5	6XZX8	—	—
	21"	5	6XZX9	—	—
	11"	5	6XZW5	—	—
	13"	5	6XZW6	—	—
Black	15"	5	6XZW7	—	—
	16"	5	6XZW8	—	—
	17"	5	6XZW9	1MEG4	—
	18"	5	6XZX0	1MEG5	—
	19"	5	6XZX1	1MEG9	—
20"	5	6XZX2	1MEH4	—	
<b>Tough Guy Pad Holder</b> For Use with Pad Drivers					1MEH9

\* 3.25"-dia. center hole.

No. 6YMP2



No. 10E064



**Recycled Floor Scrubbing Pads**

Designed with polyester fiber material that comes from recycled materials. Minimum 50% postconsumer recycled content.

**Pink**—Cleans light dirt and scuff marks, including black heel marks and prepares floor for burnishing. Perfect for use in auto scrubbers.

**Green**—Use for heavy-duty wet floor scrubbing or light stripping. Excellent for high-traffic areas or locations that are subjected to heavy or industrial-type soils.



Color		Size	FLOOR PADS Item No.	Pkg. Qty.	USE TOUGH GUY PAD DRIVER* Item No.	Pkg. Qty.
<b>Recycled Scrubbing Pads, Up to 350 RPM</b>						
Pink	13"	5	6YMP2	5	—	—
	15"	5	6YMP3	5	—	—
	17"	5	6YMP4	5	1MEG4	5
	18"	5	6YMP5	5	1MEG5	5
	19"	5	6YMP6	5	1MEG9	5
	20"	5	6YMP7	5	1MEH4	5
<b>Recycled Scrubbing Pads, 175 to 350 RPM</b>						
Green	11"	5	6XZY0	5	—	—
	12"	5	10E064	5	—	—
	13"	5	6XZY1	5	—	—
	14"	5	10E067	5	—	—
	14"	5	6XZY2	5	—	—
	15"	5	6XZY3	5	—	—
	17"	5	6XZY4	5	1MEG4	5
	19"	5	6XZY5	5	1MEG9	5
	20"	5	6XZY6	5	1MEH4	5
	23"	5	6XZY7	5	—	—
	24"	5	6XZY8	5	—	—
<b>Pad Holder</b> For Use with Pad Drivers					1MEH9	1

\* 3.25"-dia. center hole.



No. 6YMR5



No. 6YMP8



No. 6YMT9



No. 6YMT3



No. 6YMV8



No. 41R412

**Recycled Floor Burnishing Pads**

Use with electric-, battery-, or propane-powered machines. Minimum 50% postconsumer recycled content.

**Beige**—Moderately soft burnishing pads provide a softer finish. Perfect for thermal buffing and burnishing; use dry or with a spray-buff solution.

**Aqua**—Super-soft pads are ideal for daily or high-frequency light polishing. Produce a brilliant, reflective gloss on softer finishes; perfect for use on soft to medium floor finishes.

**Pink**—Designed with special formulation that effectively removes black marks and restores gloss. Ideal for medium to hard floor finishes.

**Light Blue**—Designed for use on all floor finishes. Perfect for top dressing highly polished floors.

**Gray/Black**—Delivers ultimate UHS burnishing results for high-gloss finish. Natural fibers are designed for use on hard finishes.

**Beige Blend**—Provides an extra high gloss when buffing or burnishing with an ultra high-speed machine. Use dry or with spray-buff solution.

**Melamine**—Melamine foam is laminated to a 100% recycled polyester nonwoven material. Use with standard-speed machines to create a high level of friction to clean floors, such as VCT terrazzo, tile, concrete, and epoxy floors, while removing stubborn black marks. Always saturate with water or a neutral cleaner or degreaser.



Color		Size	FLOOR PADS Case Qty.	Item No.	USE TOUGH GUY PAD DRIVER* Item No.
<b>Recycled Burnishing Pads, Up to 3000 RPM</b>					
Beige	17"	5	6YMR5	1MEG4	—
	19"	5	6YMR6	1MEG5	—
	20"	5	6YMR7	1MEH4	—
	21"	5	6YMR8	—	—
	24"	5	6YMR9	—	—
	27"	2	6YMT0	—	—
	27"	5	6YMT1	—	—
	28"	5	6YMT2	—	—
	17"	5	6YMP8	1MEG4	—
	19"	5	6YMP9	1MEG9	—
Aqua	20"	5	6YMR0	1MEH4	—
	21"	5	6YMR1	—	—
	24"	5	6YMR2	—	—
	27"	5	6YMR3	—	—
	28"	5	6YMR4	—	—
Pink	17"	5	6YMT9	1MEG4	—
	19"	5	6YMU0	1MEG9	—
	20"	5	6YMU1	1MEH4	—
	21"	5	6YMU2	—	—
	24"	5	6YMU3	—	—
Light Blue	27"	5	6YMU4	—	—
	11"	5	6YMT3	—	—
	13"	5	6YMT4	—	—
	15"	5	6YMT5	—	—
	17"	5	6YMT6	1MEG4	—
Gray/Black	19"	5	6YMT7	1MEG9	—
	20"	5	6YMT8	1MEH4	—
	17"	5	6YMV8	1MEG4	—
	19"	5	6YMV9	1MEG9	—
	20"	5	6YMW0	1MEH4	—
Beige	21"	5	6YMW1	—	—
	24"	5	6YMW2	—	—
	27"	5	6YMW3	—	—
	17"	5	6YMV1	1MEG4	—
	19"	5	6YMV2	1MEG9	—
Beige Blend	20"	5	6YMV3	1MEH4	—
	21"	5	6YMV4	—	—
	24"	5	6YMV5	—	—
	27"	5	6YMV6	—	—
	28"	5	6YMV7	—	—
White/Brown Melamine	13"	5	41R412	—	—
	14"	5	41R413	—	—
	17"	5	41R414	1MEG4	—
	20"	5	41R415	1MEH4	—
	12" x 18"	5	41R408	—	—
	14" x 20"	5	41R409	—	—
	14" x 28"	5	41R410	—	—
	14" x 32"	5	41R411	—	—

\* 3.25"-dia. center hole.

Remove Watermark Now

### Stripping Pads



No. 4RY75

No. 4RU87

No. 4RU92

### Scrubbing Pads



No. 4RU94

### Buffing/Cleaning Pads



No. 4RY11



No. 4RY16



No. 4RY22

## Stripping, Scrubbing, Buffing/ Cleaning, and Polishing Pads

For use with rotary or automatic floor machines.

Color	Size	FLOOR PADS		USE PAD DRIVER*	
		Case Qty.	Item No.	Item No.	Item No.
<b>Stripping Pads, 175 to 350 rpm</b>					
Dark Blue	11"	5	4RY75	—	—
	13"	5	4RY76	—	—
	15"	5	4RY77	1MEF5	—
	17"	5	4RY78	1MEG4	1MEG9
	19"	5	4RY79	1MEG9	1MEH4
Black	20"	5	4RY80	1MEH4	—
	11"	5	4RU82	—	—
	13"	5	4RU83	—	—
	15"	5	4RU84	1MEF5	—
	17"	5	4RU85	1MEG4	—
Brown	19"	5	4RU86	1MEG9	—
	20"	5	4RU87	1MEH4	—
	13"	5	4RU89	—	—
	15"	5	4RU90	1MEF5	—
	17"	5	4RU91	1MEG4	—
Blue	19"	5	4RU92	1MEG9	—
	20"	5	4RU93	1MEH4	—
	11"	5	4RU94	—	—
	13"	5	4RU95	—	—
	15"	5	4RU96	1MEF5	—
Green	17"	5	4RU97	1MEG4	—
	19"	5	4RU98	1MEG9	—
	20"	5	4RU99	1MEH4	—
	11"	5	4RY10	—	—
	13"	5	4RY11	—	—
White	15"	5	4RY12	1MEF5	—
	17"	5	4RY13	1MEG4	—
	19"	5	4RY14	1MEG9	—
	20"	5	4RY15	1MEH4	—
	<b>Buffing/Cleaning Pads, 175 to 350 rpm</b>				
Red	11"	5	4RY16	—	—
	13"	5	4RY17	—	—
	15"	5	4RY18	1MEF5	—
	17"	5	4RY19	1MEG4	—
	19"	5	4RY20	1MEG9	—
White	20"	5	4RY21	1MEH4	—
	11"	5	4RY22	—	—
	13"	5	4RY23	—	—
	15"	5	4RY24	1MEF5	—
	17"	5	4RY25	1MEG4	—
Tough Guy Pad Holder	19"	5	4RY26	1MEG9	—
	20"	5	4RY27	1MEH4	—
Tough Guy Pad Holder		1	1MEH9	—	—
For Use with Pad Drivers		1	1MEH9	—	—

\* 5" dia. center hole. 16" and 18" pad drivers available on Grainger.com®.



No. 4RY34



No. 4RY41



No. 4RY50



No. 4RY59



No. 4RY64



## Buffing and Burnishing Pads

**Buffing Pads**—For use with electric floor machines.

**Burnishing Pads**—Use with electric-, battery-, or propane-powered machines.

Color	Size	Case Qty.	FLOOR PADS		USE PAD DRIVER*	
			Item No.	Item No.	Item No.	Item No.
<b>Buffing Pads, 1000 to 1500 rpm</b>						
Peach	11"	5	4RY34	—	—	—
	13"	5	4RY35	—	—	—
	15"	5	4RY36	—	—	1MEG4
	17"	5	4RY37	—	—	1MEG9
	19"	5	4RY38	—	—	1MEH4
20"	5	4RY39	—	—	1MEF5	
<b>Burnishing Pads, 1000 to 3000+ rpm</b>						
Beige	19"	5	4RY41	—	—	1MEG9
	20"	5	4RY42	—	—	1MEH4
	17"	5	4RY47	—	—	1MEG4
	19"	5	4RY48	—	—	1MEG9
	20"	5	4RY49	—	—	1MEH4
White	21"	5	4RY50	—	—	—
	27"	2	4RY52	—	—	—
	17"	5	4RY54	—	—	1MEG4
	19"	5	4RY55	—	—	1MEG9
	20"	5	4RY56	—	—	1MEH4
Aqua	21"	5	4RY57	—	—	—
	27"	2	4RY59	—	—	—
	17"	5	4RY61	—	—	1MEG4
	19"	5	4RY62	—	—	1MEG9
	20"	5	4RY63	—	—	1MEH4
Tan	21"	5	4RY64	—	—	—
	27"	2	4RY66	—	—	—
	20"	5	4RY70	†	—	1MEH4
	27"	2	4RY73	†	—	—
	<b>Tough Guy Pad Holder</b>					
For Use with Pad Drivers		1	1MEH9	—	—	—

\* 5" dia. center hole. 16" and 18" pad drivers available on Grainger.com®. † Rubberized.



## Natural Hair Floor Pads

Ideal for electric and battery-powered machines up to 3000 rpm. Feature a 3" center hole.

Size	Item No.	Pkg. Qty.
<b>Natural Hair/Synthetic Fiber Blend, Beige Color</b>		
19"	1YNN4	5
20"	1YNN5	5
27"	1YNN6	2
<b>Natural Hair w/Binder, Beige Color</b>		
19"	1YNN7	5
20"	1YNN8	5
27"	1YNN9	2



No. 1YNN7

Remove Watermark Now



**Stripping, Scrubbing, and Buffing/Cleaning Pads**

Environmentally sustainable pads are washable and reusable.

**STRIPPING PADS**

For rotary and automatic floor machines.

**High-Productivity Black 7300**

Remove old finish, dirt, and buildup. Increase pad-to-floor contact for more efficient stripping. Use to strip heavy buildup or for quick stripping.

**Black 7200**

Wet strip floors, maintaining consistent performance throughout the pad life.

**Brown 7100**

Resilient pads can be used for wet or dry stripping on uneven floors. Quickly and easily cut through old finish to prepare floors for refinishing.

**SCRUBBING PADS**

Use with rotary and automatic floor machines.

**Blue 5300**

Remove dirt, spills and scuffs, leaving a clean surface ready for recoating. For heavy-duty scrubbing prior to recoating.

**BUFFING/CLEANING PADS**

**Red 5100**

Clean when damp, buff when dry. Use for light scrubbing without dulling the finish. For rotary and automatic floor machines.

**White Super Polish 4100**

Pad buffs very soft finishes and lower-traffic areas; or use for polishing soft waxes on wood floors. For rotary floor machines.

Description	Size	3M FLOOR PADS		USE TOUGH GUY PAD DRIVER*	
		Case Qty.	Item No.	Item No.	Item No.
<b>Stripping Pads, 175 to 600 RPM</b>					
Black 7300	13"	5	3U064	1MEF1	1MEF1
	15"	5	3U065	1MEF5	1MEF5
	17"	5	3U066	1MEG4	1MEG4
	19"	5	3U067	1MEG9	1MEG9
	20"	5	3U068	1MEH4	1MEH4
Black 7200	28" x 14"	10	6ENF5	1MEH4	1MEH4
	13"	5	3U069	1MEF1	1MEF1
	15"	5	3U071	1MEF5	1MEF5
	17"	5	3U072	1MEG4	1MEG4
	19"	5	3U073	1MEG9	1MEG9
Brown 7100	20"	5	3U074	1MEH4	1MEH4
	20" x 14"	10	6ENF7	—	—
	28" x 14"	10	6ENF8	—	—
	13"	5	4WD08	1MEF1	1MEF1
	15"	5	4WD10	1MEF5	1MEF5
Scrubbing Pads, 175 to 600 RPM	17"	5	4WD12	1MEG4	1MEG4
	19"	5	4WD14	1MEG9	1MEG9
	20"	5	4WD15	1MEH4	1MEH4
	20" x 14"	10	6ENG0	—	—
Blue 5300	13"	5	3U058	1MEF1	1MEF1
	15"	5	3U060	1MEF5	1MEF5
	17"	5	3U061	1MEG4	1MEG4
	19"	5	3U062	1MEG9	1MEG9
	20"	5	3U063	1MEH4	1MEH4
Red 5100	20" x 14"	10	6ENG0	—	—
	13"	5	3U089	1MEF1	1MEF1
	15"	5	3U091	1MEF5	1MEF5
	17"	5	3U092	1MEG4	1MEG4
	19"	5	3U093	1MEG9	1MEG9
	20"	5	3U094	1MEH4	1MEH4
	20" x 14"	10	6ENG3	1MEH4	1MEH4
	28" x 14"	10	6ENG4	1MEH4	1MEH4
	32" x 14"	10	6ENG5	1MEH4	1MEH4
	13"	5	3U083	1MEF1	1MEF1
White 4100	15"	5	3U085	1MEF5	1MEF5
	17"	5	3U086	1MEG4	1MEG4
	19"	5	3U087	1MEG9	1MEG9
	20"	5	3U088	1MEH4	1MEH4
<b>Tough Guy Pad Holder</b>					
For Use with Pad Drivers			1MEH9	—	—

\* 5" dia. center hole. 16" and 18" pad drivers available on Grainger.com®.



**3M Preburnishing and Burnishing Pads**

Environmentally sustainable pads are washable and reusable.

**PREBURNISHING PADS**

**TopLine Autoscrubber Green 5000**

For light scrubbing of floors before burnishing with minimal finish removal. For rotary or automatic floor machines.

**BURNISHING PADS**

For ultra high-speed floor machines.

**Sky Blue Hi-Performance 3050**

Restore gloss to dull floors. Great for frequent burnishing with less dust, point build up, and burning.

**Aqua 3100**

Produce a brilliant gloss on softer finishes or in lower traffic areas. Exceptional durability.

**TopLine Peach 3200**

Pads restore gloss to dull floors in a single pass. For use on floors with good base coat. Minimal finish removal.

**Natural Blend White 3300**

Use natural hair and synthetic fiber pads for outstanding results on a wide variety of finishes and traffic conditions. Provide high gloss while minimizing swirl marks.

**Tan 3400**

Provide a brilliant "wet-look" finish on harder finishes or high-traffic areas. Best choice for scratch and scuff removal.

**Natural Blend Tan 3500**

Natural hair and synthetic fiber pads provide excellent results on harder finishes and high-traffic areas. Remove marks and scuffs while polishing.

**Eraser™ Pink 3600**

For optimum results on harder finishes and heavy-traffic floors. Remove black marks, restore excellent gloss and image clarity.

Description	Size	3M FLOOR PADS		USE TOUGH GUY PAD DRIVER*	
		Case Qty.	Item No.	Item No.	Item No.
<b>Preburnishing Pads, 175 to 600 RPM</b>					
Green/Amber 5000	13"	5	3U077	1MEF1	1MEF1
	15"	5	4WG73	1MEF5	1MEF5
	17"	5	3U078	1MEG4	1MEG4
	19"	5	3U079	1MEG9	1MEG9
	20"	5	3U080	1MEH4	1MEH4
<b>Burnishing Pads, 1500+ RPM</b>					
Sky Blue 3050	17"	5	32V430	1MEG4	1MEG4
	19"	5	32V431	1MEG9	1MEG9
	20"	5	32V432	1MEH4	1MEH4
	27"	5	32V433	—	—
	17"	5	4WD58	1MEG4	1MEG4
Aqua 3100	19"	5	3U081	1MEG9	1MEG9
	20"	5	3U082	1MEH4	1MEH4
	21"	5	4WD59	—	—
	24"	5	4RU42	—	—
	27"	5	1CJ71	—	—
Peach 3200	17"	5	4WG83	1MEG4	1MEG4
	19"	5	3U075	1MEG9	1MEG9
	20"	5	3U076	1MEH4	1MEH4
	21"	5	3UZ71	—	—
	24"	5	4WG86	—	—
White 3300	27"	5	3UZ90	—	—
	17"	5	4WG89	1MEG4	1MEG4
	19"	5	4WG91	1MEG9	1MEG9
	20"	5	4WG92	1MEH4	1MEH4
	21"	5	4WG93	—	—
Tan 3400	24"	5	4WG95	—	—
	27"	5	4WJ31	—	—
	17"	5	4WC29	1MEG4	1MEG4
	19"	5	4WC30	1MEG9	1MEG9
	20"	5	4WC31	1MEH4	1MEH4
Tan 3500	21"	5	4WC32	—	—
	27"	5	4RU41	—	—
	17"	5	4WH04	1MEG4	1MEG4
	19"	5	3U095	1MEG9	1MEG9
	20"	5	3U096	1MEH4	1MEH4
Pink 3600	21"	5	4WH06	—	—
	24"	5	4WH09	—	—
	27"	5	4WJ27	—	—
	17"	5	5ND28	1MEG4	1MEG4
	19"	5	5ND29	1MEG9	1MEG9
<b>Tough Guy Pad Holder</b>					
For Use with Pad Drivers			1MEH9	—	—

\* 5" dia. center hole. 16" and 18" pad drivers available on Grainger.com®.