



Footwear

Remove Watermark Now

Protective footwear is required by OSHA anywhere that objects could pierce the sole or when there are dangers of rolling objects and/or falling objects in the area. Proper fitting is also required so as not to hinder the wearer's work activities.

Visit www.osha.gov for complete details and regulation requirements.



MACK®

INDUSTRIAL FOOTWEAR

Innovative Design. Exceptional Comfort.

Full Range of Workboots, Shoes & Colors

Style, Safety and Comfort

Composite & Steel Toe




Remove Watermark Now



Mack® Tradie

This functional and durable 6" double gusset slip-on boot is ideal for the tradesman wanting bang for their buck. The steel toecap provides protection while the PU midsole offers a smooth cushioned ride. The TPU outersole pattern gives excellent slip resistance and heat resistance to 302° F. Water and slip-resistant. Steel toe. Fitting: Neutral foot type. Complies to ASTM F2413-11. Black.



ITEM #	ORDER #	SIZES	UOM
MKTRADIE-BBF070	E93811031	7	Pr
MKTRADIE-BBF075	E93811041	7.5	Pr
MKTRADIE-BBF080	E93811051	8	Pr
MKTRADIE-BBF085	E93811061	8.5	Pr
MKTRADIE-BBF090	E93811071	9	Pr
MKTRADIE-BBF095	E93811081	9.5	Pr
MKTRADIE-BBF100	E93811091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKTRADIE-BBF105	E93811101	10.5	Pr
MKTRADIE-BBF110	E93811111	11	Pr
MKTRADIE-BBF115	E93811121	11.5	Pr
MKTRADIE-BBF120	E93811131	12	Pr
MKTRADIE-BBF125	E93811141	12.5	Pr
MKTRADIE-BBF130	E93811151	13	Pr

MORE SIZES AVAILABLE



Mack® Tradesman

This 6" lace up buffalo leather boot provides additional ankle stability making it ideal for the apprentices and part timers. The steel toecap provides protection while the PU midsole provides shock attenuation helping to fight fatigue at the end of a long day at work. TPU outersole provides a resistance up to 302° F. Water and slip-resistant. Steel toe. Fitting: Neutral foot type. Complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKTRADES-BBF070	E93812021	7	Pr
MKTRADES-BBF075	E93812031	7.5	Pr
MKTRADES-BBF080	E93812041	8	Pr
MKTRADES-BBF085	E93812051	8.5	Pr
MKTRADES-BBF090	E93812061	9	Pr
MKTRADES-BBF095	E93812161	9.5	Pr
MKTRADES-BBF100	E93812071	10	Pr
MKTRADES-BBF105	E93812171	10.5	Pr
MKTRADES-BBF110	E93812081	11	Pr
MKTRADES-BBF115	E93812181	11.5	Pr
MKTRADES-BBF120	E93812091	12	Pr
MKTRADES-BBF125	E93812101	12.5	Pr
MKTRADES-BBF130	E93812111	13	Pr

MORE SIZES AVAILABLE



Mack® Blast

This 7" steel toe boot features a zip closure ensuring a quick exit - ideal for those exposed to sparks and working around water. Constructed with top-grain nubuck leather for excellent comfort and durability. The rounded HeelBevel provides a smooth transition from initial contact, while the ForefootFlex ensures a smooth toe-off reducing fatigue. The scuff cap improves durability to ensure that the boots meet standards for as long as possible. TPU outersole provides excellent heat resistance up to 302° F. The Blast is suitable for workers in everything from construction to resource sectors. Water and slip-resistant. Steel toe. Fitting: Wide heel and arch region. Complies with ASTM F2413-11. Honey.

ITEM #	ORDER #	SIZES	UOM
MKBLAST-HHF070	E93814061	7	Pr
MKBLAST-HHF080	E93814071	8	Pr
MKBLAST-HHF085	E93814211	8.5	Pr
MKBLAST-HHF090	E93814081	9	Pr
MKBLAST-HHF095	E93814141	9.5	Pr
MKBLAST-HHF100	E93814091	10	Pr
MKBLAST-HHF105	E93814151	10.5	Pr
MKBLAST-HHF110	E93814101	11	Pr
MKBLAST-HHF115	E93814161	11.5	Pr
MKBLAST-HHF120	E93814111	12	Pr
MKBLAST-HHF130	E93814121	13	Pr

MORE SIZES AVAILABLE



Remove Watermark Now

Range	Tough Range	Tough Range	MTA	MTA	MTA	Supertec
Style	Tradie	Tradesman	Blast	Charge	Turbo	Bulldog
Closure	Slip-On	Lace-Up	Zip-Up	Lace-up	Lace-up	Lace-up
Toecap	Steel	Steel	Steel	Steel	Steel	Steel
H2O-Resistant	•	•	•	•	•	-
Slip-Resistant	•	•	•	•	•	•
Wellmax® Penetration Resistant	-	-	-	-	-	-
Anti-Static	•	•	•	•	•	-
Scuff Cap	-	-	•	•	•	-
Reflective	-	-	-	-	•	-
Heat-Resistant Sole	302°F	302°F	302°F	302°F	302°F	572°F
TPU Outsole	•	•	•	•	•	•
Midsole	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	Phylon
Innersole	EVA - Cushioned Foam	EVA - Cushioned Foam	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane	PU - Polyurethane
Traction Sole	-	-	-	-	-	-
Low-Catch Sole	-	-	-	-	-	-
Anti-Torsion Sole	-	-	-	-	-	-
Stability Cup	-	-	-	-	-	-
Anterior Ankle Flex	-	-	-	-	-	-
Forefoot Flex	•	•	•	•	•	•
Heel Bevel	•	•	•	•	•	-
Rake 10mm	•	•	•	•	•	-
Material	Buffalo Leather	Buffalo Leather	Nubuck Full Grain Leather	Cowhide Full Grain Leather	Reflective Upper Nubuck Full Grain Leather & Nylon Mesh	Cowhide Full Grain Leather
Lining	No Lining	Knitted Polyester	Knitted Polyester	Knitted Polyester	Knitted Polyester	Cambrelle®
Special Feature	Double Gusset Elastic	Additional Ankle Stability	Zip Closure	Cushioned PU Midsole and Innersole	Reflective Upper to improve visibility in low light	Quick Release Lace Loops
Colors	Black	Black	Honey	Black, Honey	Black	Black, Honey, Rocky Brown
Sizes	5 - 17 6.5 - 12.5	5 - 17 7.5 - 11.5	5 - 14 8.5 - 11.5	5 - 14 8.5 - 11.5	7 - 14 8.5 - 11.5	4-16 7.5 - 11.5
Height	6"	6"	7"	7"	6"	6"
Weight	1.52 lb	1.43 lb	1.79 lb	1.70 lb	1.59 lb	1.65 lb
Approved Standards	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)



Mack® Charge

This 7" lace up boot with steel toe is one of Mack Boots™ top sellers and is the sister boot to the Blast. The Charge packs a cushioned PU midsole and innersole beneath the foot and wraps the foot in high grade full grain leather upper for comfort, breathability and durability. The TPU outsole provides heat resistant up to 302° F, while the scuff cap improves durability in high wear zones. The Charge is ideal for workers in the resources and construction industries that spend all day in their boots. Water and slip-resistant. Steel toe. Fitting: Wide heel and arch region. Complies with ASTM F2413-11.

MORE SIZES AVAILABLE

COLOR	Black	Honey				
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	UOM	
7	MKCHARGE-BBF070	E93815061	MKCHARGE-HHF070	E93891071	Pr	
7.5	MKCHARGE-BBF075	E93815311	MKCHARGE-HHF075	E93815621	Pr	
8	MKCHARGE-BBF080	E93815071	MKCHARGE-HHF080	E93891081	Pr	
8.5	MKCHARGE-BBF085	E93815321	MKCHARGE-HHF085	E93815661	Pr	
9	MKCHARGE-BBF090	E93815081	MKCHARGE-HHF090	E93891091	Pr	
9.5	MKCHARGE-BBF095	E93815361	MKCHARGE-HHF095	E93815631	Pr	
10	MKCHARGE-BBF100	E93815091	MKCHARGE-HHF100	E93891101	Pr	
10.5	MKCHARGE-BBF105	E93815371	MKCHARGE-HHF105	E93815671	Pr	
11	MKCHARGE-BBF110	E93815101	MKCHARGE-HHF110	E93891111	Pr	
11.5	MKCHARGE-BBF115	E93815341	MKCHARGE-HHF115	E93815641	Pr	
12	MKCHARGE-BBF120	E93815111	MKCHARGE-HHF120	E93891121	Pr	
13	MKCHARGE-BBF130	E93815121	MKCHARGE-HHF130	E93891131	Pr	



Remove Watermark Now

Supertec	Supertec	Pinnacle	Pinnacle	Pinnacle	Lifestyle	Lifestyle	Lifestyle
Rider	Rigger	Granite	Heeler	Dingo	Neptune	Venus	Saturn
Slip-On	Slip-On	Lace-up	Lace-up	Lace-up	Lace-up	Lace-up	Lace-up
Steel	Steel	Composite	Composite	Composite	Composite	Composite	Composite
•	-	•	•	•	-	-	-
•	•	•	•	•	•	•	•
-	-	•	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	•	•	•	-	-	-
-	-	•	•	•	-	-	-
572°F	572°F	572°F	572°F	572°F	-	-	-
-	-	-	-	-	-	-	-
Phylon	Phylon	Phylon	Phylon	Phylon	EVA - Cushioned Foam	EVA - Cushioned Foam	EVA - Cushioned Foam
PU - Polyurethane	PU - Polyurethane	Silicone Gel	Silicone Gel	Silicone Gel	Silicone Gel	Silicone Gel	Silicone Gel
-	-	•	•	•	-	-	-
-	-	•	•	•	•	•	•
-	-	•	•	•	-	-	-
-	-	•	•	•	-	-	-
•	•	•	•	•	•	•	•
•	•	-	-	-	-	-	-
•	•	•	•	•	•	•	•
Cowhide Full Grain Leather	Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Reflective Upper & Cowhide Full Grain Leather	Leather	Upper Mesh, Leather	Upper Mesh, Leather
Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®	Cambrelle®	Knitted Polyester	Knitted Polyester	Knitted Polyester
High Heat Resistance, Double Elastic Gusset	No Lace, "Cowboy Boot" Style	Ultimate Boot w/Poron® Metguard Protection, Wellmax® Penetration Resistant	Silicone Gel Heel, 1" Extra Ankle Protection compared to Dingo	Silicone Gel Heel, Forefoot & Ankle Flexibility	TPU Shank, "Tennis Shoe" Style	TPU Shank, "Tennis Shoe" Style	TPU Shank, "Tennis Shoe" Style
Black, Rocky Brown	Rocky Brown	Black, Honey	Black, Honey	Black, Honey, Rocky Brown	Black	Black/Red	White/Grey
5-14 7.5 - 11.5	7-14	5-16 8.5 - 11.5	5-17 8.5 - 11.5	5-16 8.5 - 11.5	7-14	7-14	5-14
6"	11"	7"	7"	6"			
1.50 lb	2 lb	1.6 lb	1.56 lb	1.40 lb	1.19 lb	14oz	14oz
ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75 MT 75 PR)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)	ASTM F2413 - 11 (M I/75 C/75)



Mack® Turbo

This 6" hiking style, lace up boot with steel toe is designed for the warehouse and transport industries. The Turbo features a reflective upper overlay in the heel to improve visibility in low light. Constructed of nubuck full grain leather and nylon mesh for durability and breathability. The combination of a cushioned PU midsole, HeelBevel and ForefootFlex helps ease the feet through a long day on the job. TPU Outersole provides heat resistance to 302° F. Includes scuff cup to improve durability in high wear zones. Water and slip-resistant. Steel toe. Fitting: Wide heel and arch region. Complies with ASTM F2413-11. Black.



MKTURBO-BBF

ITEM #	ORDER #	SIZES	UOM
MKTURBO-BBF070	E93880071	7	Pr
MKTURBO-BBF075	E93880201	7.5	Pr
MKTURBO-BBF080	E93880081	8	Pr
MKTURBO-BBF085	E93880211	8.5	Pr
MKTURBO-BBF090	E93880091	9	Pr
MKTURBO-BBF095	E93880221	9.5	Pr
MKTURBO-BBF100	E93880101	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKTURBO-BBF105	E93880231	10.5	Pr
MKTURBO-BBF110	E93880111	11	Pr
MKTURBO-BBF115	E93880241	11.5	Pr
MKTURBO-BBF120	E93880121	12	Pr
MKTURBO-BBF130	E93880131	13	Pr
MKTURBO-BBF140	E93880141	14	Pr

◆ Non-stock item. Minimum quantity may apply.



MKBULLDOG-ROF

Mack® Bulldog

The 6" lace up Bulldog is made from cowhide full grain leather and features a Phylon cushioned midsole to reduce weight and a rubber outersole for durability and heat resistance up to 572° F. The sole design includes exceptional ForefootFlex for a smooth toe-off and a reinforced midfoot for support all day long. The Cambrelle® Lining provides the ultimate lining for comfort, moisture management and durability. The combination of features makes the Bulldog ideal for those looking for a comfortable and stylish boot with exceptional durability. Slip-resistant. Steel toe. Fitting: High arched, narrow foot shape. Complies with ASTM F2413-11.

COLOR	Black		Honey		Rocky Brown		
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	UOM
7	MKBULLDOG-BBF070	E93816321	MKBULLDOG-HHF070	E93816531	MKBULLDOG-ROF070	E93816061	Pr
7.5	MKBULLDOG-BBF075	E93816331	MKBULLDOG-HHF075	E93816541	MKBULLDOG-ROF075	E93816831	Pr
8	MKBULLDOG-BBF080	E93893081	MKBULLDOG-HHF080	E93816551	MKBULLDOG-ROF080	E93816071	Pr
8.5	MKBULLDOG-BBF085	E93893201	MKBULLDOG-HHF085	E93816561	MKBULLDOG-ROF085	E93816201	Pr
9	MKBULLDOG-BBF090	E93893091	MKBULLDOG-HHF090	E93816571	MKBULLDOG-ROF090	E93816081	Pr
9.5	MKBULLDOG-BBF095	E93893211	MKBULLDOG-HHF095	E93816581	MKBULLDOG-ROF095	E93816211	Pr
10	MKBULLDOG-BBF100	E93893101	MKBULLDOG-HHF100	E93816591	MKBULLDOG-ROF100	E93816091	Pr
10.5	MKBULLDOG-BBF105	E93893221	MKBULLDOG-HHF105	E93816671	MKBULLDOG-ROF105	E93816221	Pr
11	MKBULLDOG-BBF110	E93893111	MKBULLDOG-HHF110	E93816601	MKBULLDOG-ROF110	E93816101	Pr
11.5	MKBULLDOG-BBF115	E93816341	MKBULLDOG-HHF115	E93816611	MKBULLDOG-ROF115	E93816231	Pr
12	MKBULLDOG-BBF120	E93816351	MKBULLDOG-HHF120	E93816621	MKBULLDOG-ROF120	E93816111	Pr
13	MKBULLDOG-BBF130	E93893131	MKBULLDOG-HHF130	E93816631	MKBULLDOG-ROF130	E93816121	Pr
14	MKBULLDOG-BBF140	E93816361	MKBULLDOG-HHF140	E93816641	MKBULLDOG-ROF140	E93816131	Pr

MORE SIZES AVAILABLE



MKRIDER-ROF

Mack® Rider

The 6" Rider is a lightweight, slip on boot made of cowhide full grain leather and double elastic gusset. Designed with a steel toe for protection and Cambrelle® lining to provide comfort, durability and moisture management. The high heat resistance rubber outersole (572° F) is ideal for workers exposed to sparks and molten material and require a quick exit. The Phylon cushioned midsole, PU innersole and ForefootFlex deliver flexibility and comfort. Water and slip-resistant. Steel toe. Fitting: High arched, narrow foot shape. Complies with ASTM F2413-11.

COLOR	Black		Rocky Brown		
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	UOM
7	MKRIDER-BBF070	E93870071	MKRIDER-ROF070	E93872071	Pr
7.5	MKRIDER-BBF075	E93870201	MKRIDER-ROF075	E93872191	Pr
8	MKRIDER-BBF080	E93870081	MKRIDER-ROF080	E93872081	Pr
8.5	MKRIDER-BBF085	E93870211	MKRIDER-ROF085	E93872201	Pr
9	MKRIDER-BBF090	E93870091	MKRIDER-ROF090	E93872091	Pr
9.5	MKRIDER-BBF095	E93870221	MKRIDER-ROF095	E93872211	Pr
10	MKRIDER-BBF100	E93870101	MKRIDER-ROF100	E93872101	Pr
10.5	MKRIDER-BBF105	E93870231	MKRIDER-ROF105	E93872221	Pr
11	MKRIDER-BBF110	E93870111	MKRIDER-ROF110	E93872111	Pr
11.5	MKRIDER-BBF115	E93870241	MKRIDER-ROF115	E93872231	Pr
12	MKRIDER-BBF120	E93870121	MKRIDER-ROF120	E93872121	Pr
13	MKRIDER-BBF130	E93870131	MKRIDER-ROF130	E93872131	Pr
14	MKRIDER-BBF140	E93870141	MKRIDER-ROF140	E93872141	Pr

MORE SIZES AVAILABLE

Remove Watermark Now



Mack® Rigger

The 11" Rigger slip on boot is built for petroleum, petrochemical, welders, boiler makers, riggers and other workers who need lace free protection. This stylish steel toe boot is designed with a padded ankle, collar and Cambrelle® lining offering comfort, durability and moisture management. The Phylon midsole provides premium cushioning and shock attenuation for a smooth ride. The TPU outersole is slip-resistant and provides high heat protection up to 527° F. Steel toe. Fitting: High arched, narrow foot shape. Complies with ASTM F2413-11. Rocky brown.



MKRIGGER-ROF

ITEM #	ORDER #	SIZES	UOM
MKRIGGER-ROF070	E93873071	7	Pr
MKRIGGER-ROF080	E93873081	8	Pr
MKRIGGER-ROF090	E93873091	9	Pr
MKRIGGER-ROF100	E93873101	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKRIGGER-ROF110	E93873111	11	Pr
MKRIGGER-ROF120	E93873121	12	Pr
MKRIGGER-ROF130	E93873131	13	Pr
MKRIGGER-ROF140	E93873141	14	Pr



MKGRANITE-BBF

HONEY



Mack® Granite

The 7" lightweight Granite is the ultimate safety boot with the functional design to match! The Granite features a flexible Wellmax® aramid fibre penetration-resistant midsole, Poron® XRD® metatarsal guard and a composite toecap for maximum weight reduction. The upper contains reflective material to improve visibility in low light, while the durable cowhide full grain leather provides the ultimate in flexibility and breathability. The sole and heel include an absorbing silicone gel insert for extra comfort and Gravity® dual-density nitrile rubber outsole is heat-resistant to 572° F. Complete with Cambrelle® lining for comfort and moisture management and scuff cap for durability. The flexible forefoot and anterior ankle flexibility in the upper allows for natural foot and ankle motion while walking. Water and slip-resistant. Composite toe. Fitting: Wide, low arched foot shape. Complies with ASTM F2413-11.

COLOR	Black	Honey			
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	UOM
7	MKGRANITE-BBF070	E93827061	MKGRANITE-HHF070	E93857071	Pr
8	MKGRANITE-BBF080	E93827071	MKGRANITE-HHF080	E93857081	Pr
8.5	MKGRANITE-BBF85	E93863301	MKGRANITE-HHF085	E93857201	Pr
9	MKGRANITE-BBF090	E93827081	MKGRANITE-HHF090	E93857091	Pr
9.5	MKGRANITE-BBF95	E93863311	MKGRANITE-HHF095	E93857211	Pr
10	MKGRANITE-BBF100	E93827091	MKGRANITE-HHF100	E93857101	Pr
10.5	MKGRANITE-BBF105	E93863321	MKGRANITE-HHF105	E93857221	Pr
11	MKGRANITE-BBF110	E93827101	MKGRANITE-HHF110	E93857111	Pr
11.5	MKGRANITE-BBF115	E93863331	MKGRANITE-HHF115	E93857231	Pr
12	MKGRANITE-BBF120	E93827111	MKGRANITE-HHF120	E93857121	Pr
13	MKGRANITE-BBF130	E93827121	MKGRANITE-HHF130	E93857131	Pr
14	MKGRANITE-BBF140	E93827131	MKGRANITE-HHF140	E93857141	Pr

MORE SIZES AVAILABLE

ITEM #	ORDER #	SIZES	UOM
MKHEELER-HHF070	E93826321	7	Pr
MKHEELER-HHF080	E93826331	8	Pr
MKHEELER-HHF085	E93826341	8.5	Pr
MKHEELER-HHF090	E93826351	9	Pr
MKHEELER-HHF095	E93826361	9.5	Pr
MKHEELER-HHF100	E93826371	10	Pr
MKHEELER-HHF105	E93826381	10.5	Pr
MKHEELER-HHF110	E93826391	11	Pr
MKHEELER-HHF115	E93826401	11.5	Pr
MKHEELER-HHF120	E93826411	12	Pr
MKHEELER-HHF130	E93826421	13	Pr

MORE SIZES AVAILABLE



Mack® Heeler

The 7" Heeler is a high quality lightweight boot packed with features to keep you safe and moving well at the end of the day. The upper contains reflective material to improve visibility in low light, while the durable cowhide full grain leather provides the ultimate in flexibility and breathability. The sole and heel include an absorbing silicone gel insert for extra comfort and Gravity® dual-density nitrile rubber outsole is heat-resistant to 572° F. Complete with Cambrelle® lining for comfort and moisture management and scuff cap for durability. The Heeler is the big brother to the Dingo with the same safety and functional features but with an additional inch of ankle support and protection. Water and slip-resistant. Composite toe. Fitting: Wide, low arched foot shape. Complies with ASTM F2413-11. Honey.



MKHEELER-HHF



MKDINGO-BBF



Mack® Dingo

The Dingo is a lightweight and functional safety boot ideal for those clocking up big mileage while walking or driving. The sole and heel include an absorbing silicone gel insert for extra comfort and Gravity® dual-density nitrile rubber outsole is heat-resistant to 572° F. Complete with Cambrelle® lining for comfort and moisture management and scuff cap for durability. The Dingo is the little brother to the Heeler with the same safety and functional features but 6" tall. Water and slip-resistant. Composite toe. Fitting: Wide, low arched foot shape. Complies with ASTM F2413-11.

	Black			Honey			Rocky Brown		
SIZES	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	ITEM #	ORDER #	UOM
7	MKDINGO-BBF070	E93824061	MKDINGO-HHF070	E93852071	MKDINGO-ROF070	E93853071			Pr
8	MKDINGO-BBF080	E93824071	MKDINGO-HHF080	E93852081	MKDINGO-ROF080	E93853081			Pr
8.5	MKDINGO-BBF085	E93824201	MKDINGO-HHF085	E93852201	MKDINGO-ROF085	E93853211			Pr
9	MKDINGO-BBF090	E93824081	MKDINGO-HHF090	E93852091	MKDINGO-ROF090	E93853091			Pr
9.5	MKDINGO-BBF095	E93824211	MKDINGO-HHF095	E93852211	MKDINGO-ROF095	E93853221			Pr
10	MKDINGO-BBF100	E93824091	MKDINGO-HHF100	E93852101	MKDINGO-ROF100	E93853101			Pr
10.5	MKDINGO-BBF105	E93824221	MKDINGO-HHF105	E93852221	MKDINGO-ROF105	E93853231			Pr
11	MKDINGO-BBF110	E93824101	MKDINGO-HHF110	E93852111	MKDINGO-ROF110	E93853111			Pr
11.5	MKDINGO-BBF115	E93824231	MKDINGO-HHF115	E93852231	MKDINGO-ROF115	E93853241			Pr
12	MKDINGO-BBF120	E93824111	MKDINGO-HHF120	E93852121	MKDINGO-ROF120	E93853121			Pr
13	MKDINGO-BBF130	E93824121	MKDINGO-HHF130	E93852131	MKDINGO-ROF130	E93853131			Pr



HONEY

ROCKY BROWN

MORE SIZES AVAILABLE



Mack® Neptune

Leather lace-up safety shoes with padded collar and tongue. The lining is a non-abrasive hydrophobic, knitted mesh that wicks away moisture enabling the skin to remain cool and dry. Silicone gel footbed offers ultimate comfort heel and arch support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Slip-resistant. Composite toe. Fitting: Narrow foot shape. Complies with ASTM F2413-11 standards. Black.

ITEM #	ORDER #	SIZES	UOM
MKNEPTUNE-B3F070	E93829061	7	Pr
MKNEPTUNE-B3F080	E93829071	8	Pr
MKNEPTUNE-B3F090	E93829081	9	Pr
MKNEPTUNE-B3F100	E93829091	10	Pr



MKNEPTUNE-B3F

ITEM #	ORDER #	SIZES	UOM
MKNEPTUNE-B3F110	E93829101	11	Pr
MKNEPTUNE-B3F120	E93829111	12	Pr
MKNEPTUNE-B3F130	E93829121	13	Pr

MORE SIZES AVAILABLE



Mack® Saturn

Lightweight lace-up safety shoes with padded collar and tongue. Constructed of synthetic leather and a soft, non-abrasive hydrophobic, knitted mesh that wicks away moisture, enabling the skin to remain cool and dry. Silicone gel footbed offers ultimate comfort with arch and heel support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Designed specifically for light industry including warehousing and transport who clock up big miles on their feet with minimal wear and tear on their footwear. Slip-resistant. Composite toe. Fitting: Narrow foot shape. Complies with ASTM F2413-11. White/gray.



MKSATURN-GWF

ITEM #	ORDER #	SIZES	UOM
MKSATURN-GWF070	E93830061	7	Pr
MKSATURN-GWF080	E93830071	8	Pr
MKSATURN-GWF090	E93830081	9	Pr
MKSATURN-GWF100	E93830091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKSATURN-GWF110	E93830101	11	Pr
MKSATURN-GWF120	E93830111	12	Pr
MKSATURN-GWF130	E93830121	13	Pr

MORE SIZES AVAILABLE

Remove Watermark Now



Mack® Venus

Lightweight lace-up safety shoes with padded collar and tongue. Constructed of synthetic leather and a soft, non-abrasive hydrophobic, knitted mesh that wicks away moisture, enabling the skin to remain cool and dry. Silicone gel footbed offers ultimate comfort with arch and heel support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Designed specifically for light industry including warehousing and transport who clock up big miles on their feet with minimal wear and tear on their footwear. Slip-resistant. Composite toe. Fitting: Narrow foot shape. Complies with ASTM F2413-11. Black/red.



MKVENUS-BBF

ITEM #	ORDER #	SIZES	UOM
MKVENUS-BBF070	E93831061	7	Pr
MKVENUS-BBF080	E93831071	8	Pr
MKVENUS-BBF090	E93831081	9	Pr
MKVENUS-BBF100	E93831091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKVENUS-BBF110	E93831101	11	Pr
MKVENUS-BBF120	E93831111	12	Pr
MKVENUS-BBF130	E93831121	13	Pr

MORE SIZES AVAILABLE

SERVUS SF™ Overboots

Super-sized to fit over bulky leather work boots. Seamless, molded 100% waterproof PVC dual-compound construction features a soft and stretchy upper and tougher durable outsole for longer life. Kick-off lugs molded on the heel for easy removal of overboot. Features SF wide grip outsole with textured treads for better traction. Black.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11001-L	347610031	Overboots, 12"	L (11-13)	Pr
11001-XL	347610041	Overboots, 12"	XL (14-15)	Pr
11003-L	347629621	Overboots, 4"	L (11-13)	Pr



A352

SERVUS Disposable Latex Booties

Ideal for spill cleanup, light industrial and janitorial work, and pesticide and paint spraying. Made of yellow latex with slip-resistant texturized outsole. 12" Height.

CAUTION: This product contains natural latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
A352-L	347602811	Disposable booties	L	Pr
A352-XL	347602831	Disposable booties	XL	Pr
A352-2XL	347602841	Disposable booties	2XL	Pr

SERVUS CT™ PVC Knee Boots

Steel toe PVC boot is injection-molded for 100% waterproof protection. Features reinforced construction at critical seams, a unique top-line design to help reduce rubbing on legs and increase natural flexing, contour heel cup molding and removable FOOT FORM contour cushion insoles to reduce heel slippage. Trac 10™ outsole pattern helps to reduce slips and falls for worker safety. 14" Height. Meets ASTM F2413-11 M I/75 C/75 EH. Black.

ITEM #	ORDER #	SIZES	UOM
18821-8	347630921	8	Pr
18821-9	347630931	9	Pr
18821-10	347630841	10	Pr

ITEM #	ORDER #	SIZES	UOM
18821-11	347630851	11	Pr
18821-12	347630861	12	Pr
18821-13	347630871	13	Pr



18821