



Head & Face Protection

Remove Watermark Now

Workers are required to wear the correct PPE whenever working in areas where there's potential of falling or flying objects or exposure to chemical splash.



Visit www.osha.gov for complete details and regulation requirements.



Above-the-Neck Safety Products

MSA offers a comprehensive line of safety products for the parts that make you, well... you. From the iconic V-Gard® Helmet with three sizes for a custom fit, to the V-Gard System of face protection products that cover almost every hazard, our durable "Above-the-Neck" products work hard to get you home safely.

V-Gard Helmets offer:

- Custom printing with a best-in-class logo and striping program
- Cap styles with or without slots and vents, plus slotted full brim hats
- The new Fas-Trac® III Suspension

V-Gard System offers:

- 50+ face protection products, including visors, frames and chin protectors, designed and tested to work with MSA helmets and MSA hearing protection and retain compliance with applicable Standards
- Global Standards compliant, including ANSI/ISEA Z87.1-2010, EN166, and CSA Z94.3

WE KNOW WHAT'S AT STAKE.



© MSA 2015 • ID 5675-AD



Remove Watermark Now



V-Gard® Standard Caps

Durable, injection-molded, high-density polyethylene (HDPE) shell designed with accessory slots to accommodate many add-on features. Available with two types of suspensions: Fas-Trac® III ratchet suspension: 4-point webbed system with large knob for easy adjustment or Staz-On® pinlock suspension: comfortable, 4-point webbed system. Includes sweatband and adjustable crown straps. Meets ANSI/ISEA Z89.1-2009, Type 1, Class E.

ITEM #	ORDER #	DESCRIPTION	COLOR	SUSPENSION	UOM
463942	308571271	V-Gard standard cap	White	Staz-On Pinlock	Ea
463943	308571281	V-Gard standard cap	Blue	Staz-On Pinlock	Ea
463944	308571301	V-Gard standard cap	Yellow	Staz-On Pinlock	Ea
463945	308571321	V-Gard standard cap	Orange	Staz-On Pinlock	Ea
463946	308571291	V-Gard standard cap	Green	Staz-On Pinlock	Ea
463947	308571311	V-Gard standard cap	Red	Staz-On Pinlock	Ea
463948	308571331	V-Gard standard cap	Gray	Staz-On Pinlock	Ea
815558	308505581	V-Gard standard cap	Bright lime green	Staz-On Pinlock	Ea
475358	308503581	V-Gard standard cap	White	Fas-Trac III Ratchet	Ea
475359	308553601	V-Gard standard cap	Blue	Fas-Trac III Ratchet	Ea
475360	308553621	V-Gard standard cap	Yellow	Fas-Trac III Ratchet	Ea
475361	308553611	V-Gard standard cap	Orange	Fas-Trac III Ratchet	Ea
◆ 475363	308553691	V-Gard standard cap	Red	Fas-Trac III Ratchet	Ea
815565	308522681	V-Gard standard cap	Bright lime green	Fas-Trac III Ratchet	Ea
10061512	308536791	V-Gard standard cap	Hi-viz yellow/green	Fas-Trac III Ratchet	Ea

475358

815558

463944

475359



V-Gard® GREEN Protective Helmets

Produced from green high-density polyethylene (GHDPE), a biopolymer made from sugarcane-based ethanol. Can be recycled. Offers the added benefits of cutting carbon emissions and reducing atmospheric CO₂. Available in standard size with Fas-Trac® III ratchet suspension, in five popular colors (white, yellow, blue, green and red). Third-party SEI certified as Type I, Class E under ANSI/ISEA Z89.1-2009 and CSA Z94.1-2005.



10150222

10150221

10150223

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 10150199	308501991	V-Gard GREEN helmet	White	Ea
◆ 10150200	308502001	V-Gard GREEN helmet	Yellow	Ea
◆ 10150221	308502211	V-Gard GREEN helmet	Blue	Ea
◆ 10150222	308502221	V-Gard GREEN helmet	Green	Ea
◆ 10150223	308502231	V-Gard GREEN helmet	Red	Ea



V-Gard® Protective Full-Brim Hard Hats

Constructed of durable, high-density polyethylene (HDPE) shell with choice of Staz-On® pinlock or Fas-Trac® III ratchet suspension system. Also includes sweatband and adjustable crown straps. Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature [LT] and reverse donning.

475369

10021292



ITEM #	ORDER #	COLOR	SUSPENSION	UOM
◆ 454730	308547531	Yellow	Staz-On Pinlock	Ea
◆ 454732	308547541	Blue	Staz-On Pinlock	Ea
454733	308547331	White	Staz-On Pinlock	Ea
◆ 454734	308547551	Orange	Staz-On Pinlock	Ea
◆ 454735	308547561	Green	Staz-On Pinlock	Ea
454736	308547361	Red	Staz-On Pinlock	Ea
475366	308555661	Yellow	Fas-Trac III Ratchet	Ea
475367	308555671	Gray	Fas-Trac III Ratchet	Ea
475368	308553681	Blue	Fas-Trac III Ratchet	Ea
475369	308553701	White	Fas-Trac III Ratchet	Ea
475370	308555681	Green	Fas-Trac III Ratchet	Ea
◆ 475371	308553711	Red	Fas-Trac III Ratchet	Ea
815570	308599251	Bright lime green	Fas-Trac III Ratchet	Ea
10021292	308520351	Hi-viz orange	Fas-Trac III Ratchet	Ea



10052945



Freedom Series™ V-Gard® Protective Hard Hat

Stay compliant while protecting head and expressing. Bright designs are unique, with a superior shiny finish. Comes equipped with MSA's Fas-Trac® III suspension and meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class E) and CSA Z94.1-2005 (Class E). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for reverse donning. Look for the official reverse donning logo to determine if hard hat may be worn backwards without voiding approvals.

ITEM #	ORDER #	DESCRIPTION	UOM
10052945	308536521	American Stars & Stripes	Ea



V-Gard® Advance Caps

Provides cooling vents for improved air circulation and comfort. Features Glaregard® surface underbrim to reduce reflective glare, lateral contours above ear for easy hearing protection integration and rain trough that extends all the way around the brim. Comes equipped with MSA's Fas-Trac® III suspension and meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009: Vented (Class C). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for low temperature [LT] and reverse donning.


ITEM #	ORDER #	DESCRIPTION	COLOR	SUSPENSION	UOM
10034018	308528161	Advance cap	White	4-Point	Ea
10034019	308528171	Advance cap	Blue	4-Point	Ea
10034020	308528181	Advance cap	Yellow	4-Point	Ea
10034027	308540271	Advance cap	White	6-Point	Ea
10034029	308528231	Advance cap	Yellow	6-Point	Ea



10034019



10034029



10115730



10154622



V-Gard® Frames

Offers helmet-mounted frames for various work conditions and user helmets. Sloped design allows liquids, chips and other materials to slide off frame and away from the line of sight. Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
10115730	3085850D1	V-Gard frame for slotted caps w/ debris control	Ea
10121266	3085851D1	V-Gard frame for slotted caps w/out debris control	Ea
10115822	3085852D1	V-Gard universal frame for slotted caps w/ debris control	Ea
10121268	3085853D1	V-Gard universal frame for slotted caps w/out debris control	Ea
◆ 10115821	308558281	V-Gard frame ET for slotted caps w/ debris control	Ea
10154622	308546221	V-Gard frame for slotted hats	Ea



V-Gard® Visors

A full line of visors for use with V-Gard chin protectors and frames. Made of wire mesh, polycarbonate (PC) or propionate (prop). Only works with V-Gard frames. Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 10116557	3085854D1	V-Gard visor, wire mesh w/ plastic edge	7 1/2" x 17" x .10"	Ea
◆ 10115840	308507381	V-Gard visor, clear, PC, flat	8" x 17" x .06"	Ea
10115855	3085340E1	V-Gard visor, clear, prop, formed	8" x 17" x .10"	Ea
10115836	3085355E1	V-Gard visor, clear, PC, side-contours	8" x 17" x .04"	Ea



10116557

10115855



10115840



Remove Watermark Now



V-Gard® Accessory Kits

V-Gard accessory kits are designed to offer easy customer solutions for a variety of needs, in one convenient box.

10118694 Contains:

- Hi-viz orange V-Gard cap with ratchet suspension (488146)
- V-Gard frame for slotted caps with debris control (10115730)
- V-Gard mesh nitrometer (10116558)
- V-Gard retractable chin protector (10115828)
- Left/right, high (NPR 28 db) cap-mounted earmuffs (10087422)

10118697 Contains:

- V-Gard universal frame for caps with debris control (10115822)
 - V-Gard clear, polycarbonate visor, 8" x 17" x .04" (10115836)
- Does not contain a MSA safety helmet

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10118694	308586981	V-Gard forestry kit	Ea
◆ 10118697	308586971	V-Gard accessory system kit w/out V-Gard cap	Ea



10118694

10148708



10087218

10153385



Replacement Suspensions for V-Gard® Caps and Hats

MSA's line of hard hat suspensions are available in a variety of sizes. Hard hat sold separately.

- Fas-Trac® III suspension is a 4-point webbed system with a large knob for easy adjustment
- Staz-On® suspension is a comfortable, 4-point webbed system

ITEM #	ORDER #	DESCRIPTION	UOM
10148708	308587081	Fas-Trac III suspension for V-Gard 500 caps	Ea
10087218	3085196C1	Staz-On suspension for V-Gard caps or hats, standard	Ea
10153385	308501811	Fas-Trac III suspension for Skullgard® & Comfo-Cap® helmets	Ea



Terri-Band Sweatbands

Custom design sweatband with plastic snaps fits all MSA helmets. Washable.

ITEM #	ORDER #	DESCRIPTION	UOM
696688	308566885	Custom terri-band sweatband	10/Pk



475407

454617



Skullgard® Protective Hats and Caps

Features heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Natural tan. Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class G). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for low temperature [LT].

ITEM #	ORDER #	SUSPENSION	UOM
Skullgard Cap			
◆ 454617	308547221	Staz-On® Pinlock	Ea
475395	308555791	Fas-Trac® III Ratchet	Ea
Skullgard Full Brim Hat			
454664	308547301	Staz-On Pinlock	Ea
475407	308555861	Fas-Trac III Ratchet	Ea



696688

◆ Non-stock item. Minimum quantity may apply.



Bullard® Classic Series Hard Hats

Designed with a wide profile which offers heightened protection from elements, including UV rays. Standard 1" (2.54 cm) wide seamless nylon straps increase balance and comfort. Comes with 6-point, Flex-Gear® suspensions with ratchet adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G. Also meets CSA Z94.1-2005, Type I, Class E and G.

ITEM #	ORDER #	COLOR	UOM	ITEM #	ORDER #	COLOR	UOM
Model C30R Cap				Model C33R Full Brim Hard Hat			
C30WHR	164805231	White	Ea	C33WHR	164806251	White	Ea
C30YLR	164805251	Yellow	Ea	C33YLR	164806271	Yellow	Ea
C30RDR	164805131	Red	Ea	C33RDR	164806151	Red	Ea
C30FGR	164804841	Forest green	Ea	C33KBR	164805971	Kentucky blue	Ea
C30KBR	164804951	Kentucky blue	Ea				
C30ORR	164805091	Orange	Ea				

Bullard® Model S51 Hard Hats

Flat front, trim profile shell design combines a perfect fit with a look that workers prefer. Features rain trough and poly brow pad for comfort. Lightweight, high-density polyethylene (HDPE) construction for durability. Available with 4-point suspension with self-sizing pinlock or Flex-Gear® ratchet size adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G and CSA Z94.1-2005, Type 1, Class E and G. Custom logo printing available.

ITEM #	ORDER #	COLOR	UOM
Pinlock, Suspension			
51WHP	164807661	White	Ea
51YLP	164807701	Yellow	Ea
51KBP	164807111	Kentucky blue	Ea
Ratchet, Suspension			
51WHR	164807681	White	Ea
51YLR	164807721	Yellow	Ea
51KBR	164807131	Kentucky blue	Ea



61YLR



BCYLP

Bullard® Model S61 Hard Hats

Features lightweight, high-density polyethylene (HDPE) construction and low-profile, rounded front design. The 4-point suspension includes cotton brow pad and Flex-Gear® ratchet size adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G. Custom logo printing available.

ITEM #	ORDER #	COLOR	UOM
61WHR	164808131	White	Ea
61YLR	164808151	Yellow	Ea
◆ 61RDR	164808091	Red	Ea
61KBR	164808011	Kentucky blue	Ea
61HORR	164807971	Hi-viz orange	Ea

Bullard® Bump Caps

Offers wearer a sleek style combined with user comfort and maximum versatility. Provides protection against minor bumps, bruises and lacerations. Features double hoop design for greater reinforcement and durability along with an easy-to-assemble user replaceable suspension. Lightweight, high-density polyethylene (HDPE). Interchangeable brow pad available in easy-to-clean vinyl and absorbent polyester for comfortable fit.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
BCWHV	164823321	Bump cap w/ vinyl brow pad	White	Ea
◆ BCWHP	164823331	Bump cap w/ polyester brow pad	White	Ea
BCYLV	164823341	Bump cap w/ vinyl brow pad	Yellow	Ea
◆ BCYLP	164823351	Bump cap w/ polyester brow pad	Yellow	Ea



Remove Watermark Now

Bullard Faceshield Bracket

Securely attach hard hats with the faceshield bracket that suits your needs. Gold Line® aluminum faceshield brackets, made from resilient, gold-anodized aluminum, resist corrosion and heat, making them ideal for chemical handling and high-heat industrial applications. Front-mounting. Meets ANSI/ISEA Z87.1-2015 High Impact.

ITEM #	ORDER #	DESCRIPTION	UOM
100G	164804331	Aluminum bracket, fits cap Models C30, S51, S61, S62, 911C & bump cap	Ea



100G

Bullard Visors

Flat acetate is for chemical applications and light impact protection. Heat-formed polycarbonate is for high-heat applications with little or no exposure to chemicals. (Heat-formed visors are curved to the shape of the bracket to minimize stress cracking and improve ease of attachment). Meets ANSI/ISEA Z87.1-2015 Basic Impact.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
840M	164808201	Flat acetate visor, basic impact	8" x 15" x .040"	Clear	Ea
♦ 840MG	164808811	Flat acetate visor, basic impact	8" x 15" x .040"	Dark green	Ea
860P	164808871	Polycarbonate visor, basic impact	8" x 15" x .060"	Clear	Ea



840M



860P



840MG

Bullard Dielectric Faceshield Brackets

Securely attach hard hats with faceshield bracket. Dielectric brackets are constructed from lightweight, durable nylon and are suited for general-duty applications. Front-mounting. Meets ANSI Z87.1-2015 High Impact when used in combination with Bullard headgear or faceshield brackets. Fits cap Models C30, Advent®, S51, S61, bump cap and S62.

ITEM #	ORDER #	DESCRIPTION	UOM
300BW	164805271	Dielectric bracket w/ neoprene gasket	Ea
300B	164805261	Dielectric bracket	Ea



300BW



300B

Bullard Replacement Brow Pads

Brow pads cushion while absorbing moisture to keep wearers feeling cool and clean. Replaceable on all Standard and Classic Series hard hats. Velcro® easily in place over original pads, ensuring comfort and protection. RBPCOOL replacement brow pad is made of Polartec® wicking material that moves sweat away from the worker's brow. RBPCOTTON is a large, absorbent cotton replacement pad. Both styles fit all current Bullard® hard hats.

ITEM #	ORDER #	DESCRIPTION	UOM
RBPCOOL	164810511	Polartec® replacement brow pad	Ea
RBPCOTTON	164802961	Large cotton replacement brow pad	Ea



RBPCOOL



RBPCOTTON

♦ Non-stock item. Minimum quantity may apply.



Remove Watermark Now



14831



Jackson Safety* SC-16 Fiberglass Caps

Fiberglass protection for higher heat applications. Smooth dome design. Firm, comfortable fit with padded, absorbent brow pad. Accessory slots for attaching additional personal protective equipment. 4-Point ratchet suspension. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class G and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 14829	C24115841	SC-16 hard hat	Yellow	Ea
14831	C24115851	SC-16 hard hat	White	Ea



Jackson Safety* SC-6 Hard Hats

Smooth dome design. Lightweight, molded from dielectric high-density polyethylene (HDPE). Features 4-point comfort ratchet suspension and accessory slots for attaching additional personal protection equipment. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class C, G and E.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14833	C24115871	SC-6 Hard hat	Yellow	Ea
14834	C24115881	SC-6 Hard hat	White	Ea
14837	C24115901	SC-6 Hard hat	Green	Ea
14838	C24115911	SC-6 Hard hat	Blue	Ea
14839	C24115921	SC-6 Hard hat	Orange	Ea
14841	C24115931	SC-6 Hard hat	Red	Ea



14838



14837



14839



20698



20699



Jackson Safety* Blockhead* Hard Hats

Full 360° brim protects wearer from nature's elements. Lightweight for comfort. Molded from high-density polyethylene (HDPE). Features 8-point ratchet suspension. Soft, absorbent cloth absorbs sweat, keeping wearer comfortable. Meet ANSI Z89.1, Type 1, Class G, E and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
20697	C24121131	Blockhead* hard hat	White	Ea
20698	C24121141	Blockhead* hard hat	Yellow	Ea
20699	C24121151	Blockhead* hard hat	Blue	Ea
20701	C24121161	Blockhead* hard hat	Orange	Ea



Jackson Safety* 382-B Cap Adapter

Blade-mounted for slotted hats. Totally dielectric and includes spark deflector. Faceshield sold separately. Fits SC-6, Sentry III* and Charger* hard hats.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	UOM
14944	C24116191	382-B cap adapter	Ea



14944



Jackson Safety* 170-SB Headgear

Enables attachment of Jackson Safety* faceshields. Headgear with large spark deflector. Ratchet suspension.

ITEM #	ORDER #	DESCRIPTION	UOM
14940	C24116141	170-SB headgear	Ea



14940



Remove Watermark Now



Jackson Safety* Faceshields

Polycarbonate: Impact performance. Good performance against heat. Excellent cold flexibility.

Acetate: Robust combination of weight and strength. Excellent cold flexibility.

Propionate: Lightweight.

Polycarbonate Special: Perform well in high heat or cold environments for specialty applications.

Wire Mesh: Wear with faceshield to dissipate heat. Ideal for flying debris applications. Airflow for comfort.

Headgear sold separately. Meets ANSI Z87.1-2010 standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
F20 Polycarbonate Faceshields				
29087	C24118581	34-60-PC Clear, unbound	8" x 15.5" x .060"	Ea
29099	C24153781	8140 Clear, unbound	8" x 15.5" x .040"	Ea
F30 Acetate Faceshields				
29052	C24114231	8154 Clear, bound	8" x 15.5" x .040"	Ea
29053	C24114301	8154M Medium green, bound	8" x 15.5" x .040"	Ea
29054	C24114341	8156 Clear, bound	8" x 15.5" x .060"	Ea
29079	C24118381	34-40 Clear, bound	9" x 15.5" x .040"	Ea
29082	C24118471	34-41 Light green, bound	9" x 15.5" x .040"	Ea
29091	C24118671	34-40 Clear, bound, bulk	9" x 15.5" x .040"	Ea
29090	C24118641	34-42 Dark green, bound, bulk	9" x 15.5" x .040"	Ea
F40 Propionate Faceshields				
29084	C24118561	915-60 Clear, unbound	8" x 15.5" x .060"	Ea
F50 Polycarbonate Special Faceshields				
29080	C24118401	34-65 IR/UV 5.0, bound	9" x 15.5" x .060"	Ea
F60 Wire Faceshields				
29102	C24126011	6513 Wire mesh, bound	6.5" x 15.5" x .020"	Ea
29055	C24114221	815 Wire mesh, bound	8" x 15.5" x .020"	Ea



29080



29087



29084



29091



29055



14381



Jackson Safety* 37 Hatshield

Curved aluminum channel and coil spring attachment allows attachment of any Jackson Safety* faceshield to protective full brim hat.



14945

ITEM #	ORDER #	DESCRIPTION	UOM
14945	C24116201	37 Hatshield, metal	Ea
14393	C24112701	Model-H bracket hat adapter	Ea



Jackson Safety* HDG 10 Model K Headgear

Ratchet headgear with spark deflector. Soft, absorbent, wraparound, foam-cushioned sweatband gently hugs the natural shape of the head.

ITEM #	ORDER #	DESCRIPTION	UOM
14381	C24112961	Model K ratchet headgear w/ spark deflector	Ea



Jackson Safety* Capshields

337 Capshield is a fully dielectric device for non-slotted caps. Features curved channel that fits over the bill of the cap for bill forward wear and secures with adjustable rubber headband that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

437 Blade-mount capshield is a fully dielectric plastic attachment for slotted caps. Curved channel fits over bill of cap for bill forward wear and includes pivoting blades, which snap easily into cap slots. Faceshields secured with integral plastic lugs.

137 Capshield is a metal device for non-slotted caps. Features curved aluminum channel that fits over bill of cap for bill forward wear and secures with coiled spring that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

Note: Dielectric means all exposed parts are plastic or rubber.


ITEM #	ORDER #	DESCRIPTION	UOM
14946	C24116211	337 Capshield	Ea
14947	C24116221	437 Blade-mount capshield	Ea
14948	C24116231	137 Capshield	Ea



14946



14947



14948



Remove Watermark Now



UVEX Bionic® Faceshields and Replacement Visors

Provides excellent optics, visibility, and enhanced protection from airborne debris. Ideal for workers exposed to falling or flying objects, impact, chemical splash and other debris. Features extended chin and top-of-head protection, lightweight and balanced design to reduce head and neck strain, cell foam on back of headgear, and breathable, washable sweatband up front. Dual position visors are easy to replace and attach securely. Comfortably worn with most goggles, eyewear and respirators. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	ORDER #	DESCRIPTION	COLOR	LENS	UOM
S8500	341535081	Bionic faceshield, polycarbonate visor, uncoated	Black matte	Clear	Ea
S8510	341535101	Bionic faceshield, polycarbonate visor, anti-fog/hardcoat	Black matte	Clear, Anti-scratch hardcoat	Ea
Replacement Visors					
S8550	341535121	Polycarbonate visor, uncoated, clear	Clear	Clear	10/Cs
S8555	341535131	Polycarbonate visor, anti-fog/hardcoat	Clear	Clear, Anti-scratch hardcoat	10/Cs
◆ S8560	341535141	Polycarbonate visor, uncoated	Shade 3.0	Shade 3.0	10/Cs
◆ S8565	341535151	Polycarbonate visor, uncoated	Shade 5.0	Shade 5.0	10/Cs



Uvex Turbosshield™

Perfect for workers exposed to falling or flying objects, impact, splash and airborne debris; it can also be comfortably worn with most goggles, respirators and earmuffs. Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear. Simple push-button release system allows for easy visor exchange in seconds. Feel safer with 50% more chin coverage compared to traditional visors, without the need for bulky accessories. Control knobs are large and ergonomically designed for easy adjustment, even while wearing gloves. Visor slides back 7", improving balance and weight distribution. Headgear features breathable, removable, washable headband; toric lens provides excellent optics, increased field of view and added chin coverage without bulky attachments. Clear and Gray lenses available with dual anti-scratch/anti-fog coating for longer visor life and reduced fogging. Ergonomically designed ratcheting headgear mechanism assures quick, easy adjustment to achieve an optimal fit. Hard hat adapter accessory is compatible with multiple hard hats, including Fibre-Metal®, North® and most major competitor styles. Positive-locking hinge secures visor in raised and lowered positions. Integrated brim guard ensures gap-free fit and protection from overhead debris. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. Faceshields offer secondary protection and must be worn with spectacles or goggles.



ITEM #	ORDER #	DESCRIPTION	UOM
S9500	341595011	Turbosshield ratchet headgear, black	Ea
S9510	341595101	Turbosshield hard hat adapter, black	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
Polycarbonate Replacement Visors			
◆ S9550	341595501	Clear, uncoated	Ea
◆ S9555	341595551	Clear, hardcoat, anti-fog	Ea
◆ S9575	341595751	Gray, hardcoat, anti-fog	Ea
◆ S9560	341595601	Shade 3.0, uncoated	Ea
◆ S9565	341595651	Shade 5.0, uncoated	Ea



Protecto-Shield® Prolok® Headgear and Visors

Tough thermoplastic headgear provides impact and splash protection and feature heat-resistant browguard. Specially designed with chemical splash drip edge to prevent fluids from splashing down inside the visor. Easy sizing and tension adjustment for individual visor positioning. Visors measure 8 1/2" x 15" x .070" and attach easily without snaps, posts or levers. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

Note: Faceshields [and face screens] provide secondary eye protection only and must be worn along with approved primary eye protection, such as safety glasses or goggles, in order to provide complete eye protection.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
11380048	341500481	VSN Prolok headgear w/ ratchet adjustment & sweatband	Medium green	Ea
Molded Replacement Visors				
11390065	341500471	Polycarbonate visor, poly bag	Clear	Ea
11390064	341500441	Propionate visor, poly bag	Clear	Ea
11390069	341537891	Propionate visor	Shade 6.0	Ea



Remove Watermark Now



by Honeywell

Roughneck™ P2 Hard Hats

Made of an injection-molded fiberglass compound. Solid color resin for permanent, no-chip, no-peel finish. Features smooth, matte finish for cleaner, crisper logo imprints. Impact resistance up to 500° F. Compatible with Quick-Lok® or Speedy® Loop helmet attachment system for faceshields and welding helmets. SEI third-party certified. Meets ANSI-Z89.1-2009, Type 1, Class G and CSA Z94.1-2005, Type 1, Class G or C (Class C for Quick-Lok model).



P2HNQRW74A000

P2HNRW71A000

ITEM #	ORDER #	COLOR	SUSPENSION	UOM
◆ P2HNRW71A000	347686651	Blue	Ratchet	Ea
P2HNRW01A000	347686681	White	Ratchet	Ea

ITEM #	ORDER #	COLOR	SUSPENSION	UOM
◆ P2HNQRW74A000	347691211	Green	Quick-Lok	Ea
P2HNQRW71A000	347688661	Blue	Quick-Lok	Ea



by Honeywell

SuperEight® Caps and Hats

High-quality thermoplastic hats and caps feature unique, smooth crown that eliminates the danger of falling objects being trapped by ribs, ridges or slots. Wearer can adjust head size by using rear-located ratchet mechanism and tilting the headband. All hats and caps include 8-point suspension and available with Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear. All styles are SEI certified to meet ANSI Z89.1-2009, Type 1, Class E.

Note: Available in a variety of colors. E2 cap is compatible with Quik-Lok® or Speedy® Loop helmet attachment system for faceshield and welding helmets. Call customer service for more information.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
E2RW01A000	614609301	Hard cap	White	Ea
E2RW02A000	614609321	Hard cap	Yellow	Ea
E2RW15A000	614609311	Hard cap	Red	Ea
E2RW71A000	347686911	Hard cap	Blue	Ea
E1RW01A000	614609151	Full brim hard hat	White	Ea
E1RW02A000	614609251	Full brim hard hat	Yellow	Ea
E1RW15A000	614609261	Full brim hard hat	Red	Ea
E1RW71A000	614609271	Full brim hard hat	Blue	Ea

E2RW02A000

E1RW71A000



by Honeywell

F300, F400, F500 and Dual Crown Series Faceshield Headgear

A variety of faceshield headgear with crown protectors provides the level of protection you need. All models feature lightweight and heat-resistant Noryl® (the same material used in welding helmets) crown protectors and ratchet headbands (windows sold separately). Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

F300 lightweight faceshield headgear provides general face protection for light-duty applications. Easily fits over spectacles, leaving room for air circulation to prevent fogging. Accommodates standard size (8" x 11 1/2") windows.

F400 features a deeper 4" crown protector to extend protection without increasing weight. Incorporates wide-vision (8" x 17") wraparound windows and screens which provide 40% more protective area than standard size faceshields. Fits easily over required spectacles or respirators.

F500 includes a broader, deeper 7" crown protector to provide an extra margin of protection when harsh working conditions require it. Features the exclusive Channel Grip System that mounts wide, wraparound windows and locks them into place to form a perfect seal from dust, dirt and debris. Includes Fibre-Metal classic 3-C, free-floating headgear.

ITEM #	ORDER #	DESCRIPTION	UOM
F300	347686341	Light-duty faceshield headgear w/ 3" crown protector	Ea
F400	614601731	Medium-duty faceshield headgear w/ 4" crown protector	Ea
F500	614601761	Heavy-duty faceshield headgear w/ 7" crown protector	Ea



F300

F400

F500



Remove Watermark Now



Faceshield Headgear Combinations

by Honeywell

Protective cap-mounting mechanisms easily and safely secure Fibre-Metal® faceshields to hard hats. Constructed from Noryl®, these faceshield brackets offer durable protection.

Model 5000 with Speedy® mounting loops is adjustable and provides easy on and off mounting on protective caps.

ITEM #	ORDER #	DESCRIPTION	UOM
F4400	614601741	F-400 faceshield bracket w/ Quick-Lok cups, 4" crown	Ea
F5400	614601771	F-500 faceshield bracket w/ Speedy loop mounts, 4" crown	Ea
F5500	614601781	F-500 faceshield bracket w/ Speedy loop mounts, 7" crown	Ea
5000	614606911	5000 Speedy-Loop attachment & adapter headband kit	Ea



Faceshield Hard Hat Brackets

by Honeywell

Provides positive seal to keep debris from filtering between cap and shield. May be pivoted above cap between uses without removing the cap. Hard hat and faceshield not included.

ITEM #	ORDER #	DESCRIPTION	UOM
FM70	614602441	Fully dielectric mounting bracket for Fibre-Metal P2, E2 hard hats	Ea
FH66	614601811	Aluminum mounting bracket for Fibre-Metal P2, E2 hard hats	Ea
FM71	614602471	Dielectric frame for extended outdoor use, fits wide windows only, for Fibre-Metal E1 full brim hats	Ea



High-Performance® Faceshield Windows

by Honeywell

Windows are preformed to the exact curve of crown protectors for easy installation, exact fit and perfect seal against dust, dirt and debris. They are .060" thick, yet cost no more than ordinary .040" thick windows. Easily fit over required protective spectacles or respirators. Hard hat and frame not included.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
4118CL	614606221	Standard window, fits F300 Series	8" x 11 1/4"	Clear	Ea
4178CL	614606241	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Clear	Ea
4178DGN	614606251	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Dark green	Ea
4199CL	614606291	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Clear	Ea
4199DGN	614606301	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Dark green	Ea
4178IRUV5	614606271	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Shade 5.0	Ea
4199IRUV5	614606321	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Shade 5.0	Ea



3M

3M™ H8A Deluxe Ratchet Headgear



82501-00000

Five-position crown strap with ratchet adjustment offers comfortable, snug fit. No snaps, caps or bands. High-strength thermoplastic crown provides impact resistance over a wide range of temperatures. Easy-Change feature allows for quick faceshield replacement. Faceshields sold separately. Meets ANSI Z87.1+ High Impact standard when worn with 3M™ Faceshields.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
82501-00000	665520871	H8A Deluxe ratchet headgear	Ea

WARNING

These hard hats proved limited protection only. Misuse or failure to follow warnings and User Instructions may result in serious person injury or death. For proper use, see supervisor, or User Instructions, or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



82701-00000

3M 3M™ Faceshields

Polycarbonate faceshields help provide good heat resistance and high impact face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. WP96C features dark green color for high glare reduction. Non-infrared absorbing. Measures: 9" x 14 1/2" x .08". Meets the High Impact requirements of ANSI Z87.1-2010 when worn with 3M™ headgear.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
82701-00000	665564341	WP96 Clear Polycarbonate Faceshield	Ea
♦ 82702-00000	665573571	WP96C Dark Green Polycarbonate Faceshield	Ea
82543-00000	665573441	WP98 Clear Polycarbonate Faceshield for HCP8	Ea
82700-00000	665573961	Clear Propionate Faceshield	Ea



Remove Watermark Now



Serpent® Safety Helmets

Ultra-comfortable safety helmets that offer durable head protection for a wide range of work environments. Sleek, snake-head-like shell design provides modern style. Manufactured from lightweight (13.1 oz.), high-density polyethylene (HDPE) material. Comfortable 8-point, 6-strap nylon suspension provides exceptional impact absorption. Independently tested to meet the ANSI Z89.1 standard for Type 1, Class E, G and C safety helmets. Independently tested to meet the voluntary ANSI Z89.1-2009 standards for lower temperature, reverse donning and high visibility (hi-viz shell colors only).

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
72200	323327301	Serpent safety helmet	White	Ea
72201	323327311	Serpent safety helmet	Yellow	Ea
72203	323327321	Serpent safety helmet	Blue	Ea
72216	323327331	Serpent safety helmet	Hi-viz orange	Ea
72218	323327341	Serpent safety helmet	Hi-viz limon	Ea



Venom® Face Protection

Contoured visor design creates a more complete seal to block debris. Contemporary headgear design offers lightweight construction with soft brow pad and nape strap for comfort. Three-part adjustment system provides custom fit, and tension adjustment ensures that visor will stay in place when raised. Measures: 9" x 15 1/2" x .060". Independently tested and certified by UL® to meet ANSI Z87.1 and CSA Z94.3 standards. Visors are for use with Venom headgear.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
679	323306791	Venom Combo-Pak w/ 677 headgear and 675 visor		Ea
675	323301071	Venom visor	Clear	Ea
678	323327251	Venom visor	Smoke	Ea
676	323327261	Venom visor	Clear, anti-fog	Ea



Venom® Headgear Unit

Three-part comfort adjustment system makes it easy to wear for all-day applications. Extra-soft brow pad and nape strap delivers superior comfort. Meets ANSI Z87.1+ High Impact standard. Independently tested and certified by UL® to meet ANSI Z87.1 and CSA Z94.3 standards.



ITEM #	ORDER #	DESCRIPTION	UOM
677	323301061	Venom headgear unit	Ea



SWEATSOpad® Headbands

Made from absorbent, 100% fleece cotton. Features air cushion layer, absorbs excessive perspiration and helps to minimize "helmet-head" and helmet slippage. Eliminates the frustration of wearing a helmet over a sweatband. Flame-retardant treated with hook-and-loop fastener. Russet.



ITEM #	ORDER #	DESCRIPTION	UOM
20-3100V	C25400605	Welding helmet headband	2/Pk
20-3200V	C25400615	Hard hat headband	2/Pk



Headgear Brackets and Faceshields

Headgear features locking cams which eliminate snaps and lower replacement costs. Aluminum rim headgear bracket (102) features a 5-system cam lock for added impact resistance. Ratchet, take-up headgear (103) also features a 5-system cam lock for heightened impact resistance, a large ratchet handle, and a cotton sweatband for comfortable fit. Constructed from ABS material and a crown made of nylon 66. All headgear accepts most manufacturers' universally punched windows. Meets ANSI Z87.1+ High Impact standard. For use as secondary protection only. Faceshields sold separately.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
102	331404401	Aluminum rim headgear bracket		Ea
103	331401031	Ratchet take-up headgear		Ea
101640	331404391	Clear, universal PETG faceshield	10" x 15 1/2" x .040"	Ea
102040	331404411	Clear, universal PETG faceshield	10" x 20" x .040"	Ea
181540	331404461	Clear, universal PC faceshield	8" x 15 1/2" x .040"	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
181560	331404471	Clear, universal PC faceshield	8" x 15 1/2" x .060"	Ea
181640	331410721	Clear, universal PETG faceshield	8" x 15 1/2" x .040"	Ea
181541	331439331	Medium green, universal poly faceshield	8" x 15 1/2" x .040"	Ea
181640A	331404481	Clear, PETG aluminum bound faceshield	8" x 15 1/2" x .040"	Ea

◆ Non-stock item. Minimum quantity may apply.



Remove Watermark Now



Baseball Cap Bump Cap

Outer 100% polyester twill baseball cap features high-profile, 6-panel design with top of cap holes for cooling ventilation. Inside, a separate hard plastic polyethylene shell cap insert encircles top, front and both sides of head to protect against bumps and scrapes. Foam padding enhances comfort. Bump cap insert also sold separately. Universal. Navy. Non-ANSI compliant.



V410

ITEM #	ORDER #	DESCRIPTION	UOM
V410	325302161	Baseball cap bump cap w/ insert	Ea
V400	325302171	Bump cap insert	Ea



Vulcan® Cowboy Hard Hats

High-density polyethylene (HDPE) outer shell resists penetration. Features custom-curved extra wide brim for UV and rain protection plus vintage-inspired pinch-front top for authentic cowboy appeal. Water-resistant. Includes 6-point ratchet suspension. One size fits most. Complies with ANSI Z89.1-2009, Type 1, Class E, G and C.



VCB200

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
VCB200-W	325302771	Vulcan cowboy hard hat	White	Ea
VCB200-B	325302741	Vulcan cowboy hard hat	Black	Ea
VCB200-G	325302751	Vulcan cowboy hard hat	Gray	Ea
VCB200-T	325302761	Vulcan cowboy hard hat	Tan	Ea



TN5-WAV

TN5-BLACK

TN5-NAV



Tuff Nougies® Doo Rags

Made of 100% absorbent cotton fabric with rear ties for secure fit and double layer of cotton around forehead for added comfort and absorption. FR versions are flame-resistant through 50 home washes. Universal.

ITEM #	ORDER #	COLOR	UOM
Tuff Nougies Doo Rag, FR			
TN5-INFR-FR11	325316111	Gray	Ea
TN5-INFR-HVY	325316131	Hi-viz yellow	Ea
TN5-INFR-018	325316181	Navy	Ea
TN5-INFR-04	325316191	Green	Ea
TN5-INFR-KHK	325316211	Khaki	Ea
Tuff Nougies Doo Rag			
◆ TN5-NAV	325302411	Navy	Ea
◆ TN5-BLACK	325302341	Black	Ea
TN5-WAV	325302441	Wavy flag	Ea



870B20-01

870B20-15

Terry Toppers® Snap-On Sweatbands for Hard Hats

Constructed from 100% super-absorbent soft terry cotton and offers plush, not scratchy, texture. Sweatband absorbs without needing to be washed first. Installs easily with snap-on application and helps hard hat fit securely. No foam middle. Machine washable. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
870B20-01	325302671	Snap-on hard hat sweatband	Navy	20/Pk
870B20-15	325302651	Snap-on hard hat sweatband	Beige	20/Pk



Tuff Nougies® Tie Hats with Elastic Rear Band

Feature rear ties for a snug fit and 360° of 100% absorbent cotton terry (with additional soft foam under the front for comfort). Cotton elastic back-of-head band provides a secure fit. FR versions are flame-resistant until washed. Universal.

TN6-WAV



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN6-FLA	325302511	Tuff Nougies tie hat	Big flame	Ea
TN6-WAV	325302561	Tuff Nougies tie hat	Wavy flag	Ea
TN6-BLACK	325302471	Tuff Nougies tie hat	Black	Ea



Cold Weather Head and Face Protection products available on page 199.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN6-JFL	325302521	Tuff Nougies tie hat	Jungle flage	Ea
TN6-12	325316125	Tuff Nougies tie hat	Assorted	12/Pk
TN6-FR-BLK	325328751	Tuff Nougies tie hat, FR	Black	Ea



Remove Watermark Now



IMAGE COURTESY OF BULLARD

Employers must ensure that their employees wear head protection if any of the following apply:

- Objects might fall from above and strike them on the head;
- They might bump their heads against fixed objects, such as exposed pipes or beams; or
- There is a possibility of accidental head contact with electrical hazards.

In general, protective helmets or hard hats should do the following:

- Resist penetration by objects.
- Absorb the shock of a blow.
- Be water-resistant and slow burning.
- Have clear instructions explaining proper adjustment and replacement of the suspension and headband.

Types of Hard Hats

Hard hats are divided into three industrial classes:

- Class A hard hats provide impact and penetration resistance along with limited voltage protection (up to 2,200 volts).
- Class B hard hats provide the highest level of protection against electrical hazards, with high-voltage shock and burn protection (up to 20,000 volts). They also provide protection from impact and penetration hazards by flying/falling objects.
- Class C hard hats provide lightweight comfort and impact protection but offer no protection from electrical hazards.

Another class of protective headgear on the market is called a "bump hat," designed for use in areas with low head clearance. They are recommended for areas where protection is needed from head bumps and lacerations. These are not designed to protect against falling or flying objects and are not ANSI approved. It is essential to check the type of hard hat employees are using to ensure that the equipment provides appropriate protection. Each hat should bear a label inside the shell that lists the manufacturer, the ANSI designation and the class of the hat.

Always replace a hard hat if it sustains an impact, even if damage is not noticeable. Suspension systems are offered as replacement parts and should be replaced when damaged or when excessive wear is noticed. It is not necessary to replace the entire hard hat when deterioration or tears of the suspension systems are noticed.

For complete details go to www.osha.gov.

Face Protection

Faceshields are intended to protect the entire face or portions of it from impact hazards such as flying fragments, objects, large chips, and particles. When worn alone, faceshields do not protect employees from impact hazards. Use face shields in combination with safety spectacles or goggles, even in the absence of dust or potential splashes, for additional protection beyond that offered by spectacles or goggles alone.

Faceshield windows are made with different transparent materials and in varying degrees or levels of thickness. These levels should correspond with specific tasks. Window and headgear devices are available in various combinations to enable the worker to select the appropriate equipment.

Faceshield windows extend from the brow to below the chin and across the entire width of the face.

Windows are available in both removable or lift-front designs:

- Removable windows allow the replacement of damaged windows
- Lift-front windows may be raised, as needed, or left in the lowered position

Plastic windows:

- Protect against light impact
- May include a glass insert
- Are available clear or filtered

Wire-screen windows:

- May include a plastic/glass insert
- Protect against some moderate impact
- Are not recommended for use involving chemical or liquid hazards