

Water Sa Remove Watermark Now

PFDs must be marked with a USCG approval number and all are required to be the correct size for each wearer. All PFDs must be easily accessible and in good, working condition without defects.

Visit www.osha.gov for complete details and regulation requirements.



Deluxe Merchant Mate[™] II Vest

Designed to turn most unconscious wearers face up with foam-filled collar for additional head support and (2) chest adjusters for improving flotation angle. Constructed of heavy-duty, 210-denier nylon shell and lining with 62 sq. in. of 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 6755 on panels and collar. Includes special opening on back to accommodate most brands of fall protection harnesses. Features a USCG-approved whistle with pocket for whistle and light storage. Universal. USCG Approved, Type I. International orange.

ITEM #	ORDER #	DESCRIPTION	UOM
2000004522	623900051	Deluxe Merchant Mate II vest	Ea

2000004522



Ship Mate II™

Economical, heavy-duty flotation vest (PFD) with tough nylon shell and Vislon[®] zipper. Features Aquafoam™ personal flotation foam, roomy armholes, adjustable side tabs, marine mesh inner lining and 62 sq. in. of 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. Universal. USCG Approved, Type III. International orange. 14040RG

buoyancy. USCG Approved, Type III.

International orange.

Vest

ITEM #	ORDER #	DESCRIPTION	UOM	
14040RG-00-000F	623900081	Ship Mate II vest	Ea	



Heavy-duty flotation vest features (2) adjustable belts for secure, comfortable fit and oversized armholes for improved range of motion. Leg straps tuck away in back pockets for added safety and improved in-water performance. Durable nylon shell with marine mesh inner lining and 62 sq. in. of 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
14600RG-04-000F	623900241	Work Boat vest	L	Ea
I4600RG-05-000F	623900251	Work Boat vest	XL	Ea
14600RG-06-000F	623900261	Work Boat vest	2XL	Ea





2000011405

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000011404	623900291	First Mate vest	S/M	Ea
2000011405	623900301	First Mate vest	L/XL	Ea
2000011406	623900311	First Mate vest	2XL	Ea
2000011407	623900321	First Mate vest	3XL	Ea
2000011408	623900331	First Mate vest	4XL	Ea



General Purpose Vest

Features (2) encircling body belts and (1) chest strap, durable CROSSTECH® flotation foam and 200-denier nylon oxford outer shell. Includes 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. Universal. USCG Approved, Type III. International orange. 2000011389

ITEM # ORDER # DESCRIPTION UOM 2000011389 623900281 General purpose vest Ea

/ork	Boat™
ests	
(I - + - + ¹	(2)

Remove Watermark Now



Tough nylon shell with 7-piece foam design for all-day comfort. Features (4) roomy pockets for accessories with full hook-and-loop closures, rustproof Vislon® zipper and eyelets for attaching lights or badge. Multiple foam inserts for flexibility and quick-adjust side tabs for secure fit and comfort. 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 for high visibility. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
14650RG-03-000F	623900351	Versatile vest	Μ	Ea
I4650RG-04-000F	623900361	Versatile vest	L	Ea
I4650RG-05-000F	623900371	Versatile vest	XL	Ea
14650RG-06-000F	623900381	Versatile vest	2XL	Ea
14650RG-07-000F	623900391	Versatile vest	3XL	Ea



Economical, heavy-duty personal flotation device (PFD) with tough fiberglass shell and Vislon® zipper. Features side adjustments for secure fit. Includes Aquafoam™ flotation foam, roomy armholes, marine mesh inner lining and fiberglass front for marine welding. Universal. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.



ITEM #	ORDER #	DESCRIPTION	UOM
14050RG-00-000F	623900091	Welders vest	Ea





Heavy-duty flotation vest features (10) flotation panels for flexible, contoured fit, rustproof Vislon® zipper and heavy-duty encircling body belt. Includes chest pocket with Velcro® closure, size adjustments, tough nylon outer shell with marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM	ITEM	#	ORDER #	DESCRIPTION	SIZES	UOM	
I4160RG-03-000F	623900111	Deck Hand II vest	М	Ea	14160	RG-06-000F	623900141	Deck Hand II vest	2XL	Ea	
14160RG-04-000F	6239001 <mark>2</mark> 1	Deck Hand II vest	L	Ea	14160	RG-07-000F	623900151	Deck Hand II vest	3XL	Ea	
14160RG-05-000F	623900131	Deck Hand II vest	XL	Ea	14160	RG-08-000F	623900161	Deck Hand II vest	4XL	Ea	



Work Master™ Vests

Includes soft, comfortable closed-cell foam, belt with snag-resistant buckle for quick adjustment, hinged back panel and heavy-duty nylon shell. Marine mesh inner lining for breathability with flotation collar for added protection. Features 62 sq. in. 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels. Minimum 17 1/2 lb. buoyancy. USCG Approved, Type III/V. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000004520	623900401	Work Master vest	Universal	Ea
2000004521	623900411	Work Master vest	Oversize	Ea

2000004520



👺 Force II™ Vests

Durable, easy-to-clean, PVC-coated work vest offers fall protection with opening for D-ring and lanyard. Aquafoam[™] flotation foam retains buoyancy even when punctured. Features 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 3150-A PS, with adhesive backing on panels. Includes snag-resistant buckles. Minimum 17 1/2 lb. buoyancy. Self-extinguishing under ASTM 1692-74. USCG Approved, Type V. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000013834	623900431	Force II vest	Universal	Ea
2000015183	623900421	Force II vest	Oversize	Ea



Remove Watermark Now



2000011434

Deck Hand[™] Vests

Heavy-duty flotation vest made with tough, nylon oxford outer shell and soft, lightweight mesh for ventilation. Includes rustproof Vislon® zipper, 1" heavy-duty encircling body belt and side adjustments for a secure fit. Features CROSSTECH® flotation foam and 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM	
2000011433	623900631	Deck Hand vest	М	Ea	
2000011434	623900641	Deck Hand vest	L	Ea	
2000011435	623900651	Deck Hand vest	XL	Ea	
2000011436	623900661	Deck Hand vest	2XL	Ea	
2000011437	623900671	Deck Hand vest	3XL	Ea	



Designed with soft, lightweight mesh on upper half for comfort and ventilation. Features tough, nylon oxford outer shell, (2) 1" encircling body straps, zipper front and (2) pockets with Velcro® closure. Includes lightweight, durable CROSSTECH® flotation foam, D-rings for attaching gear and 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.



ITEM #	ORDER #	SIZES	COLOR	UOM	
3M™ Scotchlite™	' 6755 Work	Zone Ge	ar Vest		
2000011409	623900441	S	International orange	Ea	
2000011410	623900451	М	International orange	Ea	
2000011357	623900461	L	International orange	Ea	
2000011412	623900471	XL	International orange	Ea	
2000011413	623900481	2XL	International orange	Ea	
2000011414	623900491	3XL	International orange	Ea	
3M [™] Scotchlite [™]	6187, ANSI	Class 2 \	Nork Zone Gear V	est	
14240RG-03-ANS	623900511	м	ANSI hi-viz orange	Ea	
14240RG-04-ANS	623900521	L	ANSI hi-viz orange	Ea	
14240RG-05-ANS	623900531	XL	ANSI hi-viz orange	Ea	
14240RG-06-ANS	623900541	2XL	ANSI hi-viz orange	Ea	
14240RG-07-ANS	623900551	3XL	ANSI hi-viz orange	Ea	
300001118	623911181	М	ANSI hi-viz green	Ea	
300001119	623911191	L	ANSI hi-viz green	Ea	
300001120	623911201	XL	ANSI hi-viz green	Ea	
300001121	623911221	2XL	ANSI hi-viz green	Ea	
300001123	623911231	3XL	ANSI hi-viz green	Ea	

Search and Rescue (SAR) Flotation Vests

Soft, lightweight mesh for ventilation. Aquafoam™ and CROSSTECH® flotation foam offers extra comfort. Includes (2) 1 1/2" encircling belts, adjustable chest strap, zipper front, (2) pockets with hook-and-loop closure and D-rings for attaching gear. Features 62 sq. in. 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000011416	623900571	SAR flotation vest	Μ	Ea
2000011417	623900581	SAR flotation vest	L	Ea
2000011418	623900591	SAR flotation vest	XL	Ea
2000011419	623900601	SAR flotation vest	2XL	Ea
2000011420	623900611	SAR flotation vest	3XL	Ea



176

3000002985



Bomber-style float coat incorporates comfortable fit with improved wrist and waistband that will not expand as it gets wet. Water-resistant construction and design. Features soft Suisse Aire™ foam with coated nylon outer shell, multiple pockets with hook-and-loop closure, (4) outside pockets, sleeve utility pocket, inside chest pocket, and 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755. Includes internal adjustable belt for secure fit. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM	
3000002987	623929871	Powerboat jacket	S	International orange	Ea	
3000002986	623929861	Powerboat jacket	М	International orange	Ea	
3000002985	623929851	Powerboat jacket	L	International orange	Ea	
3000002984	623929841	Powerboat jacket	XL	International orange	Ea	
3000002983	623929831	Powerboat jacket	2XL	International orange	Ea	
3000002982	623929821	Powerboat jacket	3XL	International orange	Ea	
3000002954	623929541	Powerboat jacket	S	Green	Ea	
3000002953	623929531	Powerboat jacket	М	Green	Ea	
3000002952	623929521	Powerboat jacket	L	Green	Ea	
3000002951	623929511	Powerboat jacket	XL	Green	Ea	
3000002950	623929501	Powerboat jacket	2XL	Green	Ea	
3000002949	623911161	Powerboat jacket	3XL	Green	Ea	

Remove Watermark Now

3000002952

See More Hi-Viz Products on Pages 202 - 207.



500-denier nylon pack cloth outer shell for strength and durability, and soft 200-denier nylon liner for comfort. Front and back fold-out side panels provide side protection for a full range of sizes and fold in for added ventilation. Thin, low-profile design adds cushioning while permitting unrestricted freedom of movement while the longer torso length offers greater body coverage. Designed with a removable crotch strap that stows in pocket when not in use and features adjustable, elastic shoulders to help take-up excess fabric. Includes 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on front and back for improved nighttime visibility. Universal. Minimum 25 lb. buoyancy. USCG Approved, Type V.

Features:

- · Quick-release belt with attached tether
- (4) Front adjustable straps
- Waist belt under foam to help prevent ride-upStainless steel shoulder adjustment
- hardware allows for customized fit
- for tall or short wearers
- Chest pad covers center split
- Tether cover to keep loose straps confined
 Polyethylene foam absorbs shock and helps insulate
- Convenient web attachment strip to clip a whistle, extra carabiners, etc.
- Lash tabs on left and right chest and shoulders for fastening knife or tools
- Multiple belt loops and tunnels to retain loose ends
- Utility chest pad with multiple pockets and loops
- Lower front pocket provides room for storage

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM	
1650RED-00-000	623902101	Versatile rescue vest	Red/black	Ea	
1650YEL-00-000	623902111	Versatile rescue vest	Yellow	Ea	

1650RED

Remove Watermark Now



🕨 Inflatable Work Vest

Automatically inflates when it is submerged. Features heavy-duty puncture-resistant outer shell that wipes clean, fall protection harness opening in back, 31.5 sq. in. of reflective tape, and a tri-fold design for easy repacking. Provides a minimum of 35 lbs. of buoyancy when fully inflated. Universal. USCG approved. International orange.



3000003509

👺 Ultra 4000 Convertible-Automatic Vests

DESCRIPTION

ITEM #

2000005011

2000005012

Automatic/inflatable vest

Automatic/inflatable vest

Made of nylon outer shell with D-ring, cylinder storage pocket, high-visibility reflective tape, emergency whistle on bladder and Secumar[®] 1F automatic inflator with single-point indicator and 2" adjustable belt. Convertible from automatic to manual by changing the water-soluble pill cage to a yellow override tab. Features automatic override tab to re-arm as manual only and clear window to view arming status. Includes mesh storage bag, cylinder and water-sensing pill. Universal. Provides 33.7 lb. buoyancy when fully inflated. USCG Approved, Type V convertible device: Type II when armed in automatic mode, Type III when armed as manual only.



UOM

Fa

Ea

ORDER #

623901651

623901641

2000005012

۲

ITEM #

ITEM #

2000004041

1439BLK-00-000

Type IV Ring Buoy and Buoy Bag

Industrial 30" dia. ring buoy is molded from high-impact linear, low-density polyethylene for superior life expectancy in the most severe environmental conditions. Encircling rope is replaceable. Features SOLAS grade, 3150-A PS 3M™ Scotchlite™ Reflective Material

ORDER #

10300RG-00-REF 623903861 Type IV ring buoy w/ reflective tape

with adhesive backing. For use with quick-release ring buoy brackets. Buoy bags are orange with rope included.

DESCRIPTION

-	

SIZES UOM

Ea

Ea

30"

ORDER#

623901671

623901661

10300RG-00-REF

9

substitute for a Type II or III PFD only when worn and used in accordance with the owner's manual.

Ultra commercial-automatic vest

Ultra commercial-automatic vest

COLOR

Orange

Black

Automatic inflation when submerged in water, manual inflation by pulling lanyard or by oral tube. Halkey-Roberts® 1F automatic inflator with single-point indicator. Features high-visibility reflective tape, emergency whistle on bladder, clear window to view arming status, pocket to store extra cylinder or gear, and D-ring. Heavy-duty nylon outer shell with 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 6755 on front and 2" adjustable belt for secure fit. Tri-fold design provides comfortable fit and easy repacking. 33.7 lb. buoyancy when fully inflated. Adult universal. USCG Approved Type V for use when worn on uninspected commercial vessels less than 40° in length, not carrying passengers for hire. Approved

Ultra Commercial-Automatic Vests

DESCRIPTION

UOM

Fa

Fa

Rescue Mate[™] Rescue Bags

Durable 1000-denier Cordura® bag holds 3/8" braided, floating polypropylene rope strong enough to support up to 1,800 lbs. of tensile pressure. Distinctive orange bag features quick-release carrying strap and features 1" reflective tape around the center for increased visibility, even in the dark.

					IUZIUKG	-
	ITEM #	ORDER #	DESCRIPTION	UOM		4
*	10200RG-00-000	623903621	Rescue Mate Rescue Bag, 50' of rope	Ea		K
	10210RG-00-000	623903631	Rescue Mate Rescue Bag, 70' of rope	Ea		0

COLOR

Black

Orange

I0230RG-00-000 623903781 & Bag w/ 90' of floating polypropylene rope

LED light

Bright, flashing strobe automatically turns on when it comes in contact with water, and can manually be turned off with the flick of a switch. Compact design and attachment loops that accommodate up to 2" of webbing make this ideal to be kept on PFDs. Meets USCG and SOLAS requirements.



ITEM #	ORDER #	DESCRIPTION	UOM
1916LTE-00-000	623903741	LED light	Ea

Delivering a Full Line of PPE

Remove Watermark Now

things to remember should you ever have to abandon a ship:

- ✓ Ensure distress alerts have been sent. If you have emergency location beacons including personal beacons - switch them on, and leave them on.
- ✓ Put on as many layers of warm clothing as possible, including your feet. Make sure to cover your head, neck, and hands. The outer layer should be as watertight as possible. Fasten clothing to improve insulation and to minimize cold water flushing in and out beneath the clothing.
- ✓ If an immersion suit is available put it on over the warm clothing.
- ✓ Put on a suitable lifejacket and secure it correctly. If in cold water you will quickly lose full use of your fingers. If the lifejacket is fitted with crotch and/or other retaining straps, make sure that they are pulled tight... If the lifejacket is of the automatic inflation type, inflate it manually after leaving the interior of the ship but before entering the water.

Source: Guide For Cold Water Survival - U.S.Coast Guard, www.uscg.mil

Rapid Rescue Extreme[™] Surface Suits

Features waterproof, breathable fabric, internal suspenders for fit and latex waterproof seals around neck and wrist. Includes waterproof entry zipper, CORDURA® knees and elbows for durability, seal protectors around wrist and neck, relief zipper, built-in waterproof sock and air purge valve. Red/black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1810-03-000	623901781	Rapid Rescue Extreme dry suit	М	Ea
1810-04-000	623901791	Rapid Rescue Extreme dry suit	L	Ea
1810-05-000	623901801	Rapid Rescue Extreme dry suit	XL	Ea
1810-06-000	623901811	Rapid Rescue Extreme dry suit	2XL	Ea

SOLAS Cold Water **Immersion Suits**

Made with 5 mm stretchable, flame-retardant neoprene for quality anti-hypothermia protection. Generous fit for easy donning. Features buddy line, lifting harness and head pillow accessory. Each suit comes in color-coded storage bag. Adult sizes for small-oversize. Complies with SOLAS Chapter III, IMO RES.MSC.207.(81) and are MED Approved. Has head pillow support for USCG approval. International orange.

	ITEM #	ORDER #	DESCRIPTION	SIZES	UOM	
•	2000008111	623981111	Type S cold water immersion suit	Child-Universal	Ea	
	2000008112	623981121	Type S cold water immersion suit	Adult-S	Ea	
	2000008113	623981131	Type S cold water immersion suit	Adult-Universal	Ea	
•	2000008114	623981141	Type S cold water immersion suit	Adult-Oversize	Ea	

Non-stock item. Minimum quantity may apply.







2000017317



One-piece suit made of 100% closed-cell neoprene. Provides buoyancy and insulation. Features off-set zipper for better face seal and flap, attached gloves, waterproof zipper and sealed seams. Designed with wrist pocket to hold ice picks, reinforced knees and elbows for long-lasting durability, thick-soled boot with tread for sure footing, and integral chest harness with stainless steel front and back D-rings. Uses 3M[™] Scotchlite[™] Reflective Material, SOLAS-grade 3150-A PS with adhesive backing on front and back panels for high visibility. Individual storage bag included. Designed for rescue operations in extreme cold water and ice conditions. Not USCG approved. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000017317	623901691	Ice Rescue suit	Universal	Ea
2000017316	623901701	Ice Rescue suit	Oversize	Ea



