

# Protective C Remove Watermark Now

Protective apparel must be fitted correctly so the wearer can perform tasks without restriction. Employers are required to provide employees with all PPE suited specifically to each task.

Visit www.osha.gov for complete details and regulation requirements.



# **DUPONT PERSONAL PROTECTION**



Tychem Tyvek ProShield

Non-stock item. Minimum quantity may apply.

### **Remove Watermark Now**

| DuPont<br>Personal Protection   |  |   | NG120S |     | N | G122S      | NG125S                        | N                    | G1275 |         | S. S. P. P.       |     |
|---|--|---|--------|-----|---|------------|-------------------------------|----------------------|-------|---------|-------------------|-----|
| DuPont™<br>NexGen®<br>ProShield® NexGe<br>for protection aga<br>particles, light liqu<br>in many industrial<br>a microporous filn | Coveralls<br>n <sup>®</sup> garments are<br>iinst non-hazard<br>uid splash and ac<br>applications. Mon<br>that is laminate | suitable<br>ous<br>erosols<br>ade with<br>ed to |        | ( I |   |            | RA                            | A A                  |       | D       |                   |     |
| a spunbonded pol<br>Applications inclue<br>waste cleanup and<br>zipper front and s  | de automotive re<br>d remediation. F   | efinishing,<br>eatures                          |        |     |   |            |                               |                      | BUU   |         | A                 | No. |
| ITEM #<br>Collar, Open Wi   | ORDER #  | SIZES   | UOM    |     |   | ITEM #     | ORDER #<br>Wrists and Ankle   | SIZES                | UOM   |         | 111               |     |
| NG120S-L  | 31710125   | L   | 25/Cs  |     |   | NG125S-M   | 31710635                      | is<br>M              | 25/Cs |         |                   | 1   |
| NG120S-XL   | 31710128   | XL  | 25/Cs  |     |   | NG1258-L   | 31710141                      | L                    | 25/Cs |         | - ANN             |     |
| NG120S-2XL  | 31710128   | 2XL   | 25/Cs  |     | • | NG1255-L   | 31710141                      | XL                   | 25/Cs |         | and the second    | -   |
| NG120S-3XL  | 31710129   | 3XL   | 25/Cs  |     |   | NG1255-2XL | 31710142                      | 2XL                  | 25/Cs |         | The second second | 4   |
| NG120S-3XL  | 31710130   | 37L<br>4XL                                      | 25/Cs  |     |   | NG1255-2XL | 31710143                      | 3XL                  | 25/Cs |         |                   | 19  |
| Attached Hood   |  |   | 20/08  |     |   |            |                               |                      |       |         |                   |     |
| NG122S-M  | 31710135   | M   | 25/Cs  |     |   | NG125S-4XL | 31710145                      | 4XL                  | 25/Cs |         |                   | P   |
| NG122S-L  | 31710134   | L   | 25/Cs  |     | * | NG125S-5XL | 31710146<br>espirator-Fit Hoo | 5XL<br>d. Electic Es | 25/Cs | Ankles  |                   | 7 3 |
| NG122S-XL   | 31710136   | XL  | 25/Cs  |     | * | NG127S-M   | 31716146                      | d, Elastic Fa<br>M   | 25/Cs | Alikies | 1 martin          | 1   |
| NG122S-2XL  | 31710137   | 2XL   | 25/Cs  |     |   | NG1278-L   | 31716147                      |                      | 25/Cs |         |                   |     |
| NG122S-3XL  | 31710138   | 3XL   | 25/Cs  |     |   | NG127S-XL  | 31716148                      | XL                   | 25/Cs |         |                   | 1   |
| NG1225-4XL  | 31710139   | 4XL   | 25/Cs  |     |   | NG1275-2XL | 31716149                      | 2XL                  | 25/Cs |         | 11-11-27          | 1   |
| NG1225-5XL  | 31710140   | 5XL   | 25/Cs  |     |   | NG1278-3XL | 31716150                      | 3XL                  | 25/Cs |         | A CONTRACTOR      | 100 |
| NG IZZO-OKE   |  | JAL   | 20/03  |     |   | NG1273-3XL | 31716150                      | 4XL                  | 25/Cs |         | E.                |     |

## **DuPont<sup>™</sup> Tyvek<sup>®</sup> and General Protection Products**

|  |  |                      |   |  |  | Турі   | ical G   | iener   | al Inc   | lustri   | al Ha                                      | zards  | s/Des                                      | cripti                    | on/Ex                   | xamp  | les  |   |                       |   |  |
|--|--|----------------------|---|--|--|--|--|---|--|--|--|--|--|---------------------------|-------------------------|---|--|---|-----------------------|---|--|
|  |  |                      |   | No   | on-Haz   | zardou   | s  |   |  | Hazardous  |  |  |  |                           |                         |   |  |   |                       |   |  |
| Seperally Preferred                        |  |                      | Particles   |  | Aerosol  |  | Light  | Splash  |  |  |  |  |  | Dortioloc                 |                         |   |  |   |                       | Aerosol   | Flame<br>Resistant   |
| Acceptable for Use                         | Exposure   | General Dirt & Grime | Animal Waste  | Sanding & Grinding Waste   | Spray Paints   | Oil & Grease   | Lubricants   | Fertilizer  | Sewage   | Fertilizer   | Pesticides                                 | Asbestos   | Lead                                       | Chromium                  | Beryllium               | Mold  | Fiberglass   | Carbon  | Radioactive Particles | Isocyanate  |  |
| Tyvek®                                     |  |                      |   |  |  |  |  |   |  |  |  |  |  |                           |                         |   |  |   |                       |   |  |
| ProShield <sup>®</sup> NexGen <sup>®</sup> |  |                      |   |  |  |  |  |   |  |  |  |  |  |                           |                         |   |  |   |                       |   |  |
| ProShield <sup>®</sup> Basic               |  |                      |   |  |  |  |  |   |  |  |  |  |  |                           |                         |   |  |   |                       |   |  |
| Tempro®                                    |  |                      |   |  |  |  |  |   |  |  |  |  |  |                           |                         |   |  |   |                       |   |  |
|  | Tyvek®<br>ProShield® NexGen®<br>ProShield® Basic | Acceptable for Use   | acceptable for Use and the second se | Aenerally Preferred       Image: Comparison of the sector of | Aenerally Preferred<br>acceptable for Use<br>acceptable for Use<br>accep | Senerally Preferred     Image: seneral sener | Senerally Preferred     Image: seneral sener | Aenerally Preferred       I | Alternative and the second sec | Altererally Preferred Acceptable for Use Tyvek* ProShield* Basic | Acceptable for Use Tyvek* ProShield* Basic | Acceptable for Use Tyvek* ProShield* Basic ProShield* Bas | Acceptable for Use Tyvek* ProShield* Basic | Acceptable for Use Typek* | Acceptable for Use Type | Sequenceally Preferred       Image: constraint of the sequence of the | Agenerally Preferred<br>Acceptable for Use<br>Typek*<br>ProShield* NexGen*<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mold<br>Mo | Addition         Addition | Acceptable for Use    | Amount         Amount< | All control of the co |

It is the user's responsibility to determine the nature and level of hazard and the proper personal protective equipment needed. The information set forth herein reflects laboratory performance of fabrics, not complete garments under controlled conditions. It is intended for informational use by persons having technical skill for evaluation under their specific end-use conditions, at their own discretion and risk. Anyone intending to use this information should first verify that the garment selected is suitable for the intended use. In many cases, seams and closures have shorter breakthrough times and higher penetration rates than the fabric. Please contact the garment selected is used by four the intended use. In many cases, seams and closures have shorter breakthrough times and higher penetration rates than the fabric. Please contact the garment manufacturer for specific data. These garments are intended for limited use and should be disposed of after single use. If fabric becomes torn, abraded or punctured, end user should discontinue use of garment to avoid potential exposure.

#### WARNINGS:

Typeke, NexGen®, NuFab® and ProShield® garments are not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments made of Typek®, NexGen®, NuFab®, ProShield® and Tempro® should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping may occur.

Generation index or syster, reasonable and a system of the system of the

## Remove Watermark Now



DuPont Personal Protection

#### **DuPont<sup>™</sup> ProShield<sup>®</sup> Basic Coveralls**

Meltblown, spunbond polypropylene garments have been optimized for comfort, softness and breathability. Features serged seams and zipper front with storm flap. Offers protection from dirt, grime and non-hazardous dry particles. Applications include general maintenance and janitorial/cleaning.

|   | ITEM #                | ORDER #     | SIZES   | COLOR | UOM   |   | ITEM #                 | ORDER #      | SIZES  | COLOR | UOM   |  |
|---|-----------------------|-------------|---------|-------|-------|---|------------------------|--------------|--------|-------|-------|--|
|   | Collar, Open Wrists a | and Ankles  | •       |       |       |   | Collar, Elastic Wrists | and Ankle    | s      |       | _     |  |
|   | PB120SBUMD002500      | 31712500    | Μ       | Blue  | 25/Cs |   | PB125SBUMD002500       | 31712540     | М      | Blue  | 25/Cs |  |
| 2 | PB120SBULG002500      | 31712501    | L       | Blue  | 25/Cs |   | PB125SBULG002500       | 31712541     | E      | Blue  | 25/Cs |  |
|   | PB120SBUXL002500      | 31712502    | XL      | Blue  | 25/Cs |   | PB125SBUXL002500       | 31712542     | XL     | Blue  | 25/Cs |  |
|   | PB120SBU2X002500      | 31712503    | 2XL     | Blue  | 25/Cs |   | PB125SBU2X002500       | 31712543     | 2XL    | Blue  | 25/Cs |  |
|   | PB120SBU3X002500      | 31712504    | 3XL     | Blue  | 25/Cs |   | PB125SBU3X002500       | 31712544     | 3XL    | Blue  | 25/Cs |  |
| • | PB120SBU4X002500      | 31712505    | 4XL     | Blue  | 25/Cs | • | PB125SBU4X002500       | 31712545     | 4XL    | Blue  | 25/Cs |  |
|   | PB120SWHMD002500      | 31712510    | М       | White | 25/Cs |   | PB125SWHMD002500       | 31712550     | М      | White | 25/Cs |  |
|   | PB120SWHLG002500      | 31712511    | L       | White | 25/Cs |   | PB125SWHLG002500       | 31712551     | L      | White | 25/Cs |  |
|   | PB120SWHXL002500      | 31712512    | XL      | White | 25/Cs |   | PB125SWHXL002500       | 31712552     | XL     | White | 25/Cs |  |
|   | PB120SWH2X002500      | 31712513    | 2XL     | White | 25/Cs |   | PB125SWH2X002500       | 31712553     | 2XL    | White | 25/Cs |  |
|   | PB120SWH3X002500      | 31712514    | 3XL     | White | 25/Cs |   | PB125SWH3X002500       | 31712554     | 3XL    | White | 25/Cs |  |
| + | PB120SWH4X002500      | 31712515    | 4XL     | White | 25/Cs | • | PB125SWH4X002500       | 31712555     | 4XL    | White | 25/Cs |  |
|   | Attached Hood and I   | Boots, Elas | tic Wri | sts   |       |   | Attached Hood, Elast   | tic Wrists a | nd Anl | des   |       |  |
|   | PB122SBUMD002500      | 31712520    | М       | Blue  | 25/Cs |   | PB127SBUMD002500       | 31712560     | М      | Blue  | 25/Cs |  |
|   | PB122SBULG002500      | 31712521    | L       | Blue  | 25/Cs |   | PB127SBULG002500       | 31712561     | L      | Blue  | 25/Cs |  |
| - | PB122SBUXL002500      | 31712522    | XL      | Blue  | 25/Cs |   | PB127SBUXL002500       | 31712562     | XL     | Blue  | 25/Cs |  |
|   | PB122SBU2X002500      | 31712523    | 2XL     | Blue  | 25/Cs |   | PB127SBU2X002500       | 31712563     | 2XL    | Blue  | 25/Cs |  |
|   | PB122SBU3X002500      | 31712524    | 3XL     | Blue  | 25/Cs |   | PB127SBU3X002500       | 31712564     | 3XL    | Blue  | 25/Cs |  |
| + | PB122SBU4X002500      | 31712525    | 4XL     | Blue  | 25/Cs | + | PB127SBU4X002500       | 31712565     | 4XL    | Blue  | 25/Cs |  |
|   | PB122SWHMD002500      | 31712530    | М       | White | 25/Cs |   | PB127SWHMD002500       | 31712570     | М      | White | 25/Cs |  |
|   | PB122SWHLG002500      | 31712531    | L       | White | 25/Cs |   | PB127SWHLG002500       | 31712571     | L      | White | 25/Cs |  |
|   | PB122SWHXL002500      | 31712532    | XL      | White | 25/Cs |   | PB127SWHXL002500       | 31712572     | XL     | White | 25/Cs |  |
|   | PB122SWH2X002500      | 31712533    | 2XL     | White | 25/Cs |   | PB127SWH2X002500       | 31712573     | 2XL    | White | 25/Cs |  |
|   | PB122SWH3X002500      | 31712534    | 3XL     | White | 25/Cs |   | PB127SWH3X002500       | 31712574     | 3XL    | White | 25/Cs |  |
| + | PB122SWH4X002500      | 31712535    | 4XL     | White | 25/Cs | • | PB127SWH4X002500       | 31712575     | 4XL    | White | 25/Cs |  |
|   |                       |             |         |       |       |   |                        |              |        |       |       |  |

#### **Remove Watermark Now**

 $(\Lambda)$ 

**TY122S** 

#### DuPont Personal Protection

#### **DuPont<sup>™</sup> Tyvek<sup>®</sup> Coveralls**

Provides an effective barrier for dry, small particles, even after abrasion, with an ideal balance of protection, durability and comfort. Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light non-hazardous liquid splash. Proprietary comfort-fit design offers greater range of movement and increased worker comfort. Feature serged seams and nylon zipper. White.

ITEM #

TY127S-3XL 31710489

TY127S-4XL 31710490


25/Cs

25/Cs

3XL

4XL

| ITEM #       | ORDER #     | SIZES    | UOM                    |
|--------------|-------------|----------|------------------------|
| Collar, Open | n Wrists an | d Ankle  | s                      |
| TY120S-M     | 31710459    | М        | 25/Cs                  |
| TY120S-L     | 31710458    | L        | 25/Cs                  |
| TY120S-XL    | 31710461    | XL       | 25/Cs                  |
| TY120S-2XL   | 31710462    | 2XL      | 25/Cs                  |
| TY120S-3XL   | 31710463    | 3XL      | 25/Cs                  |
| TY120S-4XL   | 31710464    | 4XL      | 25/Cs                  |
| Attached Ho  | ood and Bo  | ots, Ela | stic Wrists and Ankles |
| TY122S-M     | 31710467    | М        | 25/Cs                  |
| TY122S-L     | 31710466    | L        | 25/Cs                  |
| TY122S-XL    | 31710469    | XL       | 25/Cs                  |
| TY122S-2XL   | 31710470    | 2XL      | 25/Cs                  |
| TY122S-3XL   | 31710471    | 3XL      | 25/Cs                  |
| TY122S-4XL   | 31710472    | 4XL      | 25/Cs                  |



DuPont Personal Protection

#### DuPont<sup>™</sup> Tychem<sup>®</sup> QC Coveralls

Made with polyethylene-coated fabric which provides protection against light liquid splash. Bright yellow color creates contrast across a wide range of natural backgrounds for high visibility in the workplace. Lightweight fabric is durable and resistant to tear and abrasion. Ideal for use in chemical processing and manufacturing applications. Features zipper front closure.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem<sup>®</sup> garments.

| ITEM #       | ORDER #              | SIZES          | SEAMS  | UOM   |  |
|--------------|----------------------|----------------|--------|-------|--|
| Collar, Oper | Wrists and Ankles    | 6              |        |       |  |
| • QC120B-L   | 31710295             | L              | Bound  | 12/Cs |  |
| QC120B-XL    | 31710298             | XL             | Bound  | 12/Cs |  |
| QC120B-2XL   | 31710299             | 2XL            | Bound  | 12/Cs |  |
| QC120B-3XL   | 31710300             | 3XL            | Bound  | 12/Cs |  |
| QC120B-4XL   | 31710323             | 4XL            | Bound  | 12/Cs |  |
| Attached Ho  | od and Socks, Elas   | tic Wrists and | Face   |       |  |
| QC122S-L     | 31710314             | L              | Serged | 12/Cs |  |
| QC122S-XL    | 31710317             | XL             | Serged | 12/Cs |  |
| QC122S-2XL   | 31710318             | 2XL            | Serged | 12/Cs |  |
| QC122S-3XL   | 31710319             | 3XL            | Serged | 12/Cs |  |
| Collar, Fron | t Storm Flap, Elasti | c Wrists and / | Ankles |       |  |
| QC125B-L     | 31710321             | L              | Bound  | 12/Cs |  |
| QC125B-XL    | 31710324             | XL             | Bound  | 12/Cs |  |
| QC125B-2XL   | 31710325             | 2XL            | Bound  | 12/Cs |  |
| QC125B-3XL   | 31710326             | 3XL            | Bound  | 12/Cs |  |
|              |                      |                |        |       |  |

| QC120B | QC122S | QC125B | QC125S | QC1275 |
|--------|--------|--------|--------|--------|

|   | ITEM #        | ORDER #              | SIZES         | SEAMS      | UOM    |
|---|---------------|----------------------|---------------|------------|--------|
|   | Collar, Front | Storm Flap, Elastic  | Wrists and A  | nkles, Con | tinued |
|   | QC125B-4XL    | 31710327             | 4XL           | Bound      | 12/Cs  |
| ٠ | QC125S-L      | 31710329             | L             | Serged     | 12/Cs  |
| • | QC125S-XL     | 31710332             | XL            | Serged     | 12/Cs  |
|   | QC125S-2XL    | 31710333             | 2XL           | Serged     | 12/Cs  |
| • | QC125S-3XL    | 31710334             | 3XL           | Serged     | 12/Cs  |
| • | QC125S-4XL    | 31710335             | 4XL           | Serged     | 12/Cs  |
|   | Attached Hoo  | od, Elastic Face, Wr | ists and Ankl | es         |        |
|   | QC127S-M      | 31710346             | М             | Serged     | 12/Cs  |
|   | QC127S-L      | 31710345             | L             | Serged     | 12/Cs  |
|   | QC127S-XL     | 31710348             | XL            | Serged     | 12/Cs  |
|   | QC127S-2XL    | 31710349             | 2XL           | Serged     | 12/Cs  |
|   | QC127S-3XL    | 31710350             | 3XL           | Serged     | 12/Cs  |
| • | QC127S-4XL    | 31710351             | 4XL           | Serged     | 12/Cs  |
|   | QC127S-5XL    | 31710352             | 5XL           | Serged     | 12/Cs  |
|   |               |                      |               |            |        |

### **Remove Watermark Now**

Disposable



#### DuPont Personal Protection

#### **DuPont<sup>™</sup> Tychem<sup>®</sup> F Coveralls**

Made of proprietary barrier film laminated to Tyvek<sup>®</sup> substrate. Fabric provides at least 30 minutes of protection against over 180 challenge chemicals including chemical warfare agents and toxic industrial chemicals. Strong, durable and lightweight. Low-visibility gray color is preferred by law enforcement, emergency medical service (EMS) technicians and military personnel. Taped seams (sewn seams covered with a strip of compatible chemical-resistant fabric through heat sealing) offer strong chemical resistance against heavy liquid splashes. Features elastic wrists and ankles, 2-piece attached hood design with zipper that extends to chin, and storm flap that covers zipper.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem<sup>9</sup> garments.

| ITEM #     | ORDER #  | SIZES | UOM  |   | ITEM #     | ORDER #  | SIZES | UOM  |
|------------|----------|-------|------|---|------------|----------|-------|------|
| TF145T-M   | 31710728 | М     | 6/Cs | * | TF145T-2XL | 31710730 | 2XL   | 6/Cs |
| • TF145T-L | 31710727 | L     | 6/Cs | * | TF145T-3XL | 31710731 | 3XL   | 6/Cs |
| TF145T-XL  | 31710729 | XL    | 6/Cs | + | TF145T-4XL | 31710732 | 4XL   | 6/Cs |



#### DuPont Personal Protection

#### DuPont<sup>™</sup> Tychem<sup>®</sup> SL Coveralis

Made from lightweight Tyvek® laminated to chemical-resistant Saranex™ 23P film. Provides protection against a broad spectrum of chemicals, hazardous particles and liquids. Strong fabric reduces risk of tears and abrasions. Zipper front with storm flap. White.

Warning. Not flame resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem<sup>®</sup> garments.

| ITEM #        | ORDER #      | SIZES         | SEAMS       | UOM   |  |
|---------------|--------------|---------------|-------------|-------|--|
| Collar, Oper  | n Wrists and | Ankles        |             |       |  |
| SL120B-L      | 31710378     | L             | Bound       | 12/Cs |  |
| SL120B-XL     | 31710381     | XL            | Bound       | 12/Cs |  |
| SL120B-2XL    | 31710382     | 2XL           | Bound       | 12/Cs |  |
| SL120B-3XL    | 31710383     | 3XL           | Bound       | 12/Cs |  |
| SL120B-4XL    | 31710384     | 4XL           | Bound       | 12/Cs |  |
| Attached Ho   | ood and Soc  | ks, Elastic H | Face and Wr | ists  |  |
| SL122B-XL     | 31710389     | XL            | Bound       | 12/Cs |  |
| SL122B-2XL    | 31710390     | 2XL           | Bound       | 12/Cs |  |
| SL122B-3XL    | 31710391     | 3XL           | Bound       | 12/Cs |  |
| Collar, Elast | ic Wrists an | d Ankles      |             |       |  |
| SL125T-L      | 31712378     | L             | Taped       | 12/Cs |  |
| SL125T-XL     | 31710699     | XL            | Taped       | 12/Cs |  |
| SL125T-2XL    | 31712382     | 2XL           | Taped       | 12/Cs |  |
| SL125T-3XL    | 31713529     | 3XL           | Taped       | 12/Cs |  |
| SL125T-4XL    | 31713314     | 4XL           | Taped       | 12/Cs |  |
| SL125B-L      | 31710399     | L             | Bound       | 12/Cs |  |
| SL125B-XL     | 31710402     | XL            | Bound       | 12/Cs |  |
| SL125B-2XL    | 31710403     | 2XL           | Bound       | 12/Cs |  |
| SL125B-3XL    | 31710404     | 3XL           | Bound       | 12/Cs |  |
| SL125B-4XL    | 31710405     | 4XL           | Bound       | 12/Cs |  |
|               |              |               |             |       |  |

Delivering a Full Line of PPE

**Remove Watermark Now** 

| DuPont<br>Personal Protection<br><b>DuPont</b><br><b>Coveral</b><br>Cost-efficient<br>designed to bu<br>primary flame<br>to provide a b<br>non-hazardou<br>aerosols. Serg | <sup>™</sup> Ten<br>IIS<br>over garme<br>e worn ove<br>-resistant g<br>arrier agair<br>is particles | ent<br>r<br>Jarmer<br>hst<br>and | nts   | TM120S |   |             |          | 1225 |       | TM1275 |   | Res         |          |       |       |       |     |
|---|---|----------------------------------|-------|--------|---|-------------|----------|------|-------|--------|---|-------------|----------|-------|-------|-------|-----|
| ITEM #  | ORDER #   | SIZES                            | UOM   |        |   | ITEM #      | ORDER #  |      | UOM   |        |   | ITEM #      | ORDER #  | SIZES | UOM   |       | 150 |
| Collar, Open  |   |                                  |       |        |   | Attached Ho |          |      |       | ists   |   | Attached He |          |       |       | nkles |     |
| • TM120S-L  | 31712975  | L                                | 25/Cs |        | * | TM122S-L    | 31713564 | L    | 25/Cs |        | + | TM127S-L    | 31712985 | L     | 25/Cs |       |     |
| • TM120S-XL   | 31712978  | XL                               | 25/Cs |        | * | TM122S-XL   | 31713761 | XL   | 25/Cs |        | + | TM127S-XL   | 31712988 | XL    | 25/Cs |       |     |
| TM120S-2XL  | 31712979  | 2XL                              | 25/Cs |        | * | TM122S-2XL  | 31714082 | 2XL  | 25/Cs |        | + | TM127S-2XL  | 31712989 | 2XL   | 25/Cs |       |     |
| • TM120S-3XL  | 31712980  | 3XL                              | 25/Cs |        | * | TM122S-3XL  | 31711122 | 3XL  | 25/Cs |        | + | TM127S-3XL  | 31712990 | 3XL   | 25/Cs |       |     |
| • TM120S-4XL  | 31713965  | 4XL                              | 25/Cs |        | * | TM122S-4XL  | 31711123 | 4XL  | 25/Cs |        |   | TM127S-4XL  | 31710457 | 4XL   | 25/Cs |       |     |
| • TM120S-5XL  | 31714029  | 5XL                              | 25/Cs |        | • | TM122S-5XL  | 31712509 | 5XL  | 25/Cs |        | • | TM127S-5XL  | 31714038 | 5XL   | 25/Cs |       |     |





#### Kinderty-Clark Kieen A10 Lie

#### KleenGuard\* A10 Light-Duty Shoe Covers

Lightweight spunbond polypropylene material for cool comfort and protection in non-hazardous environments. Light-duty protection provided against dirt, grime and certain non-hazardous dry particulates. Fully elasticized and low-skid. Blue. Universal. Meets ANSI/ISEA 101-1996 sizing standards.

| ITEM # | ORDER #  | DESCRIPTION     | UOM    |
|--------|----------|-----------------|--------|
| 36811  | 15406811 | A10 Shoe covers | 300/Cs |

More Shoe and Boot Covers, Page 190.



Renberty-Clark



#### KleenGuard\* A20 Breathable Particle Protection Coveralls

Constructed of patented Microforce\* Barrier SMS fabric that offers protection against dry particulates. Patented Reflex\* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Features zipper front closure. Typical uses include laboratories, decontamination modesty garment, remediation, pesticides and heavy-dust environments. Lightweight and breathable.

|            | TEM #            | ORDER #          | SIZES            | COLOR | UOM   |
|------------|------------------|------------------|------------------|-------|-------|
|            |                  | rists and Ankles | 5                |       |       |
| <b>*</b> 4 | 9002             | 15409002         | Μ                | White | 24/Cs |
| 4          | 9003             | 15408225         | L                | White | 24/Cs |
| 4          | 9004             | 15408238         | XL               | White | 24/Cs |
| 4          | 9005             | 15408239         | 2XL              | White | 24/Cs |
| + 4        | 9006             | 15408235         | 3XL              | White | 20/Cs |
| + 4        | 9007             | 15400618         | 4XL              | White | 20/Cs |
| c          | ollar, Elastic B | ack, Wrists and  | l Ankles         |       |       |
| <b>*</b> 4 | 9102             | 15408246         | М                | White | 24/Cs |
| <b>*</b> 4 | 9103             | 15408248         | L                | White | 24/Cs |
| 4          | 9104             | 15408250         | XL               | White | 24/Cs |
| 4          | 9105             | 15408244         | 2XL              | White | 24/Cs |
| 4          | 9106             | 15408245         | 3XL              | White | 20/Cs |
| * 4        | 9107             | 15404910         | 4XL              | White | 20/Cs |
| A          | ttached Hood,    | Elastic Back, W  | rists and Ankles |       |       |
| * 4        | 9112             | 15408251         | М                | White | 24/Cs |
| <b>*</b> 4 | 9113             | 15408252         | L                | White | 24/Cs |
| 4          | 9114             | 15408254         | XL               | White | 24/Cs |
| 4          | 9115             | 15408256         | 2XL              | White | 24/Cs |
| 4          | 9116             | 15408219         | 3XL              | White | 20/Cs |
| + 4        | 9117             | 15400619         | 4XL              | White | 20/Cs |
| C          | ollar, Elastic W | /rists and Ankle | es               |       |       |
| + 5        | 8502             | 15400286         | М                | Blue  | 24/Cs |
| 5          | 8503             | 15408503         | L                | Blue  | 24/Cs |
| 5          | 8504             | 15400279         | XL               | Blue  | 24/Cs |
| 5          | 8505             | 15408505         | 2XL              | Blue  | 24/Cs |
| 5          | 8506             | 15408506         | 3XL              | Blue  | 20/Cs |
| 5          | 8507             | 15408507         | 4XL              | Blue  | 20/Cs |
|            |                  |                  |                  |       |       |

### 11 Kimberly-Clark

#### KleenGuard\* A30 Breathable Splash and Particle Protection Coveralls

Breathable, patented Microforce\* Barrier SMS Fabric. Strong and abrasion-resistant. Typical uses include pharmaceutical research, dry particle contamination, aerospace, maintenance/general manufacturing. Patented Reflex\* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Features zipper front closure with 1" flap and elastic back. White.

| ITEM #       | ORDER #                   | SIZES | UOM   |  |
|--------------|---------------------------|-------|-------|--|
| Collar, Elas | tic Wrists and Ankles     |       |       |  |
| 46102        | 15400580                  | Μ     | 25/Cs |  |
| 46103        | 15400581                  | L     | 25/Cs |  |
| 46104        | 15400582                  | XL    | 25/Cs |  |
| 46105        | 15400583                  | 2XL   | 25/Cs |  |
| 46106        | 15400585                  | 3XL   | 21/Cs |  |
| 46107        | 15400586                  | 4XL   | 21/Cs |  |
| Attached H   | ood, Elastic Wrists and A | nkles |       |  |
| 46112        | 15400587                  | Μ     | 25/Cs |  |
| 46113        | 15400588                  | L     | 25/Cs |  |
| 46114        | 15406114                  | XL    | 25/Cs |  |
| 46115        | 15400589                  | 2XL   | 25/Cs |  |
| 46116        | 15400590                  | 3XL   | 21/Cs |  |
| 46117        | 15406117                  | 4XL   | 21/Cs |  |





#### **KleenGuard\* A40 Liquid** and Particle Protection Coveralls

Breathable, microporous film laminate with zipper front closure. Low in lint. Ideal for fiberglass manufacturing, tank cleaning, utilities and liquid handling. White. NFPA 99 compliant anti-static material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard.

| ITEM : | # ORDER #                       | SIZES | UOM   |  |
|--------|---------------------------------|-------|-------|--|
| Colla  | , Open Wrists and Ankles        |       |       |  |
| 44302  | 15400302                        | М     | 25/Cs |  |
| 44303  | 15400303                        | L     | 25/Cs |  |
| 44304  | 15400304                        | XL    | 25/Cs |  |
| 44305  | 15400305                        | 2XL   | 25/Cs |  |
| 44306  | 15400306                        | 3XL   | 25/Cs |  |
| Colla  | , Elastic Wrists and Ankles     |       |       |  |
| 44313  | 15400313                        | L     | 25/Cs |  |
| 44314  | 15400314                        | XL    | 25/Cs |  |
| 44315  | 15401315                        | 2XL   | 25/Cs |  |
| 44316  | 15401316                        | 3XL   | 25/Cs |  |
| Attac  | hed Hood, Elastic Wrists and Aı | nkles |       |  |
| 44323  | 15400298                        | L     | 25/Cs |  |
| 44324  | 15400299                        | XL    | 25/Cs |  |
| 44325  | 15401325                        | 2XL   | 25/Cs |  |
| 44326  | 15400300                        | 3XL   | 25/Cs |  |
| 44327  | 15400301                        | 4XL   | 25/Cs |  |
|        |                                 |       |       |  |

42527

## **Remove Watermark Now**

#### KleenGuard\* A40 Breathable Back Coveralls with Thumb Hole

Front and sleeves are a microporous film laminate designed for protection against hazardous particles and liquids while breathable back is a SMS fabric extending from shoulder to ankle to keep wearer cool. Features zipper front closure, elastic ankles and elastic wrists with thumb holes for easy donning of gloves. Provides air movement and ventilation. Ideal for fiberglass manufacturing, tank cleaning, utilities and liquid handling. White. NFPA 99 compliant anti-static material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard.

| ITEM # | ORDER #  | DESCRIPTION                                    | SIZES | UOM   |
|--------|----------|--|-------|-------|
| 42526  | 15402503 | A40 Breathable back<br>coveralls w/ thumb hole | L     | 25/Cs |
| 42527  | 15404252 | A40 Breathable back<br>coveralls w/ thumb hole | XL    | 25/Cs |
| 42528  | 15402504 | A40 Breathable back<br>coveralls w/ thumb hole | 2XL   | 25/Cs |
| 42529  | 15402505 | A40 Breathable back<br>coveralls w/ thumb hole | 3XL   | 25/Cs |
|        |          |  |       |       |



#### KleenGuard\* A45 Liquid and Particle Protection Coveralls

TAA-compliant protective apparel constructed with Reflex\* design. Features snap front closure and open wrists and ankles. All components are specified as silicone-free. Contains no components made from natural rubber latex. Passes NFPA 99 for anti-static materials. White.

|   | ITEM # | ORDER #  | DESCRIPTION                   | SIZES | UOM   |
|---|--------|----------|-------------------------------|-------|-------|
|   | 37167  | 15407167 | A45 Coveralls w/ snap closure | XL    | 25/Cs |
| • | 37168  | 15407168 | A45 Coveralls w/ snap closure | 2XL   | 25/Cs |
| • | 37169  | 15407169 | A45 Coveralls w/ snap closure | 3XL   | 25/Cs |



#### KleenGuard\* A60 Bloodborne Pathogen and Chemical Protection Coveralls

Patented 3-layer fabric construction designed with a middle layer of microporous film that allows heat and sweat vapor to escape, yet protects against many dry particulates and liquids, even under pressure. Outer layers provide protection of the film barrier against tearing and abrasion. Seamless front provides greater protection. Features attached hood and boots, elastic wrists and ankles, and zipper front closure with taped storm flap. Patented Reflex\* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Blue. Passes ASTM F1670/F1671 testing for penetration of blood, bodily fluids and bloodborne pathogens.

|   | ITEM # | ORDER #  | DESCRIPTION   | SIZES | UOM   |
|---|--------|----------|---------------|-------|-------|
|   | 45093  | 15400424 | A60 Coveralls | L     | 24/Cs |
|   | 45094  | 15405094 | A60 Coveralls | XL    | 24/Cs |
| • | 45095  | 15400426 | A60 Coveralls | 2XL   | 24/Cs |
| • | 45096  | 15400427 | A60 Coveralls | 3XL   | 20/Cs |
|   |        |          |               |       |       |



**Delivering a Full Line of PPE** 

45094

Symbol Key

#### **Our Quality Shows in Every Format...**






CONDUDE:

...And in Every Seam.

Collar, elastic wrists and ankles



Attached hood and boots, elastic wrists and ankles





**Remove Watermark Now** 



Resistant to Dry Particles



Repellent to Liquid Splashes



Resistant to Liquids Under Pressure



Resistant to Blood, Body Fluids and Bloodborne Pathogens



Resistant to Many Liquid and Dry Particulate Chemicals



Resistant to Select Chemicals and Vapors



Anti-Static



Resistant to Flame


These symbols will help you identify the Kimberly-Clark Professional\* Protective Apparel that meets your specific needs. Look for them on the product pages.





TAPED SEAM is serged, then reinforced with a film tape that's resistant to water and many liquid chemicals.\*

\*If your application requires a chemical-resistant taped seam, you should ensure that the tape offers appropriate resistance to the chemical involved.



| PE440SBUXL02000 31711<br>PuPont<br>Personal Protection<br>Bashspun high-density poly<br>provides an ideal balance of<br>and comfort. Provides an ef<br>against hazardous, small siz<br>even after abrasion. Feature<br>and serged seams. Universa<br>ITEM # ORDER<br>TY450SWH000200LG 31714<br>TY450SWH000200LG 31714  | 31713955<br>31714083<br>31714083<br>Per<br>M.<br>ski<br>ela<br>Ur | Tyvek* shoe<br>covers, 8 1/4*<br>Pont<br>sonal Protection <b>DL</b><br><b>FC</b><br>ade with spunbond<br>id-resistant friction<br>astic top and serged<br>niversal. Gray. | coating. Featu  | <b>Cover</b> | <b>k</b> <sup>®</sup> | TY454SWHXL0100SR   |  | DuPont<br>Personal<br>Made fri<br>coating | rom Tyv<br>and lov<br>seams.     | P Du<br>Ty<br>Sh<br>rek® wit<br>w elasti<br>5" Heig | 100/Cs<br>IPont <sup>™</sup><br>vek <sup>®</sup> FC<br>to e Cove<br>th skid-resistant<br>c top. Features<br>ght. Universal. G |
|--|---|---|---|--------------|-----------------------|--|--|---|----------------------------------|---|---|
| PE440SWHXL020000 31710<br>PE440SBULG020000 31711<br>PE440SBUXL020000 31711<br>PE440SBUXL020000 31711<br>PE440SBUXL020000 31711<br>PuPont<br>PuPont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Puspont<br>Pu | 31713955<br>31714083<br>31714083<br>Per<br>M.<br>ski<br>ela<br>Ur | Tyvek* shoe<br>covers, 8 1/4"<br>Pont<br>sonal Protection <b>Du</b><br><b>FC</b><br>ade with spunbond<br>id-resistant friction<br>astic top and serged<br>hiversal. Gray. | JPont™<br>Boot C<br>led olefin with<br>coating. Featu | <b>Cover</b> | <b>k</b> <sup>®</sup> |  | 31714065   | DuPont<br>Personal<br>Made fri<br>coating | Protection<br>rom Tyv<br>and lov | n Du<br>Ty<br>Sh<br>vek® wit<br>w elasti            | IPont <sup>™</sup><br>vek <sup>®</sup> FC<br>toe Cove<br>th skid-resistant<br>c top. Features                                 |
| PE440SWHXL020000     31710       PE440SBULG020000     31711       PE440SBUXL020000     31713   | 31713959  | Tyvek <sup>®</sup> shoe   | 200/Cs  |              | •                     | TY454SWHXL0100SR   | 31714065   | Boot covers                               | XL                               | Gray  | 100/Cs  |
| PE440SWHXL020000     31710       PE440SBULG020000     31711       PE440SBUXL020000     31711       PE440SBUXL020000     31711       uPont<br>ersonal Protection     DuPon<br>DuPon<br>Cover       lashspun high-density poly<br>provides an ideal balance of<br>nd comfort. Provides an ef<br>gainst hazardous, small siz<br>ven after abrasion. Feature<br>nd serged seams. Universa       TEM #     ORDER  |   | I I YVER - SILUE COVERS   |   |              |                       |  |  |   |                                  |   |   |
| PE440SWHXL020000 31710<br>PE440SBUL020000 31711<br>PE440SBUXL020000 31711<br>UPont<br>ersonal Protection <b>DuPo<br/>Tyvek</b><br>Cover<br>lashspun high-density poly<br>irovides an ideal balance of<br>nd comfort. Provides an ef<br>gainst hazardous, small siz<br>ven after abrasion. Feature<br>nd serged seams. Universa   | UNDER #   | Tyvek <sup>®</sup> shoe covers  | , 5" 200/Cs   |              |                       | TY454SWHLG0100SR   | 31714075   | Boot covers                               | L                                | Gray  | 100/Cs  |
| PE440SWHXL020000 31710<br>PE440SBULG020000 31711<br>PE440SBUXL020000 31711<br>UPont<br>ersonal Protection DuPo<br>Tyvek<br>Cover<br>lashspun high-density poly<br>provides an ideal balance of<br>nd comfort. Provides an ef<br>gainst hazardous, small siz<br>ven after abrasion. Feature   |   | DESCRIPTION   | UOM   |              |                       | TY454SWH00010000   |  |   | L                                |   | 100/Cs  |
| E440SWHXL020000 31710<br>E440SBULG020000 31711<br>E440SBUXL020000 31711  | ty polyeth<br>ince of du<br>an effect<br>nall sized<br>eatures e  | iylene<br>irability<br>tive barrier<br>particles,<br>lastic top   | T   | TY450S       | 5                     | Made of flashspun h<br>polyethylene that pr<br>barrier against haza<br>particles, even after<br>elastic top and serge<br>18" Height. | rovides an<br>rdous, sma<br>abrasion.<br>ed seams. | effective<br>III sized<br>Features        | 545                              | COL 08  | UOM   |
| PE440SWHXL020000 31710<br>PE440SBULG020000 31711   |   | t™<br>Shoe  | 784   | 1            | 1                     | DuPont<br>Personal Protection <b>B</b>   | uPon<br>oot C                                      | t™ Tyv<br>overs                           | ek®                              |   | 2   |
| PE440SWHXL020000 31710   | 31711670  | ) SureStep™ shoe co   | vers  | XL           | Blue                  | 200/Cs   |  |   |                                  |   |   |
|  |   | SureStep™ shoe cov  |   | L            | Blue                  | 200/Cs   |  |   |                                  |   |   |
| F440SWHI 6020000 31710   |   | •   |   | XL           | White                 | 200/Cs   |  |   |                                  |   |   |
| E4443WHALU10000 31/14  |   | •   | , 0   | L            | White                 | 200/Cs   |  | PE440S                                    |                                  |   |   |
| E444SWHLG010000 31716<br>E444SWHXL010000 31714   |   | •   |   | L<br>XL      | White<br>White        | 100/Cs   | - 8  | _   | 1.00                             | d.  | RA ARA  |
|  |   | DESCRIPTION   | 40  |              | COLOR                 | UOM  |  |   |                                  |   | STATE OF  |



### DuPont Personal Protection **DuPont™ Tyvek® Aprons**

Provide front body protection from non-hazardous particles and light liquid splash. Bib-style with neck loop for easy on and off. Low linting and static-free. Measures: 28" x 36". White.

| ITEM #           | ORDER #  | DESCRIPTION                         | UOM    |
|------------------|----------|-------------------------------------|--------|
| TY273BWH00010000 | 31710784 | Tyvek <sup>®</sup> bib-style aprons | 100/Cs |


## DuPont Personal Protection DuPont<sup>™</sup> Tychem<sup>®</sup> QC Bib Aprons

Polyethylene-coated fabric offers effective splash protection. Lightweight fabric is durable and resistant to tear and abrasion. Bright yellow color creates contrast across a broad range of backgrounds. Features sewn ties and bound seams. Measures: 28" x 36".

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem<sup>®</sup> garments.

| ITEM #           | ORDER #  | DESCRIPTION                   | UOM    |
|------------------|----------|-------------------------------|--------|
| QC273BYL00010000 | 31710674 | Tychem <sup>®</sup> QC aprons | 100/Cs |

## Remove Watermark Now





**TY350S** 



### DuPont Personal Protection DuPont<sup>™</sup> Tyvek<sup>®</sup> Frocks

Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light liquid splash. Features snap closures and no pockets. White.

| TEM #            | ORDER #  | DESCRIPTION   | SIZES | UOM   |  |   | ITEM #                | ITEM # ORDER #             | ITEM # ORDER # DESCRIPTION                          | ITEM # ORDER # DESCRIPTION SIZES              | ITEM # ORDER # DESCRIPTION SIZES UOM                   | ITEM # ORDER # DESCRIPTION SIZES UOM                   |
|------------------|----------|---------------|-------|-------|--|---|-----------------------|----------------------------|---|---|--|--|
| oen Wrists       |          |               |       |       |  |   | Elastic Wrists, Extra | Elastic Wrists, Extra Long | Elastic Wrists, Extra Long                          | Elastic Wrists, Extra Long                    | Elastic Wrists, Extra Long                             | Elastic Wrists, Extra Long                             |
| TY210SWHMD003000 | 31710494 | Tyvek® frocks | М     | 30/Cs |  |   | TY211SWHMD003000      | TY211SWHMD003000 31710502  | TY211SWHMD003000 31710502 Tyvek® frocks             | TY211SWHMD003000 31710502 Tyvek® frocks M     | <b>TY211SWHMD003000 31710502</b> Tyvek® frocks M 30/Cs | <b>TY211SWHMD003000 31710502</b> Tyvek® frocks M 30/Cs |
| TY210SWHLG003000 | 31710493 | Tyvek® frocks | L     | 30/Cs |  |   | TY211SWHLG003000      | TY211SWHLG003000 31710501  | TY211SWHLG003000 31710501 Tyvek® frocks             | TY211SWHLG003000 31710501 Tyvek® frocks L     | TY211SWHLG003000 31710501 Tyvek® frocks L 30/Cs        | TY211SWHLG003000 31710501 Tyvek® frocks L 30/Cs        |
| TY210SWHXL003000 | 31710496 | Tyvek® frocks | XL    | 30/Cs |  |   | TY211SWHXL003000      | TY211SWHXL003000 31710504  | TY211SWHXL003000 31710504 Tyvek® frocks             | TY211SWHXL003000 31710504 Tyvek® frocks XL    | TY211SWHXL003000 31710504 Tyvek® frocks XL 30/Cs       | TY211SWHXL003000 31710504 Tyvek® frocks XL 30/Cs       |
| TY210SWH2X003000 | 31710497 | Tyvek® frocks | 2XL   | 30/Cs |  |   | TY211SWH2X003000      | TY211SWH2X003000 31710505  | TY211SWH2X003000 31710505 Tyvek® frocks             | TY211SWH2X003000 31710505 Tyvek® frocks 2XL   | TY211SWH2X003000 31710505 Tyvek® frocks 2XL 30/Cs      | TY211SWH2X003000 31710505 Tyvek® frocks 2XL 30/Cs      |
| TY210SWH3X003000 | 31710498 | Tyvek® frocks | 3XL   | 30/Cs |  |   | TY211SWH3X003000      | TY211SWH3X003000 31710506  | TY211SWH3X003000 31710506 Tyvek® frocks             | TY211SWH3X003000 31710506 Tyvek® frocks 3XL   | TY211SWH3X003000 31710506 Tyvek® frocks 3XL 30/Cs      | TY211SWH3X003000 31710506 Tyvek® frocks 3XL 30/Cs      |
| TY210SWH4X003000 | 31710499 | Tyvek® frocks | 4XL   | 30/Cs |  |   | TY211SWH4X003000      | TY211SWH4X003000 31713282  | TY211SWH4X003000 31713282 Tyvek® frocks             | TY211SWH4X003000 31713282 Tyvek® frocks 4XL   | TY211SWH4X003000 31713282 Tyvek® frocks 4XL 30/Cs      | TY211SWH4X003000 31713282 Tyvek® frocks 4XL 30/Cs      |
|                  |          |               |       |       |  | • | TY211SWH5X003000      | TY211SWH5X003000 31713266  | TY211SWH5X003000 31713266 Tyvek <sup>®</sup> frocks | • TY211SWH5X003000 31713266 Tyvek® frocks 5XL | TY211SWH5X003000 31713266 Tyvek® frocks 5XL 30/Cs      | • TY211SWH5X003000 31713266 Tyyek® frocks 5XL 30/Cs    |

### DuPont Personal Protection DuPont<sup>™</sup> Tyvek<sup>®</sup> Lab Coats

Constructed of flashspun high-density polyethylene. Features open wrists, snap closures and (2) pockets. White

| ITEM #           | ORDER #  | DESCRIPTION                  | <b>SIZES</b> | UOM   |  | ITEM #           | ORDER #  | DESCRIPTION      | SIZES | UOM   |
|------------------|----------|------------------------------|--------------|-------|--|------------------|----------|------------------|-------|-------|
| TY212SWHMD003000 | 3171050  | B Tyvek® lab coats           | М            | 30/Cs |  | TY212SWH2X003000 | 31710511 | Tyvek® lab coats | 2XL   | 30/Cs |
| TY212SWHLG003000 | 3171050  | Tyvek® lab coats             | L            | 30/Cs |  | TY212SWH3X003000 | 31710512 | Tyvek® lab coats | 3XL   | 30/Cs |
| TY212SWHXL003000 | 31710510 | Tyvek <sup>®</sup> lab coats | XL           | 30/Cs |  |                  |          |                  |       |       |

#### Personal Protection **DuPont<sup>™</sup> Tyvek<sup>®</sup> Shirts**

Flashspun high-density polyethylene (HDPE) substrate provides comfortable inherent barrier protection against hazardous dry particles and non-hazardous, light liquid splash. Featured serged seams and snap front with open wrists. White.

| ITEM #             | ORDER #  | DESCRIPTION                              | SIZES | UOM   |   | ITEM #           | ORDER #  | DESCRIPTION                              | SIZES | UOM   |
|--------------------|----------|--|-------|-------|---|------------------|----------|--|-------|-------|
| • TY303SWHMD005000 | 31710521 | Tyvek <sup>®</sup> long<br>sleeve shirts | М     | 50/Cs |   | TY303SWH2X005000 | 31710524 | Tyvek <sup>®</sup> long<br>sleeve shirts | 2XL   | 50/Cs |
| • TY303SWHLG005000 | 31710520 | Tyvek <sup>®</sup> long<br>sleeve shirts | L     | 50/Cs | + | TY303SWH3X005000 | 31710525 | Tyvek <sup>®</sup> long<br>sleeve shirts | 3XL   | 50/Cs |
| TY303SWHXL005000   | 31710523 | Tyvek <sup>®</sup> long<br>sleeve shirts | XL    | 50/Cs | + | TY303SWH4X005000 | 31710526 | Tyvek <sup>®</sup> long<br>sleeve shirts | 4XL   | 50/Cs |

#### DuPont DuPont Personal Protection DuPont<sup>™</sup> Tyvek<sup>®</sup> Hoods

Designed as a pullover with elasticized face opening and helps cover shoulders. Features serged seams. Universal. White.

| ITEM #           | ORDER #  | DESCRIPTION          | UOM    |
|------------------|----------|----------------------|--------|
| TY657SWH00010000 | 31710539 | Tyvek® pullover hood | 100/Cs |

### DuPont Personal Protection DuPont<sup>™</sup> Tyvek<sup>®</sup> Pants

Unique non-woven technology offers barrier protection against dry particulates and light liquid splash. Reinforced in high stress areas. Features elastic waist and open ankles. Stop particles down to one micron. White.

| VI #            | ORDER #  | DESCRIPTION  | SIZES | UOM   | ITEM #           | ORDER #  | DESCRIPTION              | SIZES | UC   |
|-----------------|----------|--------------|-------|-------|------------------|----------|--------------------------|-------|------|
| Y350SWHMD005000 | 31710528 | Tyvek® pants | М     | 50/Cs | TY350SWHXL005000 | 31710530 | Tyvek <sup>®</sup> pants | XL    | 50/0 |
| Y350SWHLG005000 | 31710527 | Tyvek® pants | L     | 50/Cs | TY350SWH2X005000 | 31710531 | Tyvek <sup>®</sup> pants | 2XL   | 50/C |

### **Remove Watermark Now**

DuPont Personal Protection

### DuPont™ Tyvek® Sleeves

Offers extra protection for arms and garments. Effective barrier to hazardous dry particles, aerosols and non-hazardous light liquid splash. Features elastic ends to ensure secure fit and serged seams. 18" Length. White.

2003



| ITEM # | ORDER #  | DESCRIPTION                | UOM    |
|--------|----------|----------------------------|--------|
| TY500S | 31710538 | Tyvek <sup>®</sup> sleeves | 200/Cs |





#### Kevlar<sup>®</sup> Double-Ply Cut-Resistant Sleeves

Made with 100% DuPont<sup>™</sup> Kevlar. Provides high-tensile strength and will not melt, ignite or conduct electricity. High comfort level allows for manual dexterity. Non-coated, 2-ply, washable and made with FDA-accepted materials for use in food processing applications. Do not bleach. 18" Length. Yellow. ANSI cut level 3.

| ITEM # | ORDER #   | DESCRIPTION                                | UOM |
|--------|-----------|--|-----|
| 9378   | 331493791 | Kevlar regular weight sleeve               | Ea  |
| 9378E  | 331416411 | Kevlar econo weight sleeve                 | Ea  |
| 9378T  | 331493781 | Kevlar regular weight sleeve w/ thumb slot | Ea  |
| 9378TE | 331416441 | Kevlar econo weight sleeve w/ thumb slot   | Ea  |

## RIVER CITY Classic 3-Piece Rain Suit

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and durability. Consists of jacket, detachable hood and fly-front bib pants. Ideal for construction, utilities, airlines and municipalities. Yellow.

| ITEM #  | ORDER #   | DESCRIPTION               | SIZES | UOM |  |
|---------|-----------|---------------------------|-------|-----|--|
| 2003-L  | 331455641 | Classic 3-piece rain suit | L     | Ea  |  |
| 2003-XL | 331455651 | Classic 3-piece rain suit | XL    | Ea  |  |
| 2003-2X | 331455661 | Classic 3-piece rain suit | 2XL   | Ea  |  |
| 2003-3X | 331455671 | Classic 3-piece rain suit | 3XL   | Ea  |  |
| 2003-4X | 331449851 | Classic 3-piece rain suit | 4XL   | Ea  |  |

## KIVER CITY Schooner Ponchos

Made of .10 mm PVC film that provides light-duty protection from rain, dust and wind. Features attached hood and side snap closures. Includes handy tote pouch. Measures: 52" x 80". Universal.

| ITEM # | ORDER #   | DESCRIPTION     | COLOR | UOM |  |
|--------|-----------|-----------------|-------|-----|--|
| 042    | 331423711 | Schooner poncho | Clear | Ea  |  |
| 043    | 331423721 | Schooner poncho | Blue  | Ea  |  |



## \* **EXTERNING** Dominator Rainwear

Made with .42 mm PVC/hi-tensile polyester/PVC in green for easy identification. Offers excellent splash protection and is a good choice for use in environments with exposure to chemicals and acids. Jacket has attached hood and zipper front with storm flap; bib pants have plain front and black plastic take-up snaps at ankles. Limited flammability tested in accordance with ASTM D6413-08 test method.

| ITEM #  | ORDER #   | DESCRIPTION                 | SIZES | UOM |
|---------|-----------|-----------------------------|-------|-----|
| 3882-L  | 331456491 | Dominator 2-piece rain suit | L     | Ea  |
| 3882-XL | 331456501 | Dominator 2-piece rain suit | XL    | Ea  |
| 3882-2X | 331429241 | Dominator 2-piece rain suit | 2XL   | Ea  |
| 3882-3X | 331436261 | Dominator 2-piece rain suit | 3XL   | Ea  |





200C



#### Honeywell

#### Kevlar<sup>®</sup> Sleeve

100% DuPont<sup>™</sup> Kevlar engineered fiber. Two-ply tube design offers superior cut and slash resistance. Thumb hole keeps sleeve securely in place while offering increased protection in the palm area. 18" Length. Yellow.

| ITEM #     | ORDER #   | DESCRIPTION        | UOM |
|------------|-----------|--------------------|-----|
| KVS-2-18TH | 341514211 | Kevlar knit sleeve | Ea  |

| DuPont<br>Personal Protection  | Remove Watermark No                    | w                |
|--|--|------------------|
| Presonal Protection<br><b>DuPont™ Proshield</b><br><b>NexGen® Sleeves</b><br>ProShield® NexGen® garments are sur<br>for protection against non-hazardou<br>light liquid splash and aerosols<br>in many industrial applications.<br>Made with a microporous<br>film that is laminated to<br>a spunbonded polypropylene<br>substrate. Applications include<br>automotive refinishing, waste cleanu<br>and remediation. Features serged sec | nitable<br>s particles,<br>NG500S<br>p | sleeves/Hainwear |
|  |  |                  |

| ITEM #           | ORDER #  | DESCRIPTION                   | UOM    |
|------------------|----------|-------------------------------|--------|
| NG500SWH00020000 | 31711577 | Proshield®<br>NexGen® sleeves | 200/Cs |

267C

#### RIVER CITY **Classic Series 49" Raincoat**

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and long-term durability. Applications include construction, utilities, airlines, municipalities and more. Features cape-vented back and (2) patch pockets. Yellow.

| ITEM #  | ORDER #   | DESCRIPTION      |    | SIZES | UOM |  |
|---------|-----------|------------------|----|-------|-----|--|
| 200C-M  | 331482561 | Classic raincoat |    | М     | Ea  |  |
| 200C-L  | 331482571 | Classic raincoat |    | L     | Ea  |  |
| 200C-XL | 331482581 | Classic raincoat |    | XL    | Ea  |  |
| 200C-2X | 331482591 | Classic raincoat | FO | 2XL   | Ea  |  |
|         |           |                  |    |       |     |  |

#### TRIVER CITY **Classic Rainwear Rider Coat**

Features extended 60" length, matching corduroy collar, detachable hood, cape-ventilated back, badge tab holder, black plastic take-up snaps at wrists and snap-close, storm-fly front. Includes inner leg snaps that form chaps. Applications include security work, refineries and wherever more coverage is needed. Black.

| ITEM #    | ORDER #   | DESCRIPTION                 | SIZES | UOM |  |
|-----------|-----------|-----------------------------|-------|-----|--|
| 267C-L    | 331427171 | Classic rainwear rider coat | L     | Ea  |  |
| 267C-XL   | 331427201 | Classic rainwear rider coat | XL    | Ea  |  |
| 267C-2X   | 331427211 | Classic rainwear rider coat | 2XL   | Ea  |  |
| 267C-3X   | 331427221 | Classic rainwear rider coat | 3XL   | Ea  |  |
| • 267C-4X | 331437381 | Classic rainwear rider coat | 4XL   | Ea  |  |
|           |           |                             |       |     |  |

## RIVER CITY Classic Plus 3-Piece Reflective Suit

Constructed of .35 mm PVC on polyester broadloom fabric. Ideal for both indoor and outdoor use. Jacket features corduroy collar, cape-ventilated back and detachable hood. Jacket and bib-style pants have highly reflective tape stripes to increase visibility in low-light conditions. Applications include construction, utilities, airlines and municipalities. Yellow.

| ITEM #    | ORDER #   | DESCRIPTION                  | SIZES | UOM |
|-----------|-----------|------------------------------|-------|-----|
| 2403R-L   | 331426321 | Classic Plus reflective suit | L     | Ea  |
| 2403R-XL  | 331426351 | Classic Plus reflective suit | XL    | Ea  |
| 2403R-2XL | 331426361 | Classic Plus reflective suit | 2XL   | Ea  |

2403R