

# Respirat Remove Watermark Now Protection

Respirators protect employees from inhaling harmful substances, including chemical, biological, and radiological agents. These substances can be in the form of airborne vapors, gases, dust, fogs, fumes, mists, smokes, or sprays.

Visit www.osha.gov for complete details and regulation requirements.

### 3M™ Rugged Comfort Half Facepiece Reusable Respirator 6500 Series



The 3M<sup>TM</sup> Rugged Comfort Respirator is designed with tough and dirty worksites in mind to help you stay comfortable, productive and protected. The 6500 series respirator delivers comfort, durability and stability with a firm, lightly textured silicone faceseal, strong body construction, low-profile design and proprietary 3M<sup>TM</sup> Cool Flow<sup>TM</sup> Valve. The 6500QL Quick Latch drop-down mechanism gives you a one-handed, easy way to take the respirator on and off as you move in and out of contaminated areas.

To experience 6500 and 6500QL, go to 3M.com/RuggedComfort

© 3M 2014. All rights reserved.
3M and Cool Flow are trademarks of 3M Company, used under licence in Canada.





# 3M™ Particulate Respirators, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles in suggested applications including grinding, sanding, sweeping, bagging and other dusty operations. Lightweight construction helps promote greater worker acceptance and comfort. Features 3M's Advanced Electret Media, welded strap attachment, soft nose foam and adjustable noseclip to help provide a custom and secure seal. NIOSH Approval TC-84A-0007.

| ITEM #   | ORDER#    | DESCRIPTION                                  | CASE QTY | UOM   |
|----------|-----------|--|----------|-------|
| 8210     | 665501755 | Particulate Respirator 8210, N95             | 8/Bx/Cs  | 20/Bx |
| 8210PLUS | 665514535 | Particulate Respirator 8210PLUS, N95         | 8/Bx/Cs  | 20/Bx |
| 81108    | 665514525 | Particulate Respirator 8110S, N95            | 8/Bx/Cs  | 20/Bx |
| 8200     | 665519365 | Particulate Respirator 8200, N95             | 8/Bx/Cs  | 20/Bx |
| 8211     | 665514545 | Particulate Respirator 8211, N95 w/ Faceseal | 8/Bx/Cs  | 10/Bx |
| 8511     | 665585115 | Particulate Respirator 8511, N95             | 8/Bx/Cs  | 10/Bx |



# 3M™ Particulate Respirators, P95 with Exhalation Valve


Helps provide comfortable, reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels\* of acid gases such as sulfur dioxide, hydrogen fluoride, and/or chlorine. An excellent choice for work settings that involve heat, humidity and long wear periods. Suggested applications include glass etching, chemical processing, paper processing, aluminum smelting and brewing operations. Lightweight construction promotes greater worker comfort and may contribute to increased wear time. Meets NIOSH 42 CFR 84 requirements.

\*3M™ recommended for relief against nuisance levels of acid gas. Nuisance level acid gas refers to concentrations

less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

\*\*3M™ recommended for relief against nuisance levels of organic vapors. Nuisance level organic vapor refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

| ITEM # | ORDER#    | DESCRIPTION                             |                                   | CASE QTY | UOM   |
|--------|-----------|---|-----------------------------------|----------|-------|
| 8576   | 665514665 | Particulate Respirator 8576, P95 w/ Nui | sance Level* Acid Gas Relief      | 8/Bx/Cs  | 10/Bx |
| 8577   | 665514675 | Particulate Respirator 8577, P95 w/ Nui | sance Level** Organic Vapor Relie | 8/Bx/Cs  | 10/Bx |
| 8271   | 665514595 | Particulate Respirator 8271, P95        |                                   | 8/Bx/Cs  | 10/Bx |



### 3M™ Particulate Respirators, R95

Designed to help provide protection against certain oil and non-oil based particles. Features a collapse-resistant shell for increased durability in most hot, humid conditions. Workplace applications include grinding, sanding, sweeping, machining and other dust producing/oily operations. Meets NIOSH 42 CFR 84 requirements.

\*3MTM recommended for relief against nuisance levels of acid gas or organic vapors. Nuisance level refers to concentrations less

| than the OSHA PEL or other | r applicable | government | exposure limit | s, whiche | ver is lower. |
|----------------------------|--------------|------------|----------------|-----------|---------------|

| ITEM# | ORDER#    | DESCRIPTION  | CASE QTY | UOM   |
|-------|-----------|--|----------|-------|
| 8240  | 665514565 | Particulate Respirator 8240, R95   | 6/Bx/Cs  | 20/Bx |
| 8247  | 665514585 | Particulate Respirator 8247, R95 w/ Nuisance Level* Organic Vapor Relief | 6/Bx/Cs  | 20/Bx |
| 8246  | 665514575 | Particulate Respirator 8246, R95 w/ Nuisance Level* Acid Gas Relief      | 6/Bx/Cs  | 20/Bx |



### 3M™ Particulate Respirator 9210, N95

Three-panel respirator is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles. Suggested applications include grinding, sanding, sweeping, bagging and other operations that create dust. Also useful in textile operations, dry chemical handling, surface preparation, food preparation and handling, woodworking, grain handling and milling, processing of minerals, coal and certain other substances. Meets NIOSH 42 CFR 84 N95 requirements.

|   | ITEM # | ORDER#    | DESCRIPTION                | CASE QTY | UOM   |
|---|--------|-----------|----------------------------|----------|-------|
| * | 9210   | 665592105 | Particulate Respirator N95 | 12/Bx/Cs | 20/Bx |



### /!\ WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.





### 3M™ Aura™ Particulate Respirator 9211+, N95

Features comfortable braided headbands and contoured nose panel. Chin tab is designed for ease of positioning, donning and adjustment. Embossed top panel helps reduce potential fogging of eyewear from warm, moist exhaled airflow. Individually wrapped. Meets NIOSH 42 CFR 84 N95 requirements.

| ITEM # | ORDER#   | DESCRIPTION  | CASE QTY | UOM    |
|--------|----------|--|----------|--------|
| 9211+  | 66559213 | 3M™ Aura™ Particulate Respirator w/ Cool Flow™ Valve | 12 Bx/Cs | 120/Cs |



### 3M™ Particulate Respirator 8233, N100

Excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving select OSHA substance-specific particle exposures in concentrations up to 10 x the OSHA PEL, excluding those containing oil aerosols and asbestos. Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam faceseal, adjustable straps and lightweight construction. Respirators are individually packaged. NIOSH Approval TC-84A-1298.

| ITEM # | ORDER#    | DESCRIPTION                 | CASE QTY | UOM   |
|--------|-----------|-----------------------------|----------|-------|
| 8233   | 665582331 | Particulate Respirator N100 | 20/Ea/Cs | 20/Bx |



### 3M™ Particulate Respirator 8293, P100

Suggested applications including select OSHA substance-specific particle exposures in concentrations up to 10 x OSHA PEL (Lead, Cadmium, Arsenic, MDA). Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam faceseal and adjustable straps. Respirators are individually packaged. Do not use for asbestos exposures. Meets NIOSH 42 CFR 84 requirements.

| ITEM # | ORDER#    | DESCRIPTION                    | CASE QTY | UOM   |
|--------|-----------|--------------------------------|----------|-------|
| 8293   | 665514601 | Particulate<br>Respirator P100 | 20/Ea/Cs | 20/Bx |



Proprietary 3M<sup>™</sup> Cool Flow<sup>™</sup> valve is designed for easy exhalation and reduces heat build-up inside respirator to help keep wearer more comfortable. Features adjustable noseclip and 2-strap design with dual point attachment. Ideally suited for many work settings that involve heat, humidity or longer periods of wear. NIOSH Approval TC-84A-5410.

| ITEM # | ORDER#    | DESCRIPTION  | CASE QTY | UOM   |
|--------|-----------|--|----------|-------|
| 8210V  | 665582235 | Particulate Respirator<br>N95 w/ Cool Flow™<br>Valve | 8/Bx/Cs  | 10/Bx |



### 3M™ Particulate Welding Respirators

Suggested applications include welding, brazing, soldering, torch cutting, and metal pouring, as well as grinding, sanding, sweeping, bagging and other dusty/hot operations. Features the 3M™ Cool Flow™ Exhalation Valve, cake-resistant filter media, comfort foam faceseal (excluding 8515) and adjustable noseclip and straps. Flame-resistant protective layer is not a substitute for a faceshield. Meets NIOSH 42 CFR 84 N95 requirements.

- \*3M™ recommended for ozone up to 10 x PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use
- against ozone.
  \*\*3MM recommended for relieve against nuisance levels of organic vapors. Nuisance level refers to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower.

| ITEM # | ORDER#    | DESCRIPTION  | CASE QTY | UOM   |
|--------|-----------|--|----------|-------|
| 8212   | 665582145 | Particulate Welding Respirator 8212, N95 w/ Faceseal   | 8/Bx/Cs  | 10/Bx |
| 8214   | 665582155 | Particulate Welding Respirator 8214, N95 w/ Faceseal,<br>Ozone Protection* & Nuisance Level** Organic Vapor Relief | 8/Bx/Cs  | 10/Bx |
| 8512   | 665514625 | Particulate Welding Respirator 8512, N95   | 8/Bx/Cs  | 10/Bx |
| 8514   | 665514635 | Particulate Welding Respirator 8514, N95 w/ Ozone<br>Protection* & Nuisance Level** Organic Vapor Relief           | 8/Bx/Cs  | 10/Bx |
| 8515   | 665514645 | Particulate Welding Respirator 8515, N95   | 8/Bx/Cs  | 10/Bx |
|        |           |  |          |       |



### 3M™ Half Facepiece Respirators 5000 Series, **Disposable**

Suited for intermittent respirator wearers. Preassembled with permanently attached cartridges for ease of use and no maintenance. Use against a variety of gases, vapors and particles according to NIOSH approvals. Meets NIOSH 42 CFR 84 requirements.

| ITEM # | ORDER#    | DESCRIPTION                                 | SIZES | CASE QTY | UOM |  |
|--------|-----------|---|-------|----------|-----|--|
| 5201   | 665512621 | Organic Vapor Respirator Assembly           | M     | 12/Bx    | Ea  |  |
| 5301   | 665513231 | Organic Vapor Respirator Assembly           | L     | 12/Bx    | Ea  |  |
| 52P71  | 665512211 | Organic Vapor/P95 Respirator Assembly       | M     | 12/Bx    | Ea  |  |
| 53P71  | 665513221 | Organic Vapor/P95 Respirator Assembly       | L     | 12/Bx    | Ea  |  |
| 5203   | 665512631 | Organic Vapors/Acid Gas Respirator Assembly | M     | 12/Bx    | Ea  |  |
| 5303   | 665513241 | Organic Vapors/Acid Gas Respirator Assembly | L     | 12/Bx    | Ea  |  |
|        |           |   |       |          |     |  |



### 3M™ VFlex™ Particulate Respirators 9105, 9105S, N95

V-shaped pleats flex with mouth movement for easier talking and expand to help ease breathing. Features adjustable noseclip, embossed front panel, elastic headbands and 3M™ proprietary technology filter media. Flat-fold style for convenient storage. Potential applications include: sweeping, sanding, grinding, bagging, food preparation, general maintenance and more. Meets NIOSH 42 CFR 84 N95 requirements.

|   | ITEM# | ORDER#    | DESCRIPTION   | CASE QTY | UOM   |
|---|-------|-----------|---|----------|-------|
| * | 91058 | 665591075 | VFlex <sup>™</sup> Particulate Respirator, N95, small | 8/Bx/Cs  | 50/Bx |
|   | 9105  | 665591065 | VFlex™ Particulate Respirator, N95, standard          | 8/Bx/Cs  | 50/Bx |



### WARNING

14110444



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

#### Honeywell

### Sperian ONE-Fit™ **Molded Cup N95** Respirators

Features one-size molded cup design with durable, ridged outer shell and form-fitted nosebridge.

Soft inner liner. Latex-free woven suspension straps. Optional exhalation valve expels warm air. Offers 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols. Universal fit. Meets NIOSH and CDC standards for N95 protection against airborne pathogens and MTuberculosis.

Sperian is now Honeywell.

|   | ITEM #   | ORDER#    | DESCRIPTION                                | CASE QTY | UOM   |
|---|----------|-----------|--|----------|-------|
| * | 14110444 | 341557865 | Particulate respirator                     | 20/Bx/Cs | 20/Bx |
|   | 14110445 | 341560905 | Particulate respirator w/ exhalation valve | 10/Bx/Cs | 10/Bx |

#### Honeywell

### Sperian SAF-T-Fit® Plus **Disposable Particulate** Respirators

Lightweight, humidity-resistant 14110391 design features a latex-free filter media for lower breathing resistance. Options include: boomerang nose seal, full-sealing flange and an exhalation valve. NIOSH approved N95, N99, P95 and P100 protection.

Sperian is now Honeywell

| ◆ 14110440       341523341       P100 w/ full-sealing flange & valve       M/L       20/Bx         14110391       341523215       N95 w/ boomerang nose seal       M/L       20/Bx         14110394       341523235       N95 w/ boomerang       M/L       20/Bx | ITEM #            | ORDER#    | DESCRIPTION                           | SIZES | UOM   |
|--|-------------------|-----------|---------------------------------------|-------|-------|
|  | <b>• 14110440</b> | 341523341 | P100 w/ full-sealing flange & valve   | M/L   | 20/Bx |
| 14110394 341523235 N95 w/ boomerang M/I 20/Bx  | 14110391          | 341523215 | N95 w/ boomerang<br>nose seal         | M/L   | 20/Bx |
| nose seal & valve  | 14110394          | 341523235 | N95 w/ boomerang<br>nose seal & valve | M/L   | 20/Bx |





### MOLDOX 2-Strap Respirators



### Remove Watermark Now



Dura-Mesh® shell protects the filter media so that it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Softspun® lining gives added comfort and durability. Contour molded nosebridge with a soft foam nose cushion for an easy comfortable fit. The 2300N95 Series features an exhale valve and is suitable for most welding applications. The exhale valve reduces hot air buildup, reducing breathing resistance and keeping workers cooler longer. The 2400N95 Series has an added carbon layer to help filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Suitable for most welding applications and fits easily under welding hoods. No metal noseband to adjust and the seal is maintained without pressure points. Straps are securely attached to avoid breakage at the seal. The 2500N95 has an added carbon layer to help filter out nuisance levels of acid gases (less than OSHA PEL). All meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

| ITEM #  | ORDER#    | DESCRIPTION   | SIZES       | CASE QTY | UOM   |
|---------|-----------|---|-------------|----------|-------|
| 2200N95 | 222205555 | Particulate respirator w/out valve                          | M/L         | 12/Bx/Cs | 20/Bx |
| 2207N95 | 222200215 | Particulate respirator w/out valve, low-profile nose bridge | Low-profile | 12/Bx/Cs | 20/Bx |
| 2300N95 | 222200955 | Particulate respirator w/ valve                             | M/L         | 10/Bx/Cs | 10/Bx |
| 2307N95 | 222200255 | Particulate respirator w/ valve, low-profile nose bridge    | Low-profile | 10/Bx/Cs | 10/Bx |
| 2400N95 | 222204525 | Particulate respirator w/ nuisance OV                       | M/L         | 10/Bg/Cs | 10/Bg |
| 2500N95 | 222225005 | Particulate respirator w/ acid gas relief                   | M/L         | 10/Bg/Cs | 10/Bg |

### **MOLDEX** Particulate Respirators with HandyStrap®



Features the HandyStrap with buckle that allows the mask to hang down around the user's neck when not in use. Exclusive Dura-Mesh® shell resists collapsing in heat and humidity. Molded nosebridge seals easily without a metal nose band. Naturally contoured facepiece and Softspun® lining give the respirator added comfort and durability, as well as relief on pressure points. NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

| ITEM#   | ORDER#    | DESCRIPTION  | SIZES | CASE QTY U | ОМ   |
|---------|-----------|--|-------|------------|------|
| 2600N95 | 222271455 | N95 Particulate respirator w/ HandyStrap   | M/L   | 10/Bx/Cs 1 | 5/Bx |
| 2700N95 | 222200305 | N95 Particulate respirator w/ HandyStrap & Ventex® valve   | M/L   | 10/Bx/Cs 1 | D/Bx |
| 2800N95 | 222200355 | 2800N95 Series particulate respirator w/ HandyStrap for nuisance levels of ozone & organic vapor odors | M/L   | 10/Bx/Cs 1 | O/Bx |





### MOLDEX R95 Particulate Respirators



HandyStrap® allows mask to conveniently hang around neck so it's always ready for use and helps prevent premature disposal. Cloth strap feels cool and comfortable against the skin. Exclusive Ventex® valve lets the hot air out faster, so workers breathe easier and stay cooler. Exclusive Dura-Mesh® shell protects the filter media so it stays cleanerlooking longer. Shell resists collapsing, even in heat and humidity so the respirator holds its shape. The 2840R95 Series has an added carbon layer to help filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). The 2940R95 Series with added sorbent helps to filter nuisance levels of acid gas irritants (less than OSHA PEL). Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

| ITEM #  | ORDER#    | DESCRIPTION   | SIZES | CASE QTY | UOM   |
|---------|-----------|---|-------|----------|-------|
| 2740R95 | 222227405 | R95 Particulate respirator w/<br>HandyStrap & Ventex valve                    | M/L   | 10/Bx/Cs | 10/Bx |
| 2840R95 | 222200375 | R95 Particulate respirator w/ HandyStrap,<br>Ventex valve & nuisance OV/ozone | M/L   | 10/Bx/Cs | 10/Bx |
| 2940R95 | 222200405 | R95 Particulate respirator w/ HandyStrap,<br>Ventex valve & nuisance AG       | M/L   | 10/Bx/Cs | 10/Bx |

### MOLDEX Dirt Dawgs® N95 Particulate Respirator



Dura-Mesh® shell protects filter media from dirt and prevents mask from collapsing. Offers N95 protection for a variety of industrial applications. Contour-molded nosebridge seals easily and comfortably without having to pinch metal noseband. Softspun® inner lining is soft to the touch. NIOSH certified for a filter efficiency of 95% or greater against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

| ITEM #  | ORDER#    | DESCRIPTION                           | SIZES | CASE QTY | UOM   |  |
|---------|-----------|---------------------------------------|-------|----------|-------|--|
| 1200N95 | 222220955 | Dirt Dawgs N95 particulate respirator | M/L   | 18/Bx/Cs | 20/Bx |  |





# MOLDEX 4200 Series AirWave® N95 Disposable Respirators



Breathes easier than a valve respirator. Patented wave design technology allows more airflow in and out for cool comfort. Unique waves double the filter area of comparable respirators. Dura-Mesh® shell provides bi-directional protection from dirt on the outside and moisture on the inside. FlexFit® design expands and contracts as there is movement and speaking, for optimal comfort. Features pinch-free molded nosebridge and Softspun® lining. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.




**BREATHES EASIER** 

4200

### THAN A VALVE

| ITEM #      | ORDER#    | DESCRIPTION                       | SIZES | CASE QTY | UOM   |
|-------------|-----------|-----------------------------------|-------|----------|-------|
| <b>4201</b> | 222242015 | AirWave N95 disposable respirator | S     | 8/Bx/Cs  | 10/Bx |
| 4200        | 222242005 | AirWave N95 disposable respirator | M/L   | 8/Bx/Cs  | 10/Bx |



### MOLDEX

### 4600 Series AirWave® SmartStrap® Respirator



Breathes easier than a valve respirator. Exclusive wave design for less resistance and better breathability. Breathes like it has a valve, but without one. SmartStrap is adjustable, metal-free and hangable. Dura-Mesh® shell resists collapsing in heat and humidity. FlexFit® design expands and contracts for optimal comfort. Features pinch-free nosebridge, Softspun® lining and soft, foam nose cushion. Longer wear means less cost.

| ITEM # | ORDER #   | DESCRIPTION                   | SIZES | CASE QTY | UOM   |  |
|--------|-----------|-------------------------------|-------|----------|-------|--|
| 4600   | 222260955 | AirWave SmartStrap respirator | M/L   | 10/Bx/Cs | 10/Bx |  |



# 4800 N95 Plus Nuisance OV AirWave® Respirator

Exclusive easy-breathing wave design provides relief from nuisance levels of Organic Vapors. Features soft foam for ultimate comfortable fit. Adjustable, metal-free SmartStrap® allows respirator to hang around the neck for convenient storage during breaks. Collapse-resistant Dura-Mesh® shell helps respirator last longer, reduces waste and increases cost savings.

| ITEM# | ORDER#    | DESCRIPTION                                   | CASE QTY | UOM  |
|-------|-----------|---|----------|------|
| 4800  | 222248005 | AirWave respirator w/ SmartStrap, nuisance OV | 10/Bx/Cs | 8/Bx |



### MOLDEX

### 2360P100 Particulate Respirator



Dura-Mesh® shell protects the filter media so it stays cleaner looking longer. Resists collapsing in regular use and even under hot and humid conditions. Molded nosebridge with foam face cushion eliminates pressure points for added comfort. Also features adjustable cloth straps, Ventex® exhalation valve, and Softspun® lining for increased comfort and durability. NIOSH certified to have a filter efficiency of 99.97% against oil and non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

| ITEM #   | ORDER#    | DESCRIPTION                 | SIZES | CASE QTY | UOM  |
|----------|-----------|-----------------------------|-------|----------|------|
| 2360P100 | 222200285 | P100 Particulate respirator | M/L   | 4/Bg/Cs  | 5/Bg |





### MOLDEX Respirator Lockers®



### Remove Watermark Now

Provides hygienic storage for respirators. Ideal for workers required to travel to remote locations. Fits easily in employee lockers or work vehicles. Separate compartment permits storage of a used respirator during breaks, preventing premature disposal of respirators. NIOSH certified to have a filter efficiency level of 95% or greater against non-oil based particulates. Masks meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

| ITEM # | ORDER # DESCRIPTION                        | SIZES                                | UOM      |
|--------|--|--------------------------------------|----------|
| 2850   | <b>222200395</b> 2800N Series respirator l | ocker w/ (4) 2800N95 respirators M/L | 4/Locker |

# 2310 N99

### MOLDEX N99 Premium Welding Particulate Respirators

PVC FREE

Offers a higher level of protection. Workers stay cooler with an exhale valve that reduces breathing resistance and hot air buildup. Exclusive Dura-Mesh® shell protects filter media so it stays cleaner looking longer. Resists collapsing in heat and humidity so respirator holds its shape longer. Suitable for most welding applications. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. If used for welding, wear appropriate eye and face protection.

| ITEM #   | ORDER#    | DESCRIPTION  | SIZES | CASE QTY | UOM   |
|----------|-----------|--|-------|----------|-------|
| 2310 N99 | 222210995 | N99 Premium particulate respirator w/ valve                                      | M/L   | 6/Bg/Cs  | 10/Bg |
| 2315 N99 | 222200265 | N99 Premium particulate welding respirator<br>w/ valve & adjustable cloth straps | M/L   | 6/Bg/Cs  | 10/Bg |



# 2730N100 Series Particulate Respirator @ with HandyStrap®



HandyStrap allows mask to hang around neck so it's always ready for use, preventing premature disposal. Dura-Mesh® shell protects filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Contour-molded nosebridge with soft foam face cushion for an easy, comfortable fit. No metal noseband to adjust and the seal is maintained without pressure points. Softspun® lining offers added comfort and durability. NIOSH certified to have a filter efficiency of 99.97% effective against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

| ITEM #   | ORDER#    | DESCRIPTION                 |  | SIZES | CASE QTY | UOM  |  |
|----------|-----------|-----------------------------|--|-------|----------|------|--|
| 2730N100 | 222200325 | N100 Particulate respirator |  | M/L   | 6/Bx/Cs  | 5/Bx |  |



### Gateway PeakFit® Particulate Respirators

Large, contoured design facilitates breathing, reducing worker fatigue and promoting compliance. Features molded nosebridge, internal nose cushion, polypropylene inner lining and integrated, adjustable 1-piece head strap. Latex-free, cloth head strap is cooler than traditional, rubber versions. Available with an exhalation vent reducing hot air build-up. NIOSH Approved.

|   | ITEM #  | ORDER#    | DESCRIPTION                            | CASE QTY | UOM   |
|---|---------|-----------|--|----------|-------|
|   | 80101   | 323381015 | Unvented N95 particulate respirator    | 12/Bx/Cs | 20/Bx |
| * | 80102V  | 323301025 | Vented N95 particulate respirator      | 12/Bx/Cs | 10/Bx |
| * | 80104CV | 323380105 | Vented N95 OV particulate respirator   | 12/Bx/Cs | 10/Bx |
| • | 80105A  | 323311055 | Unvented N95 AG particulate respirator | 12/Bx/Cs | 20/Bx |



#### **N95 Particulate Respirators**

Features inner foam for a custom seal, while a dual head strap provides optimum fit. Effective against particulate aerosols free of oil. Helps provide comfortable, reliable worker protection against certain non-oil based particles in work applications including grinding, sanding, sweeping, bagging and other dusty operations. Model 8611 features an exhalation valve to reduce hot air build-up and keep workers cool. NIOSH Approved.

| ITEM # | ORDER#    | DESCRIPTION                                    | CASE QTY | UOM   |
|--------|-----------|--|----------|-------|
| 8610   | G73586105 | N95 Particulate respirators                    | 12/Bx/Cs | 20/Bx |
| 8611   | G73586115 | N95 Particulate respirator w/ exhalation valve | 12/Bx/Cs | 10/Bx |



### **GERSON** Nuisance Dust Mask

Provides relief from irritation of non-toxic, nuisance dusts. Effective for pollen, common household dust, cut grass and other non-toxic particles. Adjustable nosepiece contours to fit individual facial features. Not a NIOSH approved respirator.

| ITEM #  | ORDER#    | DESCRIPTION        | CASE QTY | UOM   |
|---------|-----------|--------------------|----------|-------|
| 1501-CS | 422300035 | Nuisance dust mask | 12/Bx/Cs | 50/Bx |



Remove Watermark Now

#### GERSON<sup>®</sup> **Low-Profile N95 Respirator**

Durable, latex-free polymer head straps are pre-stretched and ultrasonically welded to withstand tough use and prolong life. Adjustable contoured nosepiece and soft, open-cell foam nose cushion help ensure proper fit and reduced fogging. NIOSH Approved.

| ITEM # ORDER # | DESCRIPTION                | CASE QTY | UOM   |
|----------------|----------------------------|----------|-------|
| 1730 422300045 | N95 Particulate respirator | 12/Bx/Cs | 20/Bx |



#### Low-Profile N95 Respirator GERSON with Exhalation Valve

Produced from state-of-the-art filtration media and electrostatically charged to enhance filtration. Provides low breathing resistance, making the wearer comfortable for extended periods. Respirator life extended by double-shell construction which is collapse-resistant and withstands hot and humid conditions. Built-in low pressure drop (LPD) exhalation valve for easier breathing. NIOSH Approved.

| ITEM # | # ORDER # | DESCRIPTION     |              |        |       | CASE QTY | UOM   |
|--------|-----------|-----------------|--------------|--------|-------|----------|-------|
| 1740   | 422300055 | N95 Particulate | respirator w | exhale | valve | 10/Bx/Cs | 10/Bx |



#### GERSON **N95 Particulate Respirators**

Unique design eliminates pressure points for increased comfort. Opens to a traditional away from the face cup design. Side panels provide added durability in industrial applications. Low breathing-resistance and ultra-soft inner layer assure comfortable wear. Soft foam nosepiece adjusts for a safe, secure fit. Folds for easy storage and portability. Features non-latex headbands. 95% Efficient. NIOSH Approved.

| ITEM #  | ORDER#    | DESCRIPTION                                      | CASE QTY | UOM   |
|---------|-----------|--|----------|-------|
| 2130C   | 422300085 | N95 Particulate respirator, cupped in box        | 10/Bx/Cs | 20/Bx |
| • 2130W | 422321305 | N95 Particulate respirator, individually wrapped | 10/Bx/Cs | 20/Bx |



#### **N95 Particulate Respirators** with OV-AG Nuisance Relief

Layer of activated carbon provides comfort relief against nuisance levels of both organic vapors and acid gas. Features soft foam nose cushion, staple-free construction and collapse-resistant double shell. Contoured nose-clip provides greater comfort and helps reduce potential fogging. Smooth latex-free polymer head straps won't catch on hair. No pre-stretching needed. Model 1745 features a premium oversized valve to expel hot air for cool comfort. NIOSH Approved.

| ITEM # ORDER #   | DESCRIPTION  | CASE QTY | UOM   |
|------------------|--|----------|-------|
| • 1735 422317355 | N95 Particulate respirator w/ OV-AG nuisance relief          | 12/Bx/Cs | 20/Bx |
| • 1745 422317455 | N95 Particulate respirator w/ OV-AG nuisance relief w/ valve | 10/Bx/Cs | 10/Bx |







|   | ITEM # | ORDER#    | DESCRIPTION                                | SIZES | UOM  |
|---|--------|-----------|--|-------|------|
|   | 6501   | 665565271 | 6500 Series Half Facepiece                 | S     | Ea   |
|   | 6502   | 665565291 | 6500 Series Half Facepiece                 | M     | Ea   |
| * | 6503   | 665565311 | 6500 Series Half Facepiece                 | L     | Ea   |
| * | 6501QL | 665565281 | 6500 Series Half Facepiece,<br>Quick Latch | S     | Ea   |
|   | 6502QL | 665565301 | 6500 Series Half Facepiece,<br>Quick Latch | M     | Ea   |
|   | 6503QL | 665565321 | 6500 Series Half Facepiece,<br>Quick Latch | L     | Ea   |
| * | 6581   | 665565335 | Rugged Comfort Head<br>Harness Assembly    |       | 5/Bx |

### 3M™ Rugged Comfort Half Facepiece Reusable Respirators, 6500 Series

Helps provide respiratory protection against airborne contaminants in harsh, dirty environments. Facepiece is designed to help promote comfort, durability and stability with a firm, lightly textured silicone faceseal and strong body construction. Helps provide respiratory protection at concentrations up to 10 x the Permissible Exposure Limit (PEL) when respirator is properly fitted. Sleek, overmolded/low-profile design helps to give a wide field of view that better suits compact work spaces and simplifies cleaning. Resilient silicone faceseal offers an extended facepiece life, even keeping its shape in high-heat environments. Facepiece offers numerous other comfort features including a special valve cover that helps to direct exhaled breath and moisture downward and 3M's proprietary Cool Flow™ Valve that helps to make breathing easier by reducing heat and moisture. Made to fit securely and comfortably on the head, the facepiece comes with an adjustable head harness assembly featuring polyester/ spandex straps that stretch and conform. Facepiece is compatible with all 3M™ bayonet-style filters and cartridges to help provide respiratory protection against a variety of gases, vapors and particulate hazards according to NIOSH approvals. The 6500QL Series features a proprietary Quick Latch design offering an easy, one-hand touch drop-down mechanism for putting the facepiece on and/off while moving in and out of contaminated areas. NIOSH/MSHA Approved.

| ITEM #        | ORDER#    | DESCRIPTION   | SIZES | UOM   |
|---------------|-----------|---|-------|-------|
| 6582          | 665565345 | Rugged Comfort Quick Latch<br>Head Harness Assembly |       | 5/Bx  |
| <b>•</b> 6583 | 66556535  | Rugged Comfort Exhalation Valve                     |       | 10/Cs |

### **3**M

### 3M™ Half Facepiece 6000 Series, Reusable Respirators

Lightweight facepiece and easy-to-adjust headstraps. Facepiece can be used with

any of the 3M<sup>™</sup> bayonet-style filters and cartridges and can be easily replaced. Swept back design of cartridges helps improve balance and visibility. Cartridges and filters sold separately. Meets NIOSH 42 CFR 84 requirements.

| ITEM# | ORDER#    | DESCRIPTION    | SIZES | UOM |
|-------|-----------|----------------|-------|-----|
| 6100  | 665514821 | Half Facepiece | S     | Ea  |
| 6200  | 665501761 | Half Facepiece | М     | Ea  |
| 6300  | 665513541 | Half Facepiece | L     | Ea  |

### **3**M

#### 3M™ Half Facepiece 7500 Series, Reusable

Soft faceseal design and unique 3M<sup>™</sup> Cool Flow<sup>™</sup> Valve for unsurpassed comfort. Made from advanced silicone and can be used with any of the 3M<sup>™</sup>

bayonet-style filters and cartridges. Meets NIOSH 42 CFR 84 requirements.

| ITEM # | ORDER#    | DESCRIPTION    | SIZES | UOM |  |
|--------|-----------|----------------|-------|-----|--|
| 7501   | 665514051 | Half Facepiece | S     | Ea  |  |
| 7502   | 665514061 | Half Facepiece | M     | Ea  |  |
| 7503   | 665514801 | Half Facepiece | L     | Ea  |  |



### 3M™ Half Facepiece Respirator Assemblies, 6000 Series

6100

Reusable respirator assembly offers comfort and particulate protection. Each facepiece is remarkably comfortable and soft. Assemblies use the simple bayonet mounting system with low-profile P100 filters. Meets NIOSH 42 CFR 84 requirements.

| ITEM # | ORDER#    | DESCRIPTION   | SIZES | UOM |
|--------|-----------|---|-------|-----|
| 6191   | 665513471 | Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100 | S     | Ea  |
| 6291   | 665513521 | Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100 | М     | Ea  |
| 6391   | 665513571 | Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100 | L     | Ea  |



### 3M™ Ultimate FX Full Facepiece FF-400 Series, Reusable

Rugged facepiece designed to provide flexibility in extreme environments. Features soft, silicone nosecup and large lens allowing for superior peripheral vision. Comfort cradle positions respirator to help reduce pressure points. Scotchgard™ protector helps lens resist dirt, paint and stains, making it easier to clean. Cool Flow™ exhalation valve helps reduce heat and moisture buildup inside the facepiece. Durable, long-lasting head harness features a 6-strap configuration for secure fit. Low-profile bayonet design helps improve balance.

| ITEM # | ORDER#    | DESCRIPTION                | SIZES | UOM |
|--------|-----------|----------------------------|-------|-----|
| FF-402 | 665520241 | Ultimate FX Full Facepiece | M     | Ea  |
| FF-403 | 665520251 | Ultimate FX Full Facepiece | L     | Ea  |





### **3**M

### 3M™ Full Facepiece Respirators 6000 Series, Reusable

Faceseal is made of silicone rubber for enhanced comfort and durability. Lightweight and well-balanced. Unique 3M™ Cool Flow™ Valve for unsurpassed comfort. Features large lens providing user a wide field of vision.

| ITEM# | ORDER#    | DESCRIPTION       | SIZES | UOM   |
|-------|-----------|-------------------|-------|-------|
| 6800  | 665513621 | Full Facepiece    | M     | Ea    |
| 6900  | 665513871 | Full Facepiece    | L     | Ea    |
| 6885  | 665513765 | Faceshield Covers |       | 25/Bx |



### Remove Watermark Now

### SIVI

### 3M™ Full Facepiece Respirators 7800S Series, Reusable

Durable, silicone facepieces are designed for a wide range of applications. Full facepiece features a double flange silicone faceseal and (6) easy-adjusting straps for comfort and durability. Hard-coated polycarbonate

lens. Extra-large inhalation and exhalation valves help make breathing easier. Meets NIOSH 42 CFR 84 requirements.

| ITEM#   | ORDER#    | DESCRIPTION                  | SIZES | UOM |
|---------|-----------|------------------------------|-------|-----|
| 7800S-M | 665514131 | Full Facepiece<br>Respirator | M     | Ea  |
| 7800S-L | 665514121 | Full Facepiece<br>Respirator | L     | Ea  |

### **!**\ WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. *Misuse may result in sickness or death*. For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

### 3M™ Replacement Cartridges and Filters

Use with 3M™ Respirators 5000, 6000, 7000 and FF-400 Series, according to NIOSH approvals. When properly selected, cartridges and filters help provide protection from a variety of gases, vapors and particulate hazards.

\*Nuisance level organic vapors refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against organic vapors.

\*\*Nuisance level acid gases refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases. \*\*3MM\* recommended for ozone protection up to 10 x OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

\*\*\*\*OSHA regulations require gas proof goggles be worn with half facepiece respirators when used against formaldehyde.

Only 3M™ filters 2000 Series, 7093, 5N11 or 5P71 are approved for use with 3M™ 5000 Series Respirators. Cartridges on 5000 Series Respirators cannot be replaced. The 3M™ Filter Adapter 502 is required for use of the 2000 Series and 7093 filters with the 5000 Series Respirators and 6000 Series Cartridges. The 3M™ Filter Retainer 501 is required for use of the 5N11 and 5P71 prefilters with the 5000 Series Respirators.



| ITEM#  | ORDER#    | DESCRIPTION  | UOM   |
|--------|-----------|--|-------|
| 6001   | 665513305 | Organic Vapor Cartridge  | 2/Bx  |
| 6002   | 665510021 | Acid Gas Cartridge   | 2/Bx  |
| 6003   | 665501145 | Organic Vapor/Acid Gas Cartridge   | 2/Bx  |
| 6004   | 665513315 | Ammonia/Methylamine Cartridge  | 2/Bx  |
| 6005   | 665514795 | Formaldehyde****/Organic<br>Vapor Cartridge  | 2/Bx  |
| 6006   | 665513325 | Multi-Gas/Vapor Cartridge  | 2/Bx  |
| 60098  | 665513335 | Mercury Vapor/Chlorine or<br>Sulfur Dioxide Gas Cartridge  | 60/Cs |
| 60921  | 665513355 | Cartridge/Filter Organic Vapor/P100  | 2/Bx  |
| 60922  | 665513365 | Cartridge/Filter Acid Gas/P100   | 2/Bx  |
| 60923  | 665513375 | Cartridge/Filter Organic<br>Vapor/Acid Gas/P100  | 2/Bx  |
| 60924  | 665513385 | Cartridge/Filter Ammonia/<br>Methylamine/P100  | 2/Bx  |
| 60925  | 665513395 | Cartridge/Filter Formaldehyde****/<br>Organic Vapor/P100   | 2/Bx  |
| 60926  | 665513405 | Cartridge/Filter Multi-Gas/Vapor/P100  | 2/Bx  |
| 609298 | 665513425 | Mercury Vapor/Chlorine or Sulfur<br>Dioxide Gas/P100 Particulate<br>Filter Combination Cartridge | 60/Cs |

| ITEM # | ORDER#    | DESCRIPTION  | UOM    |
|--------|-----------|--|--------|
| 2071   | 665511655 | Particulate Filter P95   | 2/Bx   |
| 2078   | 665511675 | Particulate Filter, P95 w/ Nuisance<br>Level Organic Vapor*/Acid Gas**<br>Relief & Ozone Protection*** | 100/Cs |
| 2091   | 665520915 | Particulate Filter P100  | 2/Bx   |
| 2096   | 665511685 | Particulate Filter P100 w/ Nuisance<br>Level Acid Gas** Relief   | 2/Bx   |
| 2097   | 665511695 | Particulate Filter P100 w/<br>Nuisance Level Organic Vapor*<br>Relief & Ozone Protection***            | 2/Bx   |
| 2291   | 665522915 | Advanced Particulate Filters P100  | 100/Cs |
| 7093   | 665513935 | Particulate Filter P100,<br>Solid Top Air Inlet  | 12/Bx  |
| 501    | 665512085 | Filter Retainer  | 20/Bx  |
| 5N11   | 665512065 | Particulate Pre-Filter N95   | 10/Bx  |
| 5P71   | 665512075 | Particulate Pre-Filter P95   | 10/Bx  |
| 504    | 665512105 | Respirator Cleaning Wipes  | 100/Bx |
| 6894   | 665513811 | Full Face Nose Cup Assembly  | Ea     |
| 6897   | 665513841 | Full Face Head Harness Assembly  | Ea     |
|        |           |  |        |





### North® 5500 Series Half Mask Respirators

Thermoplastic elastomer mask is soft and comfortable; free of latex allergens. Cartridges and filters are replaceable so facepiece can be re-used. Ideal as an economical respirator for sub-contractors, plant guests and occasional users. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. Combines comfort and design of the popular 7700 Series half mask in a convenient version. Compatible with North cartridges and filters. Cartridges sold separately.

| ITEM #  | ORDER#    | DESCRIPTION                         | SIZES | UOM |
|---------|-----------|-------------------------------------|-------|-----|
| 550030M | 347657231 | 5500 Series half<br>mask respirator | М     | Ea  |
| 550030L | 347657241 | 5500 Series half                    | L     | Ea  |



### North® 7700 Series Silicone Half Mask Respirators

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Dual



Remove Watermark Now

770030

elasticity headstraps provide a secure and flexible fit. Wide contoured sealing area fits a greater variety of facial types. Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.

| ITEM #  | ORDER#    | DESCRIPTION                      | SIZES | UOM |
|---------|-----------|----------------------------------|-------|-----|
| 770030M | 347657201 | 7700 Series half mask respirator | М     | Ea  |
| 770030L | 347657211 | 7700 Series half mask respirator | L     | Ea  |



### North® 7600 Series Full Facepiece Respirator

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Wide sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Speech diaphragm is standard to amplify workers' conversations. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.

| ITEM#   | ORDER#    | DESCRIPTION                               | SIZES | UOM |
|---------|-----------|---|-------|-----|
| 760008A | 347637481 | Full facepiece, dual flange silicone seal | M/L   | Ea  |





### North® 5400 Series Low-Maintenance Full Facepiece Respirators

Wide-sealing area for improved fit and ability to fit more facial types.

Nose cup provides less dead air space and channels exhaled breath. Latex-free with no natural rubber proteins which may cause an allergic reaction. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.

| ITEM # ORDER #  | DESCRIPTION                           | SIZES | UOM |
|-----------------|---------------------------------------|-------|-----|
| 54001S 34764000 | 5400 Series full facepiece respirator | S     | Ea  |
| 54001 34764001  | 5400 Series full facepiece respirator | M/L   | Ea  |



54001

### North® Full Facepiece Respirator with 5-Point Headstrap

Silicone, full facepiece is the redesigned Survivair Opti-Fit™. Uses North's N-series cartridges and has options for configurations in Honeywell's respiratory line. Features a 5-point headstrap for exceptional fit and comfort, silicone nose cup and face seal for all day comfort and polycarbonate lens for open view and peripheral vision.



RU65001

ORDER# UOM DESCRIPTION RU65001S 341569101 Full facepiece respirator w/ 5-point headstrap S Ea Full facepiece respirator RU65001M 341569111 Μ Ea w/ 5-point headstrap Full facepiece respirator RU65001L 341569121 L Fa w/ 5-point headstrap



### North® Cartridges, Filters and Cartridge/Filter Combinations

Air-purifying respirators with cartridges provide respiratory protection against gases and vapors by using sorbents to purify the inhaled air. Cartridges with filters also remove dusts, fibers and other particles. All North cartridges and filters are NIOSH approved with North air-purifying half masks and full facepiece respirators. N750036 assembly for filters, includes: (2) N750027 covers and (2) N750038 filter supports to attach filter pads to gas and vapor cartridges.

|   | ITEM #    | ORDER#    | DESCRIPTION  | UOM   |
|---|-----------|-----------|--|-------|
|   | 75SCL     | 347657411 | Defender™ multi-purpose cartridge                            | Pr    |
|   | 758CP100L | 347637001 | Defender multi-purpose cartridge w/ P100 particulate filter  | Pr    |
|   | N75001L   | 347650011 | Organic vapor cartridge                                      | Pr    |
| * | 7582P100L | 347601001 | Acid gas cartridge w/ P100 particulate filter                | Pr    |
|   | N75003L   | 347657485 | Organic vapor, acid gas cartridge                            | Pr    |
|   | 7583P100L | 347631001 | Organic vapor, acid gas cartridge w/ P100 particulate filter | Pr    |
|   | N75004L   | 347675001 | Ammonia, methylamine cartridge                               | Pr    |
|   | 7584P100L | 347637461 | Ammonia, methylamine cartridge & P100 particulate filter     | Pr    |
|   | 7580P100  | 347637441 | P100 Particulate filter                                      | Pr    |
|   | 75FFP100  | 347651001 | P100 Particulate low-profile filter, flexible                | Pr    |
|   | 7506N95   | 347637025 | N95 pad filters  | 10/Pk |
|   | 7506N99   | 347637035 | N99 pad filters  | 10/Pk |
|   | 7506R95   | 347637045 | R95 pad filters  | 10/Pk |
|   | N750036   | 347600361 | Filter retainer  | Ea    |





# Sperian Survivair S-Series Cartridges and Filters

Full line of NIOSH-approved cartridges and filters are available. S-Series filters work with both full and half mask respirators that only accept threaded cartridge connections.

| ITEM#   | ORDER#    | DESCRIPTION  | UOM   |
|---------|-----------|--|-------|
| B100100 | 341521865 | Organic vapor cartridge  | 6/Bx  |
| 105110  | 341522805 | Organic vapor cartridge<br>w/ P100 particulate filter          | 4/Bx  |
| 105310  | 341522845 | Organic vapor/acid gas cartridge<br>w/ P100 particulate filter | 4/Bx  |
| 105810  | 341522905 | Multi-contaminant cartridge<br>w/ P100 particulate filter      | 4/Bx  |
| 105005  | 341522785 | P100 particulate filter  | 10/Bx |
| 106010  | 341522925 | N95 pad filter, S-Series                                       | 24/Bx |

# North® Mouthbit Respirator Mouthbit respirators offer a quick and economical method to escape

non-IDLH emergency situations. Large, soft and flexible nose pads hold securely without pinching. Wider nose clip fits a variety of facial types. Silicone mouthpiece is more comfortable to wear over long periods.

Packed in sealable plastic bag.

| ITEM # | ORDER#    | DESCRIPTION                             | UOM |
|--------|-----------|---|-----|
| 7902   | 347638021 | Mouthbit respirator/specific acid gases | Ea  |

7902



7002

### Remove Watermark Now

### MOLDEX 7000 Reusable Half Mask I.

Lightweight design plus extra-wide sealing area provides all-day comfort. Mask drops down for convenient storage around neck or locks down for custom fit. Features adjustable head cradle and curved neck buckles for extra comfort. Low-profile design allows a wide field of vision. Fits under welding helmets and with safety glasses. Easy to clean and maintain. Available as pre-assembled respirators with the most popular cartridge/filter combinations. Paint-spray/pesticide respirators include the added convenience of coming with organic vapor cartridges and N95 prefilters. Multi-gas respirators come with 7600 Smart® cartridges which replace up to five gas/vapor cartridges, making cartridge selection easier for workers. P100 respirator comes with 7940P100 filter disks. NIOSH Approved.

|   | ITEM # | ORDER#    | DESCRIPTION  | SIZES | UOM |
|---|--------|-----------|--|-------|-----|
| • | 7001   | 222270011 | Half mask respirator                                     | S     | Ea  |
| Ą | 7002   | 222270021 | Half mask respirator                                     | M     | Ea  |
|   | 7003   | 222270031 | Half mask respirator                                     | L     | Ea  |
| • | 7101   | 222271011 | Organic Vapor pre-assembled half mask respirator         | S     | Ea  |
| • | 7102   | 222271021 | Organic Vapor pre-assembled half mask respirator         | M     | Ea  |
| • | 7103   | 222271031 | Organic Vapor pre-assembled half mask respirator         | L     | Ea  |
| • | 7111   | 222271111 | Paint spray/pesticide pre-assembled half mask respirator | S     | Ea  |
|   | 7112   | 222271121 | Paint spray/pesticide pre-assembled half mask respirator | M     | Ea  |
|   | 7113   | 222271131 | Paint spray/pesticide pre-assembled half mask respirator | L     | Ea  |
| • | 7171   | 222271711 | Pre-assembled respirator for oil or water-based aerosols | S     | Ea  |
| • | 7172   | 222271721 | Pre-assembled respirator for oil or water-based aerosols | M     | Ea  |
| • | 7173   | 222271731 | Pre-assembled respirator for oil or water-based aerosols | L     | Ea  |
| • | 7941   | 222279411 | P100 pre-assembled respirator                            | S     | Ea  |
| • | 7942   | 222279421 | P100 pre-assembled respirator                            | М     | Ea  |
| • | 7943   | 222279431 | P100 pre-assembled respirator                            | L     | Ea  |
| • | 7601   | 222276011 | Multi-gas pre-assembled half mask respirator             | S     | Ea  |
|   | 7603   | 222276031 | Multi-gas pre-assembled half mask respirator             | L     | Ea  |
| + | 7602   | 222276021 | Multi-gas pre-assembled half mask respirator             | M     | Ea  |
|   |        |           |  |       |     |



### MOLDEX

7941

### 9000 Reusable Full Facepiece Respirators



Exclusive over-molded lens design eliminates usual heavy-clamping frame. Lightweight respirator features stand away head harness with extra wide opening for easy on/off. Strap buckles are securely molded directly to facepiece for rugged use and ease of adjustment. Coated lens for scratch resistance. NIOSH Approved.

| ITEM # ORDER # DESCRIPTION                        | SIZES | UOM |
|---|-------|-----|
| 9002 222290021 Reusable full facepiece respirator | М     | Ea  |
| 9003 222290031 Reusable full facepiece respirator | L     | Ea  |



### MOLDEX

### 7000/9000 Series Combo Stacked Cartridge/Filters



Pre-assembled units save time and reduce chance of error in selecting or assembling cartridge/filter combinations. The 7140 combines the 7100 organic vapor cartridge, the 7920 piggyback adapter and the 7940 P100 particulate filter disk. The 7640 combines the 7600 multi-gas/vapor Smart® cartridge, the 7920 piggyback adapter and the 7940 P100 particulate filter disk. For use with 7000 half mask or 9000 full face respirators.

|   | ITEM # | ORDER#    | DESCRIPTION                          | UOM |
|---|--------|-----------|--------------------------------------|-----|
| • | 7140   | 222271401 | Organic Vapor cartridge/P100         | Pr  |
| * | 7640   | 222276401 | Multi-Gas/Vapor Smart cartridge/P100 | Pr  |

### MOLDEX

### **Moldex® Replacement Cartridges and Filters**

ilters 💆

A variety of cartridges and filters for use with 7000 Series half mask respirators or 9000 Series full facepiece respirators. NIOSH Approved.

| 7100         222271001         Organic Vapor cartridge         Pr           ◆ 7200         222272001         Acid Gas cartridge         Pr           ◆ 7300         222273001         Organic Vapor/Acid Gas cartridge         Pr           ◆ 7400         222274001         Ammonia/Methylamine cartridge         Pr           ◆ 7500         222275001         Formaldehyde cartridge         Pr           ◆ 7600         222276001         Multi-Gas/Vapor Smart® cartridge         Pr | TEM # | IT | ORDER#    | DESCRIPTION                      | UOM |
|---|-------|----|-----------|----------------------------------|-----|
| 7300         222273001         Organic Vapor/Acid Gas cartridge         Pr           7400         222274001         Ammonia/Methylamine cartridge         Pr           7500         222275001         Formaldehyde cartridge         Pr   | 100   | 71 | 222271001 | Organic Vapor cartridge          | Pr  |
| ◆ 7400         222274001         Ammonia/Methylamine cartridge         Pr           ◆ 7500         222275001         Formaldehyde cartridge         Pr  | 200   | 72 | 222272001 | Acid Gas cartridge               | Pr  |
| ◆ 7500 222275001 Formaldehyde cartridge Pr  | 300   | 73 | 222273001 | Organic Vapor/Acid Gas cartridge | Pr  |
|   | 400   | 74 | 222274001 | Ammonia/Methylamine cartridge    | Pr  |
| ↑ 7600 222276001 Multi-Gas/Vapor Smart® cartridge Pr  | 7500  | 75 | 222275001 | Formaldehyde cartridge           | Pr  |
|   | 600   | 76 | 222276001 | Multi-Gas/Vapor Smart® cartridge | Pr  |
| ♦ 7940         222279401         P100 filter disk         Pr  | 940   | 79 | 222279401 | P100 filter disk                 | Pr  |

| ITEM #        | ORDER#    | DESCRIPTION                | UOM |
|---------------|-----------|----------------------------|-----|
| <b>*</b> 7920 | 222279201 | Piggyback adapter          | Pr  |
| <b>* 7960</b> | 222279601 | P100 filter w/ nuisance OV | Pr  |
| <b>*</b> 7990 | 222279901 | P100 filter cartridge      | Pr  |
| <b>*</b> 8970 | 222289705 | R95 Prefilters, 5 Pr/Bg    | Bg  |
| 8910          | 222243425 | N95 Prefilters, 5 Pr/Bg    | Bg  |
| <b>*</b> 7020 | 222270201 | Prefilter retainer         | Pr  |



### Advantage® 200 LS Respirator

Lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber for greater comfort and stability. AnthroCurv<sup>TM</sup> sealing surface instantly conforms to wearer's unique facial characteristics. MultiFlex® system equalizes pressure on faceseal area.

| ITEM # | ORDER#    | DESCRIPTION                                     | SIZES | UOM |
|--------|-----------|---|-------|-----|
| 815444 | 308599131 | Advantage 200 LS respirator w/ single neckstrap | М     | Ea  |
| 815452 | 308599151 | Advantage 200 LS respirator w/ single neckstrap | L     | Ea  |






### Advantage® 420 Respirators

Features UniBond over-mold facepiece, AnthroCurve™ faceseal and low profile design. Unique yoke and harness design (patent pending) allows a user to easily don and doff the state-of-the-art respirator while maintaining a customized fit. Other features include a ComforTop headband, a built-in moisture release chin cup hole, and the extra-wide head and neck straps.

| ITEM #   | ORDER#    | DESCRIPTION                                  | SIZES | UOM |
|----------|-----------|--|-------|-----|
| 10102183 | 3085143D1 | Advantage 420 twin-port half mask respirator | М     | Ea  |



# MSA The Safety Company

### Advantage<sup>®</sup> 3200 Full Facepiece Respirators

Engineered for comfort and versatility. Offers ease of use and low breathing resistance. Preset upper straps make it easy to don and remove while also providing a tighter, more secure seal. Users can also opt for the European-style Advantage Head

Harness, which dons like a catcher's mask. Unit also features a scratch-resistant, wraparound faceplate that eliminates distortion and increases peripheral vision, these components can be replaced by hand in seconds.

| ITEM#    | ORDER#    | DESCRIPTION  | SIZES | UOM |
|----------|-----------|--|-------|-----|
| 10028995 | 308524661 | Advantage 3200 Twin Port<br>Respirator w/ rubber harness | М     | Ea  |
| 10028997 | 308524681 | Advantage 3200 Twin Port Respirator w/ rubber harness    | L     | Ea  |





10083781

#### MSA The Safety Company

### Advantage® 4000 Respirators

Precision crafted to cover a wide variety of respiratory applications. Works with several different MSA respirators to provide comfortable, cost-efficient performance. Features net head harness and Hycar® facepiece. Facepiece also features a rubber or net harness, and every mask features a standard nosecup for reduced fogging in low-temperature or high-moisture environments.

| ITEM # ORDER    | # DESCRIPTION                             | SIZES | UOM |
|-----------------|---|-------|-----|
| 10083781 308590 | D1 Advantage 4200 Twin<br>Port respirator | M     | Ea  |
| 10083789 308537 | Advantage 4200 Twin Port respirator       | L     | Ea  |





### Advantage<sup>®</sup> **Respirator Cartridges**

Filter cartridges protect against dusts, particles and mists. Chemical cartridges protect against gases and vapors.

Combination cartridges deliver protection



815355

| ITEM#  | ORDER#    | DESCRIPTION                | UOM  |
|--------|-----------|----------------------------|------|
| 815355 | 308598981 | GMA OV cartridge           | 2/Pk |
| 815359 | 308553591 | GME multi-gas cartridge    | 2/Pk |
| 815362 | 308599031 | GMA/P100 OV cartridge      | 2/Pk |
| 815369 | 308599075 | P100 low-profile cartridge | 2/Pk |





#### Flexi-Filter® Pads for Advantage® Respirators

Low-profile, flexible filter pads for Advantage respirator fit well under a welding hood and with other personal protective equipment. Offers great balance and weight distribution for maintaining a good faceseal,

while swept-back design provides improved vision and comfort. Multi-layer composite construction offers durability and spark resistance.

Remove Watermark Now

818342

| ITEM # | ORDER#    | DESCRIPTION                  | UOM  |
|--------|-----------|------------------------------|------|
| 818342 | 308583425 | P100 Flexi-Filter pads       | 2/Pk |
| 818343 | 3085163A5 | P100/0V/03 Flexi-Filter pads | 2/Pk |
| 818344 | 3085164A5 | P100/AG/HF Flexi-Filter pads | 2/Pk |





### 3M™ Versaflo™ Complete **PAPR System Kits**

Lightweight, compact and well-balanced. Equipped with automatic flow control, low battery alarm and low flow alarm. Quick Release Swivel (QRS) breathing tubes allow fast and easy connection. Provides excellent peripheral and downward vision. Easily removable parts allow simple cleaning, maintenance and replacement. Kits offer convenience of a complete system ideal for industrial applications, hospitals and pharmaceutical applications.

- TR-300-HKL includes S-133L headcover, TR-307N PAPR with Easy Clean belt, BT-30 breathing tube, charger, TR-371ON filter and storage bag
- TR-300-ECK includes S-655 hood, TR-307N PAPR with Easy Clean belt, BT-30 breathing tube, battery charger, TR-371ON filter and prefilter
- TR-300-HIK includes M-307 respiratory hard hat, TR-306N PAPR with high-durability leather belt, BT-40 heavy-duty breathing tube, battery charger, TR-371ON filter and spark arrestor/prefilter

|   | ITEM #     | ORDER#    | DESCRIPTION                           | UOM |
|---|------------|-----------|---------------------------------------|-----|
| * | TR-300-HKL | 665524751 | 3M™ Headcover PAPR Kit                | Ea  |
| * | TR-300-ECK | 665524721 | 3M™ Easy Clean PAPR Kit               | Ea  |
|   | TR-300-HIK | 665524731 | 3M™ Heavy-duty<br>Industrial PAPR Kit | Ea  |



#### 3M™ Mold Remediation Respirator Kit

Includes a 3M<sup>™</sup> Full Facepiece 6000 and two pairs of 3M<sup>™</sup> Particulate Filters 2097, P100, to help reduce exposure to mold and low level organic compounds produced by mold. Simple, one-stop solution to help provide respiratory protection during most mold remediation activities such as vacuuming, sanding, removal and disposal. A separate chemical cartridge may be needed for exposure to disinfectants.

|   | ITEM # | ORDER#    | DESCRIPTION                        | SIZES | UOM |
|---|--------|-----------|------------------------------------|-------|-----|
| * | 68097  | 665513661 | Mold Remediation<br>Respirator Kit | М     | Ea  |

### **!**\ WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

### 8

### Remove Watermark Now

### ALLEGRO

#### **Fit Test Kits**

Choose from a variety of OSHA-compliant fit test products. Saccharin fit test kit includes poly-coated hood, (2) nebulizers, sensitivity and fit test solutions and instructions. Bitrex™ is safer than saccharin tests while producing identical results. Disposable glass ampules make pouring solution into nebulizers easier

and reduces the chance of contamination. Use smoke test kits for air purifying respirators. Standard kit includes irritant smoke tubes, aspirator assembly and record form in a protective carry pouch. Deluxe smoke test kit includes a smoke fit tube pump with batteries which generates the required 200 mL per minute of smoke, (6) smoke tubes with caps and instructions.

|   | ITEM #   | ORDER#    | DESCRIPTION                     | UOM |
|---|----------|-----------|---------------------------------|-----|
|   | 2041     | 334200611 | Bitrex test kit                 | Ea  |
|   | 2041-11K | 334200625 | Sensitivity solution only, 6/Bx | Ea  |
|   | 2041-12K | 334200635 | Test solution only, 6/Bx        | Ea  |
| * | 2040     | 334200571 | Saccharin test kit              | Ea  |
|   | 2040-11K | 334200595 | Sensitivity solution only, 6/Bx | Ea  |
| * | 2040-12K | 334200605 | Test solution only, 6/Bx        | Ea  |
| * | 2055     | 334200661 | Deluxe pump smoke test kit      | Ea  |
|   |          |           |                                 |     |



| ITEM #  | ORDER#    | DESCRIPTION             | UOM  |
|---------|-----------|-------------------------|------|
| 2050    | 334200641 | Standard smoke test kit | Ea   |
| 2050-01 | 334200651 | Replacement tubes, 6/Bx | 6/Bx |



#### Respirator Accessories

Cleaning pads are designed specifically for rubber respirator facepieces and other personal safety equipment. Alcohol wipes contain 70% isopropanol. Active ingredient in alcohol-free wipe is Benzalkonium chloride. Will not harm even the most sensitive rubber facepieces.



| ITEM #  | ORDER#    | DESCRIPTION                   | SIZES    | UOM    |
|---------|-----------|-------------------------------|----------|--------|
| 1001    | 334210015 | Respirator cleaning pads      | 5" x 8"  | 100/Bx |
| 3001    | 334230015 | Alcohol-free cleaning pads    | 5" x 8"  | 100/Bx |
| 1001-05 | 334200431 | The Big Ones, alcohol         | 8" x 11" | 50/Bx  |
| 3001-05 | 334200701 | The Big Ones,<br>alcohol-free | 8" x 11" | 50/Bx  |

### ALLEGRO

### **Spray Socks**

Provides comfortable protection against overspray and other particulates. Fits over the head and can be worn with goggles, half mask respirators. Stretch knit material is breathable and cool to wear. Universal.



| ITEM #  | ORDER#    | DESCRIPTION | COLOR | UOM   |
|---------|-----------|-------------|-------|-------|
| 1410-12 | 334200465 | Spray socks | White | 12/Pk |



#### **Respirator Storage Bags**

Reusable storage bags keep equipment contaminant free. Single-use disposable storage bags with gusset help prevent cross contamination of any personal safety equipment such a respirators or earmuffs.

|   | ITEM #  | ORDER#    | DESCRIPTION                                    | SIZES                | UOM    |
|---|---------|-----------|--|----------------------|--------|
|   | 2000    | 33422000  | Respirator storage bags                        | 14" x 16"            | 100/Bg |
| * | 2025    | 334220251 | Full mask storage bag                          | 16" x 14"            | Ea     |
|   | 4001-05 | 33420105  | Large disposable respirator storage bags       | 21" L x 11" W x 8" D | 100/Pk |
| • | 4001-06 | 334205495 | Extra large disposable respirator storage bags | 28" L x 12" W x 8" D | 50/Pk  |

