

# Plant & Workzone Safety

Employers are mandated by OSHA to provide all employees with jobs and work areas free from recognized hazards that are causing, or are likely to cause, death or serious physical harm. Among other actions, employers shall also comply with the OSHA statutory requirements, standards, and regulations found at [www.osha.gov](http://www.osha.gov).



**Instrumentation**  
210 – 213



**Showers & Eyewash**  
224 – 229



**Confined Space**  
214 – 217



**Lockout/Tagout**  
230 – 231



**Heat Stress**  
218 – 221



**Wipes & Cleaners**  
232 – 233



**First Aid**  
222 – 223



**Sorbents**  
234 – 235



**Hazardous Storage**  
236 – 239



# Instrumentation

Remove Watermark Now

Employers are required to comply with OSHA regulations set forth to minimize employees' exposure to hazardous gases and vapors anywhere potentially present. Continuous and comprehensive air monitoring is also mandatory.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## ALTAIR® Single-Gas Detectors

Single-gas detection for carbon monoxide, hydrogen sulfide or oxygen that will operate for over 2 years. Offers superior dust/water protection and high resistance to RFI. Rubberized housing and 1-button operation provide durability and ease of use. Features triple alarm system with (2) bright LEDs and audible/vibrating alarms. Automatically records last 25 alarm events. MSA infrared adapter with built-in IR communication port enables user to read data or change alarm set points. Small, thin sensor profile provides high performance in very small package.

ITEM #	ORDER #	DESCRIPTION	UOM
10092521	3085885B1	ALTAIR: H2S, 10 ppm (1st alarm)-15 ppm (2nd alarm)	Ea
◆ 10092522	3085617D1	ALTAIR: CO, 25 ppm (1st alarm)-100 ppm (2nd alarm)	Ea
◆ 10092523	3085157D1	ALTAIR: O2, 19.5% vol. (1st alarm)-23% vol. (2nd alarm)	Ea



## ALTAIR® 2X Gas Detectors

Rugged, intrinsically-safe gas detector is available in (3) models to fit all situations. Features tough over-molded rubber armor that can survive 25' drops onto concrete. Agency certified dust and water IP67 construction.

- ALTAIR 2X single-gas detector incorporates proven XCell® sensor technology and records 150+ hours of periodic data
- ALTAIR 2XP single-gas detector with XCell Pulse Technology features stand-alone bump test anytime, anywhere without specific calibration gas; records 150+ hours of periodic data
- ALTAIR 2XT can monitor (2) gases and records 100+ hours of periodic data

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 10153986	308501591	ALTAIR 2X: CO w/ XCell sensor technology	Charcoal	Ea
◆ 10153984	308539841	ALTAIR 2XP: H2S w/ XCell Pulse technology	Charcoal	Ea
◆ 10154040	308500991	ALTAIR 2XT: CO/H2S w/ XCell Two-Tox sensors	Charcoal	Ea
◆ 10154181	308501381	ALTAIR 2XT: CO/H2S w/ XCell Two-Tox sensors	Phosphorescent	Ea



Remove Watermark Now



10107602



**ALTAIR® 5X Multi-Gas Detectors**

Measures up to 6 gases simultaneously and can be fitted with a wide range of both toxic and infrared sensors. Features MSA's XCell® sensors with extended range covering SO<sub>2</sub>, Cl<sub>2</sub> and NH<sub>3</sub>. Offers superior stability, accuracy, repeatability, fast response and longevity. Standard sensors designed for average life of more than 4 years (more than 3 years for SO<sub>2</sub>, Cl<sub>2</sub>, and NH<sub>3</sub>); allow for faster response/clear times, bump tests in less than 10 seconds, and span calibration time of 60 seconds for common configurations; provide greater signal stability and repeatability under changing or extreme environmental conditions; are plug-and-play-capable. End-of-sensor-life indicator gives advanced warning to user, eliminating service outages. Event/data log records up to 500 events. MotionAlert™ triggers alarm if user remains motionless for 20 seconds. InstantAlert™ allows users to manually activate all alarms to alert others to potential hazards. Includes triple alarm system (visual, audible and vibration), large hi-res LCD screen (color or monochromatic), 24-hour bump test checkmark, rugged rubberized housing and ergonomic design, auto calibration, Li-polymer battery with up to 18 hours usage between charges, 10' sampling line and 1' probe. MSA Link™ software and Galaxy® system compatible. IP65 rated for dust and water ingress.



10116928



**ALTAIR® 4X Multi-Gas Detectors**

Tough, functional detector for LEL, CO, H<sub>2</sub>S and O<sub>2</sub>. Rugged, IP67 certified housing provides unsurpassed durability, including ability to survive 20' drop. Easy to operate even in low-light conditions with large, glove-friendly buttons and high-contrast display. Features fast, high-performing sensors, exclusive MSA MotionAlert™ and InstantAlert™ and end-of-sensor-life warning. Sensor response and clear times under 15 seconds. Sixty-second span calibration time. Two-tox CO/H<sub>2</sub>S sensor with virtually no cross-channel interference. Digital output sensors provide less susceptibility to RF interference. Four-year sensor life with 24-hour run time. Includes quick-start card, datalogging, charger, calibration cap and tubing, and CD manual.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 10107602	3085400D1	ALTAIR 4X: LEL, O <sub>2</sub> , CO & H <sub>2</sub> S	Charcoal	Ea
◆ 10107603	3085535D1	ALTAIR 4X: LEL, O <sub>2</sub> , CO & H <sub>2</sub> S	Phosphorescent	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10116926	3085842D1	ALTAIR 5X: LEL, O <sub>2</sub> , CO & H <sub>2</sub> S Industrial kit w/ monochrome display, 10' sampling line & 1' probe	Ea
◆ 10116928	3085686D1	ALTAIR 5X: LEL, O <sub>2</sub> , CO & H <sub>2</sub> S Deluxe kit w/ color display, 10' sampling line & 1' probe	Ea



**Galaxy® GX2 Automated Test System**

Provides simple, intelligent testing and calibration of ALTAIR® 4X and ALTAIR 5X multi-gas detectors. Easy-to-use automated test stand offers high performance as either stand-alone unit or integrated portable detector management system, enabling total data access and control of the MSA ALTAIR family Gas Detector fleet. MSA Link™ Pro Software for proactive safety management; gas exposure email alerts, direct data input, live filtering, test and exposure queries, collecting and printing reports.

**Features:**

- Color touch screen for ease of setup and viewing
- Extremely simple to use; testing starts automatically without touching a single button
- Simultaneous testing of up to (10) instruments
- Galaxy GX2 System is optimized for use with MSA's XCell® Sensors; provides up to 50% cost of ownership reduction
- At-a-glance indicators include low calibration gas volume, expiration warnings and test stand status
- MSA Link Pro Software provides proactive safety management, dashboard overview and total record-keeping
- 18 Languages available for test stand and MSA Link Pro Software that simplifies usage and reduces training

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10128628	308586291	Galaxy GX2 w/ 1 valve for ALTAIR 5/5X	Ea
◆ 10128642	3085303E1	Galaxy GX2 w/ 1 valve for ALTAIR 4/4X	Ea



10128628

10128642

◆ Non-stock item. Minimum quantity may apply.



### Econo-Cal® Aluminum Calibration Cylinders - Reactive Gases

The Safety Company

Aluminum cylinder has 500 psig and contains approximately 34 L at atmospheric pressure. Size: 13 3/4" x 3". Weighs 1 lb., 1 oz.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 711058	30851058	Multi-gas cylinder: CO 300 ppm, O2 15%, Methane 1.45%, H2S 10 ppm, balance N	Ea
♦ 10048280	30858280	Multi-gas cylinder: CO 60 ppm, O2 15%, Pentane 1.45%, H2S 20 ppm, balance N	Ea

#### ECONO-CAL® ALUMINUM CALIBRATION CYLINDERS



Confined Space Products Found on Page 214.



#### MODEL RP ALUMINUM CALIBRATION CYLINDERS



### Model RP Aluminum Calibration Cylinders - Reactive Gases

The Safety Company

Aluminum cylinder has 500 psig and contains approximately 58 L at atmospheric pressure.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 467897	308551731	Single-gas cylinder: H2S 40 ppm, balance N	Ea
♦ 804770	30854770	Multi-gas cylinder: CO 300 ppm, O2 15%, Methane 1.45%, H2S 10 ppm, balance N	Ea
♦ 10045035	308535101	Multi-gas cylinder: CO 60 ppm, O2 15%, Methane 1.45%, H2S 20 ppm, balance N	Ea



710288



### Gas Miser® Demand Regulator

The Safety Company

Constructed of nickel-plated brass and polished aluminum (especially important for reactive gases). Regulator can supply gas flow from 0.1 lpm to 3.0 lpm. Designed for use with any MSA Model RP Calibration cylinder except chlorine and ammonia and features automatic ON/OFF valve that releases gas only on demand, using only amount of gas needed to calibrate your MSA instrument. When calibration is complete, regulator shuts off automatically. Regulator can stay connected to cylinder where it remains in ready state, making it ideal for fixed installations such as work benches and calibration stations. Eliminates need to change regulators to accommodate different instruments or flow rates. Supplied with calibration tubing and special fitting.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 710288	308586011	Model RP Gas Miser regulator, 0.1-3.0 lpm	Ea



Remove Watermark Now


## MSA Fixed Flow Regulator

Model RP regulator with fixed flow rate of 0.25 lpm. Fixed flow design provides constant and accurate flow to the instrument pump or aspirator. Approved for all MSA calibration gases.



467895

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 467895	30857895	Model RP cylinder regulator, 0.25 lpm	Ea



477149

## MSA Model RP Calibration Check Kit

Kit includes 0.25 lpm regulating valve with gauge to measure container pressure, 30' tubing (without sampling line connection), calibration plug for MSA electrochemical sensors, zero plugs for MSA electrochemical sensors and calibration plug for MSA electrochemical sensors, adapter hose, instructions and case fitted with room for (2) Model RP cylinders of calibration check gas.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 477149	30857149	Calibration check kit	Ea



## Honeywell ToxiPro® Single-Gas Detectors

Compact, rugged in design and fully serviceable with simple 1-button operation. Available sensors: O<sub>2</sub>, CO, H<sub>2</sub>S, PH<sub>3</sub> and NH<sub>3</sub>. Three highly-visible, chasing yellow and red alarm LEDs plus vibration. Max, STEL and TWA readings are accessible by pressing the MODE button. Datalogging included. Continuous real-time gas readings. Includes black-box recorder and event logger (100 events). Meets IP66/IP67 ingress protection. Compatible with the IQ Express Docking Station. C-UL®-US. Classified for Class I, Div. I, Groups A, B, C, and D T4; Class II, Div. I, Groups E, F, and G.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 54-45-01VD	C23500011	ToxiPro: CO	Ea
◆ 54-45-02VD	C23545041	ToxiPro: H <sub>2</sub> S	Ea
◆ 54-45-13VD	C23545131	ToxiPro: PH <sub>3</sub>	Ea
◆ 54-45-21VD	C23545221	ToxiPro: NH <sub>3</sub>	Ea
◆ 54-45-90VD	C23545911	ToxiPro: O <sub>2</sub>	Ea

## When to Bump Test and When to Calibrate

According to the International Safety Equipment Association (ISEA), "A bump test or full calibration of direct-reading portable gas monitor should be made before each day's use in accordance with manufacturer's instructions, using an appropriate test gas." If the instrument fails a bump test, it must be adjusted through a full calibration before it is used. The acceptable interval between testing should never exceed 30 days. Only use certified calibration test gases in the proper concentration before the expiration date.

To learn more, visit [www.osha.gov](http://www.osha.gov) or [www.safetysystem.org](http://www.safetysystem.org) for further information on portable gas monitor bump testing and calibration.



# Confined Space

Remove Watermark Now

Areas with restricted means of entry and/or exit are dangerous and require very specific safety precautions including training, ventilation and PPE.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## AC/DC Axial Blowers with Canisters

AC Axial blower offers lightweight design and high output from an AC electric motor. Easy-to-use ventilation system is designed with tough steel construction, a durable grill, convenient carry handle and rubber feet. DC Axial blower is perfect when electricity is not available and may be operated off a truck battery. Features same durable construction as AC model except with a 12 VDC electric motor with thermal protector, single speed performance. Both systems can be stored vertically. Units sold individually or as a kit with choice of 15' or 25' of ducting with durable canister.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9513	334203181	AC axial blower only	1,275 CFM	661 CFM	582 CFM	Ea
9514	334203231	AC axial blower w/ canister & 15' ducting	1,275 CFM	661 CFM	582 CFM	Ea
9514-25	334203271	AC axial blower w/ canister & 25' ducting	1,275 CFM	661 CFM	582 CFM	Ea
9506	334203041	DC axial blower only	1,150 CFM	800 CFM	650 CFM	Ea
9506-01	334203051	DC axial blower w/ canister & 15' ducting	1,150 CFM	800 CFM	650 CFM	Ea
9506-25	334203061	DC axial blower w/ canister & 25' ducting	1,150 CFM	800 CFM	650 CFM	Ea

Ships Direct **FOB Mfg.**



## 12" Plastic Axial Blowers

Made of durable, lightweight, corrosion-, UV- and chemical-resistant polyethylene material. Sturdy, easy-grip handles molded directly into blower and canister housing provide convenient, reliable transport. Choice of 15' or 25' ducting with quick-connect clipping system that provides tools-free connection to canister. Use on input side for powerful extraction or output side for ventilation. Ducting stores conveniently within canister. 1 hp, 110/220 VAC, 50/60 Hz. Safety orange color.



Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9543	33429543	12" Plastic axial blower	1,842 CFM	1,004 CFM	933 CFM	Ea
9543-15	33429544	12" Plastic axial blower w/ canister & 15' ducting	1,842 CFM	1,004 CFM	933 CFM	Ea
9543-25	33429545	12" Plastic axial blower w/ canister & 25' ducting	1,842 CFM	1,004 CFM	933 CFM	Ea

Remove Watermark Now



### 16" and 20" Axial Blowers

Designed for large confined spaces. Delivers high output for drawing or pushing air. Constructed with durable orange metal housing. Standard and explosion-proof 16" blowers have a 1/2 hp motor. High-output blowers have a 2 hp motor with 3-blade impeller on the 16" model and 4-blade impeller on the 20" model. Explosion-proof blowers include single phase motor and are UL®/CSA listed and NEMA rated 115 V plug. Meet Class I, Division 1 and 2, Group C and D, Class II, Division 1 and 2, Group F and G.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
<b>16" Axial Blowers</b>						
9515	334203291	16" Axial blower	3,400 CFM	2,800 CFM	2,300 CFM	Ea
9516	334203321	16" High-output axial blower	5,500 CFM	4,950 CFM	4,400 CFM	Ea
9515-01	334203311	16" Explosion-proof axial blower	2,900 CFM	1,800 CFM	1,750 CFM	Ea
<b>20" Axial Blowers</b>						
9525	33429525	20" Axial blower	4,650 CFM	3,150 CFM	2,950 CFM	Ea
9525-50	33422550	20" High-output axial blower	7,500 CFM	6,700 CFM	6,130 CFM	Ea
9525-01	33422501	20" Explosion-proof axial blower	4,650 CFM	3,150 CFM	2,950 CFM	Ea



9515

Ships Direct **FOB Mfg.** 



### 8" Plastic COM-PAX-IAL Blowers

Made of durable, lightweight, corrosion-, UV- and chemical-resistant polyethylene material. Sturdy, easy-grip handles molded directly into blower and canister housing provide convenient, reliable transport. Choice of 15' or 25' ducting with quick-connect clipping system that provides tools-free connection to canister. Use on input side for powerful extraction or output side for ventilation. Ducting stores conveniently within canister. Safety orange color.

**AC blower:** Electric, single-phase motor is 1/3 hp, 3 A/115 VAC. UL®/CSA listed.

**DC blower:** Versatile system features the 8" COM-PAX-IAL 1/3 hp, 22 VAC/12 VDC blower with canister and can run off of a truck battery.

**AC explosion-proof blower:** includes NEMA rated 115 V plug for use with explosion-proof socket (sold separately). Meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G Hazardous Location Requirements.



9536

9533-15

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9533	334203461	8" AC blower only	831 CFM	709 CFM	586 CFM	Ea
9533-15	334203481	8" AC blower w/ canister & 15' ducting	831 CFM	709 CFM	586 CFM	Ea
9533-25	334203491	8" AC blower w/ canister & 25' ducting	831 CFM	709 CFM	586 CFM	Ea
9536	334203561	8" DC blower	816 CFM	526 CFM	442 CFM	Ea
9536-15	334203571	8" DC blower w/ canister & 15' ducting	816 CFM	526 CFM	442 CFM	Ea
9536-25	334203581	8" DC blower w/ canister & 25' ducting	816 CFM	526 CFM	442 CFM	Ea
9538	334295381	8" Explosion-proof AC blower only	900 CFM	650 CFM	625 CFM	Ea
9538-15	33423815	8" Explosion-proof AC blower w/ canister & 15' statically-conductive ducting	900 CFM	650 CFM	625 CFM	Ea
9538-25	33423825	8" Explosion-proof AC blower w/ canister & 25' statically-conductive ducting	900 CFM	650 CFM	625 CFM	Ea



### Air Bag Blowers with Ducting

Blower built into heavy-duty bag with zippered ends that allows use without removing from bag. Constructed with 9-blade polypropylene fan, steel/powder-coated housing and grill, and carry handle with molded-in 2-speed switch. Includes single-ply, lightweight vinyl/polyester PVC-coated 15' ducting.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	UOM
9535-08	334205381	8" Air bag blower, 1/4 hp	760 CFM	Ea
9535-12	334235121	12" Air bag blower, 1/2 hp	1,840 CFM	Ea

Ships Direct **FOB Mfg.** 



9535-08





9520-04M

## ALLEGRO **Complete Axial and Centrifugal MVP Blower Systems**

Includes choice of 8" blowers, 6' and 15' of ducting with storage bag and manhole ventilation pass-thru (MVP) that combines low-profile manhole air vent, 90° elbow and built-in mounting into a single assembly. Offers lightweight portability with highest output available. CFM on 2-speed blower is low speed/high speed.

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9520-33M	334203431	AC plastic blower system	831 CFM	709 CFM	586 CFM	Ea
9520-36M	334203441	DC plastic blower system	816 CFM	526 CFM	442 CFM	Ea
9520-14M	334203421	AC metal blower system	1,275 CFM	661 CFM	582 CFM	Ea
9520-06M	334203401	DC metal blower system	1,150 CFM	800 CFM	650 CFM	Ea
9520-04M	334203381	Standard blower system	1,066 CFM	839 CFM	745 CFM	Ea
9520-07M	33422007	2-Speed blower system	760/1,850 CFM	500/1,050 CFM	360/800 CFM	Ea

Ships Direct **FOB Mfg.**



## **Manhole Accessories**

- **Shield:** Constructed of rugged, lightweight polyethylene with bright yellow material that resists fading. Fits 28", 30" and 32" dia. manholes with inflatable, watertight seal. Designed with (4) outrigger support gussets that stabilize shield and is 12" tall to keep out water and mud. Can be used with Allegro® guard rail.
- **Guard rail:** Strong 1" tubular .078 gauge steel construction is powder-coated in safety yellow for durable finish and high visibility. Rail locks open and (2) hooking chains provide protected entry and exit. For safety, rail accommodates signs, flags or lights, and for convenience, can be used with a guard rail tent, umbrellas or winch. Protects an area of 33" x 33" for added safety. The 42" high guard rail collapses to only 44" square x 4" for easy storage. Single-piece construction assembles easily without tools. Weighs 34 lbs.
- **Lid lifter:** All-steel handle provides necessary leverage to lift heaviest lids. For safe storage, alloy-steel hook recesses and locks into pole. Rubber grips on handle and foot prevent slips. Cadmium plating resists rust.
- **Deluxe umbrella:** Heavy-duty, yellow vinyl with a sturdy, 92" 2-part metal pole. Can be pushed into the ground or strapped to manhole guard rail.
- **Economy umbrella:** Heavy-duty, yellow vinyl with strong, pointed 84" 2-part wood pole. 68" dia. collapses to 4' x 6" in dia.



9403

9401

9401-12

ITEM #	ORDER #	DESCRIPTION	UOM
9401-12	334202681	Manhole shield	Ea
9401	334202661	Manhole guard rail	Ea
9401-20	334202691	Manhole lid lifter	Ea
9403	334202781	Deluxe umbrella	Ea
9403-01	334202791	Economy umbrella	Ea

Ships Direct **FOB Mfg.**



9401-25



## **Magnetic Manhole Lid Lifters**

Quickly and safely removes and replaces manhole covers up to 36" without needing a pry bar. Minimizes stress and strain on back and body. Collapsible for easy storage and transport. Can access uneven textured surface found on manhole covers with dual-position lifting points to provide the power to break loose stubborn covers. For safety, the magnet must be in contact with manhole cover to be engaged. Available with steel or aluminum dolly.

ITEM #	ORDER #	DESCRIPTION	UOM
9401-25	33422127	Steel dolly & magnet, 660-lb. lift weight	Ea
9401-26	33422128	Steel dolly & magnet, 900-lb. lift weight	Ea
9401-25A	33422129	Aluminum dolly & magnet, 660-lb. lift weight	Ea
9401-26A	33422130	Aluminum dolly & magnet, 900-lb. lift weight	Ea

Ships Direct **FOB Mfg.**



### Work Tents and Heater

- **Economy tent:** Utility shelter springs from backpack into full-size tent in seconds. Water-resistant, flame-retardant, UV-treated nylon with 360° reflective striping. Quick set-up from inside or outside with (2) floor-to-floor fiber poles. Features large door, (2) large windows and open bottom. Hi-viz green with (12) yellow 9" plastic stakes. Folds to 31" L x 2 1/2" H. Weighs 22 lbs.
- **Deluxe portable work tents:** Easy-to-use, durable and features quick set-up from inside or outside with fiberglass rod frame and handy attached roll-up flap for compact storage and easy transport. One-door design has zipper closure; 2-door design has (1) zipper and (1) roll-up door. Pitch roof style. Frame rods are bolted and unbreakable hinges are made of rolled steel. Blower duct tube in rear of tent and covered window included. Flame-retardant. Hi-viz green.
- **Heater:** Lightweight with rugged, heavy-duty design of all-steel housing with enclosed heating elements and sealed, 110 VAC motor. Produces 5,000 BTU, with 115 CFM airflow and will raise the temperature 50° F in a work tent. Weighs 14 lbs. Hi-viz green. UL® Listed, CSA Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9403-66	334202811	Economy work tent	7' H x 6' W x 6' D	Ea
9401-66	334202721	Deluxe work tent w/ 1 door	6 1/2' H x 6' W x 6' D	Ea
9401-88	334202741	Deluxe work tent w/ 1 door	7 1/2' H x 8' W x 8' D	Ea
9402-66	334202751	Deluxe work tent w/ 2 doors	6 1/2' H x 6' W x 6' D	Ea
9402-88	334202771	Deluxe work tent w/ 2 doors	7 1/2' H x 8' W x 8' D	Ea
9401-50	334202711	Tent heater	12" H x 8" W x 12" D	Ea

Ships Direct **FOB Mfg.** 



9403-66



9401-66



9401-50



**Gas Detection products on pages 210.**



**DEWATERING AND SLUDGE PUMPS**



### Dewatering and Sludge Pumps

Portable, submersible 110 VAC single phase pumps are excellent for manholes, vaults, construction sites, industrial wastewater site drainage and effluent transfer. Offer quick, high-volume discharging and allow continuous operation at low water levels and extended dry runs without overheating. Include synthetic rubber wear parts and vortex impellers for durability. Pumps and hoses feature 2" fire hose style quick-connect fittings, and a V-ring system to protect the shaft seal from abrasives. Also available in DC model.

ITEM #	ORDER #	DESCRIPTION	UOM
9404-02	334202831	Standard submersible dewatering pump, 2/3 hp, 39 1/2' head, rated 63 1/2 gpm	Ea
9404-04	334202851	Sludge pump, 1/2 hp, 39' head, rated 50 gpm	Ea
9404-50	334202861	Pump discharge hose, 50' x 2" dia.	Ea

Ships Direct **FOB Mfg.** 



# Heat Stress

Remove Watermark Now

Prolonged exposure to heat can cause illness and even death. The most serious heat illness is heat stroke. Employers are required to provide preventative measures for employees against heat related illnesses.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



931-BL

937-BL



936-BL



933-BL



934-BL



932-BL



## MiraCool® Heat Stress Prevention Products

PVA material absorbs sweat and provides instant cooling relief. Increases alertness and productivity by keeping workers cool. Works without freezing or ice and is reusable thousands of times. Simply soak in water. Reusable and machine washable. UPF 50+ rated. Blue.

ITEM #	ORDER #	DESCRIPTION	UOM
935-BL	325319351	Snap-On hard hat sweatbands	5/Pk
930-BL	325309301	Cooling neck wrap	Ea
931-BL	325309391	Cooling towel	Ea
932-BL	325319321	PVA bandana	Ea
936-BL	325319365	PVA sweatbands	10/Pk
◆ 933-BL	325319331	PVA neck shade	Ea
◆ 934-BL	325319341	PVA hard hat pad w/ shade	Ea
◆ 937-BL	325319371	PVA 2-in-1 multifunctional towel	Ea

Hard Hats not included



940-WAV



## MiraCool® Heat Stress Prevention Products

Increase alertness and productivity by keeping workers cool. Soak in cool water to activate. Works without freezing or ice and is reusable. Available in assorted styles and colors.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
940-12	325305081	Bandanas, assorted prints		12/Pk
940-WAV	325305091	Bandana	Wavy flag	Ea

Remove Watermark Now



### Powder Mix Lite™, 3-Gallon

Naturally sweetened, naturally flavored, lower calories and lower sugar than regular Squawcher®, and contains no added color. Quickly mixes with water and is convenient enough to take anywhere. Replace lost fluids, lost electrolytes and avoid dangerous dehydration in high-heat environments. 19.1 oz. Package yields 3 gals.

ITEM #	ORDER #	DESCRIPTION	UOM
016850-GR	33176806	Grape	20/Cs
016851-OR	33176807	Orange	20/Cs
016852-FP	33176808	Fruit Punch	20/Cs
016853-LL	33176809	Lemon-Lime	20/Cs



### Powder Mix

Replace lost fluids and electrolytes and avoid dangerous dehydration in high-heat environments. Quickly mixes with water and is convenient enough to take anywhere.

ITEM #	ORDER #	DESCRIPTION	UOM
<b>23.83 oz. Powder Pack Dry Mix Makes 2 1/2 Gals.</b>			
016040-LA	33174854	Lemonade	32/Cs
016041-OR	33174856	Orange	32/Cs
016042-FP	33174857	Fruit Punch	32/Cs
016043-LL	33174858	Lemon-Lime	32/Cs
016044-AS	33170030	Assorted	32/Cs
016045-TE	33170031	Tea	32/Cs
016046-GR	33174855	Grape	32/Cs
016047-CH	33170032	Cherry	32/Cs
016048-MB	33170033	Mixed Berry	32/Cs
016049-TC	33170034	Tropical Cooler	32/Cs
016050-CC	33170035	Cool Citrus	32/Cs

ITEM #	ORDER #	DESCRIPTION	UOM
<b>47.66 oz. Powder Pack Dry Mix Makes 5 Gals.</b>			
016400-MB	33170036	Mixed Berry	16/Cs
016401-CH	33170037	Cherry	16/Cs
016402-CC	33170038	Cool Citrus	16/Cs
016403-LA	33170039	Lemonade	16/Cs
016404-OR	33170040	Orange	16/Cs
016405-FP	33170041	Fruit Punch	16/Cs
016406-GR	33170042	Grape	16/Cs
016408-LL	33170043	Lemon-Lime	16/Cs
016409-TC	33170044	Tropical Cooler	16/Cs



### Single Serve Fast Pack®

Offers workers fluid and electrolyte replenishment anywhere, anytime. Mixes easily with water and packet becomes drinking cup. Handy size is more convenient than carrying a cooler. Yield: 0.6 oz. packet makes 6 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
015300-MB	33170007	Mixed Berry	200/Cs
015301-CH	33170008	Cherry	200/Cs
015302-GR	33170009	Grape	200/Cs
015303-LA	33170010	Lemonade	200/Cs
015304-OR	33170011	Orange	200/Cs
015305-FP	33170012	Fruit Punch	200/Cs
015306-TE	33170013	Tea	200/Cs
015308-LL	33170014	Lemon-Lime	200/Cs
015309-TC	33170015	Tropical Cooler	200/Cs
015310-CC	33170016	Cool Citrus	200/Cs



FAST PACK® LIQUID CONCENTRATE



015500-OR



015501-FP

## Single Serve Fast Pack® Zero

Single-serving packs contain no calories or sugars, providing an ideal solution for diabetics or any consumers monitoring their daily intake. Mixes easily with water and packet becomes drinking cup. Yield: 0.6 oz. packet makes 6 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 015500-OR	33170017	Orange	200/Cs
◆ 015501-FP	33170018	Fruit Punch	200/Cs



040208-LL

030319-SL

040202-GR

030329-TC

030330-CC

ITEM #	ORDER #	DESCRIPTION	UOM
<b>64 oz. Liquid Concentrate Makes 5 Gals.</b>			
◆ 030319-SL	33170319	Strawberry Lemonade	6/Cs
030320-MB	33170055	Mixed Berry	6/Cs
030321-CH	33170056	Cherry	6/Cs
030322-GR	33178663	Grape	6/Cs
030323-LA	33178662	Lemonade	6/Cs
030324-OR	33178664	Orange	6/Cs
030325-FP	33178665	Fruit Punch	6/Cs
030328-LL	33178666	Lemon-Lime	6/Cs



## Liquid Concentrate Zero

Contains no calories or sugars, providing an ideal solution for diabetics or consumers monitoring their daily intake. Includes the same electrolyte content as regular Squawcher® (high in potassium and low in sodium to aid the body in replenishing essential elements lost to heat stress and fatigue). Mixes quickly and easily with water. Yield: 64 oz. concentrate makes 5 gals.

Remove Watermark Now



050102-FP

050104-LL

ITEM #	ORDER #	DESCRIPTION	UOM
050102-FP	33170098	Fruit Punch	6/Cs
050103-GR	33170099	Grape	6/Cs
050104-LL	33170100	Lemon-Lime	6/Cs
◆ 050106-MB	33170102	Mixed Berry	6/Cs
050107-OR	33170103	Orange	6/Cs



## Liquid Concentrate

Great tasting, scientifically formulated electrolyte replacement drink restores important mineral salts and fluids lost through dehydration, physical exertion and heat stress. More satisfying than water or soft drinks because it is readily absorbed by the body. Mixes quickly and easily with water.

ITEM #	ORDER #	DESCRIPTION	UOM
<b>64 oz. Liquid Concentrate Makes 5 Gals., continued</b>			
030329-TC	33170058	Tropical Cooler	6/Cs
◆ 030330-CC	33170059	Cool Citrus	6/Cs
<b>128 oz. Liquid Concentrate Makes 6 Gals.</b>			
◆ 040202-GR	33170070	Grape	4/Cs
◆ 040204-OR	33170072	Orange	4/Cs
◆ 040205-FP	33170073	Fruit Punch	4/Cs
◆ 040208-LL	33170075	Lemon-Lime	4/Cs



## Single Serve Lite™ Stiks

Perfect for those looking for less calories, no color and no artificial flavor or additives. Contains the perfect electrolyte blend, naturally flavored and naturally sweetened and contains no added color. 1 oz. Package yields 16.9-20 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
060280-GR	331768105	Grape	8/Bg
060281-OR	331768115	Orange	8/Bg
060282-FP	331768125	Fruit Punch	8/Bg
060283-LL	331768135	Lemon-Lime	8/Bg



060280-GR

060281-OR

060282-FP

060283-LL

Remove Watermark Now



### Single Serve Qwik Stik™ Zero

Offer the same great taste and electrolyte content as regular Sqwincher® (high in potassium and low in sodium) with no calories or sugar. Simply tear open the convenient, single-serve pouch, add to bottled water, shake and enjoy. Individual packet yields 20 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
060099-SL	331760995	Strawberry Lemonade	50/Bg
060100-OR	331701195	Orange	50/Bg
060101-MB	331701205	Mixed Berry	50/Bg
060102-FP	331701215	Fruit Punch	50/Bg
060103-LA	331701225	Lemonade	50/Bg

ITEM #	ORDER #	DESCRIPTION	UOM
060104-PT	331701405	Peach Tea	50/Bg
060106-LL	331711065	Lemon-Lime	50/Bg
060107-GR	331711075	Grape	50/Bg
060109-CC	331711095	Cool Citrus	50/Bg
060119-AS	331761119	Qwik Stik Tube, assorted flavors, 10 Pk/Tube	200/Cs



### Single Serve QwikServ™

Electrolyte replacement drink is low in sodium, non-carbonated and contains no caffeine. Simply pour powder mix from the convenient pack into 16.9 oz. bottled water and shake.



ITEM #	ORDER #	DESCRIPTION	UOM
060900-OR	33170900	Orange	96/Cs
060901-FP	33170901	Fruit Punch	96/Cs
060902-LL	33170902	Lemon-Lime	96/Cs
060904-GR	33170904	Grape	96/Cs



### Squeeze Pops

Reduce core body temperature and protect from heat stress and fatigue. Scientifically developed formulation is absorbed at a significantly faster rate than water, allowing the body to replenish electrolytes and minerals needed for proper rehydration. Mixed case of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry. Also available in Zero sugar-free flavors. 3 oz. each.

159200201

ITEM #	ORDER #	DESCRIPTION	UOM
159200201	33170128	Assorted flavors	150/Cs
159200228	33170228	Zero Fruit Punch	150/Cs
159200229	33170229	Zero Tangerine Orange	150/Cs



### Coolers and Accessories

Durable insulated beverage coolers with rotating handles, screw-off lid and push-button spigot for easy product dispensing. Custom imprinted Sqwincher® 12 oz. cups have pre-measured fill lines for easy liquid concentrate mixing right in the cup. Cups packaged as (20) tubes of (100).

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 400103	33171103	3-Gal. cooler	Ea
♦ 158400104	331701331	5 1/2-Gal. cooler w/ screw-on lid	Ea
♦ 200101	33170129	Sqwincher cups, 12 oz.	2,000/Cs
♦ 205200	331752001	Plastic cup dispenser	Ea



♦ Non-stock item. Minimum quantity may apply.



# First Aid

Remove Watermark Now

First aid is emergency care provided for injury or sudden illness before emergency medical treatment is available. OSHA requires employers to implement a first aid program specific to their particular workplace.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## Construction Bulk First Aid Kits

Provides a wide variety of items that meet the needs for most minor injuries encountered in a construction environment. Economical, weatherproof kits made of tough polypropylene are latex-free and comply with OSHA 1926.50 requirements.



019742-0029L

### CONSTRUCTION BULK FIRST AID KITS

DESCRIPTION	10-PERSON	25-PERSON	50-PERSON
	019742-0029L	019743-0030L	019744-0031L
Adhesive bandage, 1" x 3", plastic	16	32	100
Knuckle bandage, cloth	-	-	8
Adhesive tape, 1/2" x 2 1/2 yds.	1	1	2
Triangular bandage, non-sterile	1	1	1
Gauze pads, 3" x 3", sterile	4	6	10
Roller bandage, 3" x 6 yds., non-sterile	1	2	3
Bloodstopper® bandage	-	-	1
Trauma pad, 5" x 9", sterile	1	1	2
Antiseptic wipes, BZK	10	10	20
Antibiotic ointment pouch	6	6	12
Sting relief wipes	6	6	12
First aid/burn cream w/ aloe	6	6	12
Buffered eyewash	-	-	1
Eye pad, sterile	2	3	4
Ammonia inhalants, 2/Pk	-	-	10
Aypanal non-aspirin	3	3	6
Forceps, pointed, plastic	1	1	1
Scissors, angled, red handle	1	1	1
Instant cold pak	1	1	2
Medical gloves, synthetic, pair	2	2	4

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
019742-0029L	347627481	10-Person construction bulk kit	8" W x 5 1/8" H x 2 3/4" D	Ea
019743-0030L	347627491	25-Person construction bulk kit	7" W x 10 1/4" H x 3" D	Ea
019744-0031L	347627501	50-Person construction bulk kit	10" W x 10" H x 3" D	Ea



## First Aid Station

Large quantity and assortment of first aid medical supplies for most minor injuries, aches and pains. Medicinals are packaged in single-dose, tamper-evident units. Ideal for large office and manufacturing settings. Contains CPR barriers and trauma dressings. 10 1/2" W x 15" H x 4 3/4" D. ANSI Z308.1-2009 compliant.



019720-0009L

### FIRST AID STATION

DESCRIPTION	019720-0009L
Adhesive bandage, 3/4" x 3", cloth	100
Adhesive bandage, 1" x 3", plastic	200
Adhesive bandage, extra large, plastic	25
Fingertip bandage, cloth	40
Knuckle bandage, cloth	40
Adhesive tape, 1" x 5 yds., spool	1
Conforming bandage, 2" x 6 yds., non-sterile	4
Conforming bandage, 3" x 6 yds., non-sterile	4
Elastic bandage, 3"	1
Bloodstopper® bandage	1
Triangular bandage, non-sterile	1
Gauze pads, 3" x 3", sterile	1
Gauze pads, 2" x 2", sterile	1
Non-adherent pads, 2" x 3"	2
Alcohol prep pads, 10/Pk	2
Antiseptic pump spray, 2 oz.	1
PVP iodine wipes, 10/Pk	4
Antibiotic ointment, 10/Pk	1
Burn pump spray, 2 oz.	1
Eyewash, 4 oz.	1
Eye dressing pads w/ adhesive strips	1
Aypanal non-aspirin, 100/Bx	1
CPR Microshield® w/ 1 pair gloves & wipes, unitized	1
Forceps, pointed, plastic	1
Scissors, angled, red handle	1
Instant cold pak	2
Medical gloves, synthetic	5 pr.
First aid guide	1

ITEM #	ORDER #	DESCRIPTION	UOM
019720-0009L	34761009	First aid station, 100-person	Ea



## Body Fluid Cleanup Kit

For the safe removal and disposal of body fluids.

### BODY FLUID CLEANUP KIT

DESCRIPTION	55NA123P
Chlorine concentrate, 8 oz.	1
Disposable towel & wipes	3
Hibistat® towelette	1
Latex gloves	1 pr.
Pick-up scoop w/ scraper	1
Red biohazard bags, 2/Pk	1

ITEM #	ORDER #	DESCRIPTION	UOM
55NA123P	004708911	Body fluid disposal kit w/ mask & goggles	Ea



55NA123P

Remove Watermark Now



### First Aid Kits

Contains economical supplies that are readily accessible. Ideal for settings where a wide variety of first aid items are required. Available in weatherproof plastic, steel or metal. ANSI Z308.1-2009 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 019759-0035L	347697351	3-Person small vehicle kit, metal	8" W x 5 1/3" H x 2 5/8" D	Ea
◆ 019730-0017L	347627361	8-Person construction kit, steel	9 1/2" W x 6 3/8" H x 2 1/2" D	Ea
◆ 019748-0033L	34762752	10-Unit BBP response kit, plastic	5 1/8" W x 8" H x 2 3/4" D	Ea
019700-0001L	347627131	10-Person bulk kit, plastic	8" W x 5" H x 2 3/4" D	Ea
019701-0001L	347627141	10-Person bulk kit, steel	8" W x 5" H x 2 3/4" D	Ea
◆ 019709-0005L	347627221	10-Person ANSI kit, steel	5" W x 8" H x 2 5/8" D	Ea



FIRST AID KITS

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
019702-0002L	347627151	25-Person bulk kit, plastic	10 1/4" W x 7" H x 3" D	Ea
019703-0002L	347627161	25-Person bulk kit, steel	10 1/4" W x 7" H x 3" D	Ea
019704-0003L	347627171	50-Person bulk kit, plastic	15 3/4" W x 11" H x 3" D	Ea
019705-0003L	347627181	50-Person bulk kit, steel	15 3/4" W x 11" H x 3" D	Ea
◆ 019707-0004L	347627201	75-Person bulk kit, steel	9 1/2" W x 14" H x 2 1/3" D	Ea

#### FIRST AID KITS

DESCRIPTION	019700-0001L	019702-0002L	019704-0003L	019707-0004L	019709-0005L	019730-0017L	019748-0033L	019759-0035L
	019701-0001L	019703-0002L	019705-0003L					
Adhesive bandage, 1" x 3", plastic	16	32	100	100	16	32	-	16
Adhesive bandage, extra large, plastic	1	1	2	3	-	-	-	-
Fingertip bandage, cloth	1	3	4	8	-	-	-	-
Knuckle bandage, cloth	-	2	3	6	-	-	-	-
Adhesive tape, 1/2" x 2 1/2 yds.	2	2	2	3	2	2	-	1
Compress bandage, 4" offset	-	-	-	-	-	1	-	-
Conforming bandage, 2" x 6 yds., non-sterile	1	2	3	4	-	-	-	-
Conforming bandage, 3" x 6 yds., non-sterile	1	1	2	2	-	-	-	-
Elastic bandage, 2"	-	-	1	1	-	-	-	-
Triangular bandage, non-sterile	1	1	1	1	1	1	-	-
Gauze compress, 36" sq.	-	-	-	-	1	-	-	-
Gauze pads, 2" x 2", sterile	4	4	10	10	-	-	-	-
Gauze pads, 3" x 3", sterile	4	4	4	10	4	4	-	4
Gauze roller bandage, sterile	-	-	-	-	-	-	-	1
Trauma pad, 5" x 9", sterile	1	1	1	1	-	-	-	1
Alcohol prep pads	-	-	-	-	-	10	-	-
Antiseptic wipes, BZK	6	6	12	12	-	-	1	6
PVP iodine wipes	-	-	-	-	10	10	-	-
Antibiotic ointment pouch	6	6	12	12	10	-	-	6
Insect repellent	-	-	-	-	-	-	-	2
Sting relief wipes	6	6	12	12	-	-	-	6
First aid/burn cream with aloe	6	6	12	12	6	6	-	6
Eye-Lert® eyewash, 1 oz.	-	1	1	2	-	1	-	-
Eye pad, sterile	-	1	2	3	-	-	-	-
Eye dressing w/ (4) adhesive strips	-	-	-	-	-	4	-	-
Ammonia inhalant	-	-	-	-	-	10	-	-
Aypanal non-aspirin	3	3	6	6	-	-	-	3
CPR Filtershield™	-	1	1	1	-	-	-	-
Forceps, pointed, plastic	1	1	1	1	-	1	-	-
Scissors, angled, red handle	1	1	1	1	1	-	-	1
Instant cold pak	1	1	2	2	1	1	-	-
Medical gloves, synthetic	2 pr.	2 pr.	2 pr.	5 pr.	2 pr.	2 pr.	1 pr.	2 pr.
First aid guide	1	1	1	1	1	-	-	1
Wire Splint	-	-	-	1	-	-	-	-
Absorbent towel	-	-	-	-	-	-	1	-
Biohazard bag, 24" x 24" w/ twist-tie	-	-	-	-	-	-	1	-
Germicidal surface wipe	-	-	-	-	-	-	1	-
Shovel	-	-	-	-	-	-	1	-
Vital 1® absorbent, 2 oz.	-	-	-	-	-	-	1	-



### BugX<sup>®</sup> 30 Towelettes

Individually packaged in convenient, leak-proof, foil pouches. Formulated with 30% DEET to repel mosquitoes, ticks, fleas, chiggers, black flies and deer flies. 8" x 5".

BugX is a registered trademark of ISIS Investment Corp.



122004XA

ITEM #	ORDER #	DESCRIPTION	UOM
122004XA	347629961	BugX towelettes	50/Bx



### Protective Skin Cream

Protect skin in wet or dry work environments. Barrier against many sticky, staining, irritating industrial substances. Contains silicone. 4 oz.



272204

ITEM #	ORDER #	DESCRIPTION	UOM
272204	347622041	Barrier cream w/ silicone	Ea





# Showers & Eyewash

Remove Watermark Now

Eyewashes and showers should be located as close as possible to the hazard. The more hazardous the material, the closer the unit should be and no further than 10 seconds travel time from the hazard. Go to [www.osha.gov](http://www.osha.gov) for complete information.



Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



32-000462-0000

32-000461-0000

## Honeywell Personal Eyewashes and Wall Stations

Sealed, sterile bottles contain Eyesaline® – a buffered, saline solution superior to tap water for emergency eye care. Blow-fill-seal bottles are tamper-resistant, yet easily removed in an emergency. Extended flow opening provides longer flow rate than conventional bottles. Durable, open face design holds bottles firmly in place with easy access to bottles in an emergency. Mounts to wall with provided screws. Durable plastic is easy-to-clean. Simple, highly visible operating instructions are provided on each unit. 16 oz. and 32 oz. bottles feature trilingual instructions. Ensured quality and lasting value with FDA-grade polyethylene bottles featuring lot numbers and expiration dates. DOES NOT MEET the current ANSI Z358.1 15-minute flushing requirement.

ITEM #	ORDER #	DESCRIPTION	UOM
32-000460-0000	341501091	Single wall station, 16 oz. bottle	Ea
32-000461-0000	341501101	Single wall station, 32 oz. bottle	Ea
32-000465-0000	34156501	Double wall station, 16 oz. bottles	4/Cs
32-000462-0000	341501111	Double wall station, 32 oz. bottles	Ea

## Honeywell

### Fendall 2000™ Eyewash Station

Delivers 100% sterile Eyesaline® eyewash solution via a 100% sterile delivery system. Each portable unit comes complete with emergency eyewash station sign, bracket, installation DVD and tamper seals. Integrated waste containment prevents spilling and is easily emptied. Built-in alarm sounds when the unit is activated and again when the 15-minute flush has been completed. Deactivation button allows easy maintenance. Sleek design measures 34 3/4" H x 17 1/2" W x 15 1/2" D. Sterile Eyesaline solution cartridges sold separately; cartridges have 24-month life. One-year warranty. Meets ANSI Z358.1-2009 15-minute flush requirement for primary eyewash stations.



32-002000-0000

ITEM #	ORDER #	DESCRIPTION	UOM
32-002000-0000	341556331	Fendall 2000 eyewash station	Ea
32-ST2050-0000	341556341	Sterile Eyesaline refill cartridge	Ea



32-001000-0000



32-001050-0000

## Honeywell

### Fendall Pure Flow 1000® Eyewash Station

Saline is physiologically correct, buffered to the eye and delivered from factory-sealed cartridges. No costly plumbing required. Integral reservoir captures waste fluid. Stop valve allows easy draining of reservoir after use. Cartridges have 2-year shelf life; sold separately. Provides a constant ribbon fluid flow rate of 0.4 gpm for the entire 15-minute flushing period required by industry standards. Meets ANSI Z358.1-2009.

ITEM #	ORDER #	DESCRIPTION	UOM
32-001000-0000	341554681	Fendall Pure Flow 1000 eyewash station, English	Ea
32-001050-0000	341500791	Purified saline refill cartridges, trilingual	Pr

Remove Watermark Now

**Honeywell**

**Fendall Porta Stream® I Eyewash Station**

Portable, lightweight and delivers 6 minutes of uninterrupted, hands-free flushing without costly plumbing. Gravity-fed flow begins immediately when the nozzle pull strap is removed. Supplied with 70 oz. of Eyesaline® concentrate which, when mixed with tap water provides 6 gals. of saline solution. May be mounted on a wall, mobile cart or mobile stand for easy and affordable safety near most workplace hazards. Nozzle strap is easily removed, leaving hands free to hold eyelids open. Large fill hole simplifies refilling and cleaning. Illustrated operating instructions printed on the unit. Suitable for nuisance situations such as dust or particle flushing where a 15-minute flushing device is not a requirement. Hi-viz green.



32-000100-0000

ITEM #	ORDER #	DESCRIPTION	UOM
32-000100-0000	341500761	Fendall Porta Stream I eyewash station w/ saline concentrate	Ea

**Honeywell**

**Fendall Porta Stream® II Eyewash Station**

Portable, self-contained design may be mounted on a wall or mobile cart. Nozzle strap is easily removed to activate flushing, leaving hands free to hold eyelids open. Molded handle accepts hanging bracket for vertical or horizontal surface installation. Supplied with Eyesaline® concentrate; when mixed provides 14-16 gals. of preserved, buffered saline solution. Industry-compliant 15-minute flow cycle from a large 16-gal. reservoir permits thorough eye flushing by providing a 0.4 gpm flow rate over the eyes. Large fill hole with lockable fill cap simplifies refilling and cleaning and reduces risk of possible tampering. Includes Emergency Eyewash sign. Meets ANSI Z358.1-2014 15-minute flushing requirements for primary eyewash stations. Hi-viz green.



32-000200-0000

ITEM #	ORDER #	DESCRIPTION	UOM
32-000200-0000	341500881	Fendall Porta Stream II eyewash station w/ saline concentrate	Ea

**Honeywell Eyesaline® Personal Eyewashes**

Bottles contain Eyesaline saline solution for use in personal eyewash devices that offer secondary response and are intended to supplement, not replace, primary eyewash units. Also used for continued irrigation when moving an injured person from a primary eyewash unit to medical care. Easy-open top is tamper-resistant, yet easily removed in an emergency. User-controlled volume delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle. Made of FDA-grade polyethylene with lot numbers and expiration dates to ensure quality. Three-year shelf life.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
32-000451-0000	34150105	Eyesaline personal eyewash, 1 oz.	24/Cs	Cs
32-000454-0000	341501071	Eyesaline personal eyewash, 16 oz.	12/Cs	Ea
32-000455-0000	341501081	Eyesaline personal eyewash, 32 oz.	12/Cs	Ea



32-000454-0000

32-000451-0000

32-000455-0000



**Protective Eyewear, starting on Page 22.**

**Honeywell Eyesaline® Concentrate**

Physiologically balanced to match natural tears and aid in reducing additional damage to the injured eye when flushed properly. Specifically formulated to be mixed with clean, potable water (10:1 ratio) and provides a cost-effective solution for the eyewash refills. May be used with Porta Stream® I, II & III (sold separately). The 180 oz. bottle makes 14-16 gals.; 70 oz. bottle makes 5-7 gals.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
32-000502-0000	341501141	Saline solution premix, 1 gal., for use w/ Fendall Porta Stream I, II & III	4/Cs	Ea
32-000509-0000	341501151	Saline concentrate, 70 oz., for use w/ Fendall Porta Stream I	6/Cs	Ea
32-000513-0000	341501171	Saline concentrate, 180 oz., for use w/ Fendall Porta Stream II & III	4/Cs	Ea



32-000502-0000

32-000513-0000

◆ Non-stock item. Minimum quantity may apply.



## Portable Low-Profile Eyewash Station

One of the top OSHA citations is lacking an emergency eyewash station. As required by law, protect employees and guard against personal injury claims. Operates with one motion, one hand. Gravity fed 15-minute flow time. No plumbing required. Flow rate: 0.4 gpm for 15 minutes. Includes mounting bracket, inspection tag and preservative. Change water every 90 days. Measures 11 1/2" x 19 1/2" x 25". Meets ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
5135	G73551351	Portable eyewash station	Ea
♦ 5136	G7355136	Eyewash preservative, 8 oz.	4/Cs

5135



G1100



Guardian

## G1100 and G1101 EyeSafe™ and EyeSafe-X™ Faucet-Mounted Eyewashes

Features EyeSafe and EyeSafe-X mounts, easy installation and an unlimited supply of potable water for rinsing user's eyes. EyeSafe spray head outlets mount 3" apart to fit most faucets; EyeSafe-X large profile spray head outlets mount

5" apart to fit gooseneck faucets. Adjustable outlet heads deliver a soft, aerated flow of water. Includes forged brass diverter valve, inlet body with 55/64"-27 female thread and three adapters plus furnished outlet with removable aerator on bottom. Requires two motions to operate (turn on water, pull knob to activate eyewash flow). Intended solely as supplemental units for use with plumbed eyewash equipment already installed in the workplace. Should be used with cold or warm water only. Fully assembled and 100% tested.

ITEM #	ORDER #	DESCRIPTION	UOM
G1100	B73101021	EyeSafe faucet-mounted eyewash	Ea
G1101	B73101031	EyeSafe-X faucet-mounted eyewash, gooseneck version	Ea



G1806



Guardian

## G1806 Deck-Mounted Eyewashes with 90° Swivel

Eyewash swings horizontally out over the sink for operation. Flow is activated with flag handle and remains in operation until handle is released. Two large GS-Plus™ spray-type outlet heads deliver a flood of water for rinsing eyes and face. Each head has a "flip top" dust cover, internal flow control and filter to remove impurities. Polished chrome-plated brass construction. Meets ANSI Z358.1-2014 Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ G1806	B73101981	Deck-mounted eyewash, right hand mount	Ea
♦ G1806LH	B73101991	Deck-mounted eyewash, left hand mount	Ea



G1540

G1540BA

G1540HTR



Guardian

## G1540 AquaGuard 16-Gal. Portable Eyewashes

Self-contained, 16-gal. gravity-flow eyewash unit uses gravity to deliver water through dual spray heads. Unit delivers over 8 gals. (30 liters) of water for 15 minutes, thus complying with the provisions of ANSI Z358.1-2014 for eyewashes. Rugged plastic tank can be installed in a wide variety of locations. Ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, low traffic and/or low hazard areas. Tank has built-in carrying handle, heavy wall construction and reinforced ribs to support weight of unit. Eyewash delivers over .5 gallons per minute for 15 minutes. Water flow is activated by pulling down on bright yellow eyewash tray. Integral full flow nozzles deliver soft spray of water. Swing tray up to storage position to stop flow. Can be wall-mounted or used on countertop. Heated, freeze-resistant unit also available.

ITEM #	ORDER #	DESCRIPTION	UOM
G1540	B73101151	AquaGuard gravity-flow portable eyewash	Ea
♦ G1540HTR	B7311546	AquaGuard gravity-flow portable eyewash, heated	Ea
G1540BA	B73101161	AquaGuard bacteriostatic additive, 8 oz.	Ea



Remove Watermark Now



**Guardian G1600 Series Emergency Showers**

Orange, ABS plastic shower head is 10" in diameter. Furnished with stainless steel actuating arm, 29" pull rod, and 1" IPS chrome-plated brass, stay-open ball valve with Teflon® seals. 1" NPT female inlet supply. Tested to meet ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1635	B73101271	Emergency shower, vertically mounted	Ea
◆ G1643	B73101311	Emergency shower, horizontally mounted	Ea

**Guardian G1814 Series Wall-Mounted Eyewashes**

Features (2) GS-Plus™ spray-type heads with "flip-top" dust cover, internal flow control and filter to remove impurities from the water flow. Includes signage and inspection tag. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
G1814	B73102031	Eyewash w/ stainless steel bowl	Ea
G1814P	B73102041	Eyewash w/ ABS plastic bowl	Ea
◆ G1814BC	B73111141	Eyewash w/ stainless steel bowl & cover	Ea



**Guardian G1750 Series Eye/Face Washes**

Specially designed for wall mounting. Two large FS-Plus™ spray-type outlet heads deliver a flood of water for rinsing eyes and face. Spray head assembly features internal flow control and filter to remove impurities from the water flow. Furnished with 1/2" IPS chrome-plated brass, stay-open ball valve with Teflon® seals and 1/2" NPT female inlet supply. Heavy-duty cast aluminum wall bracket is corrosion-resistant with powder-coated finish. Includes ANSI-compliant identification sign. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1750	B73101661	Eye/face wash w/ stainless steel bowl	Ea
◆ G1750BC	B7310332	Eye/face wash w/ stainless steel bowl & cover	Ea
◆ G1750P	B73101671	Eye/face wash w/ plastic bowl	Ea

◆ Non-stock item. Minimum quantity may apply.



Remove Watermark Now



## GFR3100 Heated Safety Station with Eyewash

Electric heat-traced station prevents freezing even in extreme conditions. Thermostat regulated unit heated by self-limiting heat-tracing cable wrapped around internal pipe. Intended for cold weather use down to -20° F. Features 10" dia. orange ABS plastic shower head with 20 gpm flow control. Supplies are: 1 1/4" NPT female top supply inlet; 1" IPS brass stay-open ball shower valve with stainless steel actuating arm and 29" stainless steel pull rod; and 1/2" IPS brass three-way self-draining stay-open ball eyewash valve with 1/2" NPT port to drain water from spray heads after use. Valves made in USA with brass ball and Teflon® seals. Galvanized steel pipe and fittings, UV-resistant, orange, ABS plastic jacket with polyethylene foam insulation, and freeze-resistant spray head assembly with float-off dust covers and internal flow control. Units approved for Class I, Division 2, Groups B, C, and D. Electrical components are FM, UL®, and CSA approved.



GFR3100

ITEM #	ORDER #	DESCRIPTION	UOM
◆ GFR3100	B7313100	Heated safety station w/ eyewash	Ea



G1902P FEATURING EYEWASH USE



G1902P FEATURING SHOWER USE



G1902

## Guardian G1902 Series Safety Stations with Eyewash

Features 10" diameter, ABS plastic shower head and (2) GS-Plus™ spray-type outlet heads with "flip-top" dust cover, internal flow control and filter to remove impurities. G1902BC eyewash has a stainless steel bowl and cover to protect spray heads from dust, dirt and other contaminants. Cover is raised automatically when flag handle is activated. Includes signage and inspection tags. 100% Tested to meet ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1902	B7311903	Safety station eyewash & shower w/ stainless steel bowl	Ea
◆ G1902BC	B73103251	Safety station eyewash & shower w/ stainless steel bowl & cover	Ea
◆ G1902P	B7311902	Safety station eyewash & shower w/ plastic bowl	Ea

Remove Watermark Now



### G1825 Series Pedestal-Mounted Eyewashes

Free-standing, pedestal-mounted eyewash. Two GS-Plus™ spray-type spray heads. Each head has a “flip top” dust cover, internal flow control and filter to remove impurities from the water flow. Water flow is activated by flag handle; optional bowl cover (on G1825BC model) is automatically raised when unit is activated. Includes ANSI-compliant identification sign. 100% Tested to meet ANSI Z358.1. Classified Primary.



ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1825P	B73102121	Eyewash w/ ABS plastic bowl	Ea
◆ G1825	B73102101	Eyewash w/ stainless steel bowl	Ea
◆ G1825BC	B7311825	Eyewash w/ stainless steel bowl & cover	Ea



### G5000 Series Eyewash/Drench Hose Units

Dual-purpose eyewash/drench hose for wall or deck mounting. Can be used as a fixed eyewash, leaving hands free. Unit may be removed for use as a drench hose to rinse any part of user’s eyes, face or body. Fully assembled and 100% tested to meet ANSI Z358.1 as both an eyewash and a drench hose.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G5026	B73102851	Eyewash/drench hose unit, wall-mounted	Ea
◆ G5022	B73102811	Eyewash/drench hose unit, deck-mounted	Ea



### G1562 15-Gal. Portable Eyewash/Drench Hose Units

Self-contained eyewash/drench hose units ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, and low traffic areas where installation of plumbed equipment is not cost-effective. 15-Gal. units provide approximately 10 usable gals. (37.9 liters) of water for effective rinsing of the eyes, face or body, for fifteen minutes, thus complying with the provisions of ANSI Z358.1-2014 for eyewashes. Stainless steel pressurized tank includes built-in carrying handles, air intake fitting, pressure gauge and pressure relief valve. Unit features (2) GS-Plus™ spray heads, each with a “flip top” dust cover, internal flow control and filter, and a 1/2” IPS chrome-plated, brass stay-open ball valve with flag handle. Pressure regulator controls eyewash flow to 0.65 GPM for 15 minutes. Drench hose features single GS-Plus spray head with “flip top” dust cover, internal flow control and filter; chrome-plated, brass squeeze valve with stainless steel lever handle and 6’ reinforced PVC hose. Heated, freeze-resistant model also available.



ITEM #	ORDER #	DESCRIPTION	UOM
G1562	B7311562	Portable eyewash/drench hose	Ea
◆ G1562HTR	B7311547	Portable eyewash/drench hose, heated	Ea

◆ Non-stock item. Minimum quantity may apply.




Honeywell

# Lockout/Tagout

Remove Watermark Now

Proper lockout/tagout practices and procedures safeguard workers from the release of hazardous energy. OSHA outlines specific action and procedures for addressing and controlling hazardous energy.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.




Honeywell

## B-Safe Ball Valve Lockouts

Made of durable polypropylene plastic and is fully dielectric. Highly resistant to many solvents and other chemical products. Easy-to-use design is available in three different sizes. Only the BS01 can lock in the open position. Resistant to extreme temperature changes (-50° F to 360° F). Red.

BS01R

ITEM #	ORDER #	DESCRIPTION	UOM
BS01R	347600031	Ball valve lockout, 3/8"-1 1/4"	Ea
BS02R	347699021	Ball valve lockout, 1 1/2"-2 1/2"	Ea
BS03R	347605991	Ball valve lockout, 2"-8"	Ea
◆ BS04R	347606051	Universal butterfly valve lockout	Ea



VS04

## Honeywell V-Safe Valve Lockouts

Helps to properly lockout valve wheels from 1" up to 14" dia. Designed with (2) flattened half-moons that completely cover valve wheel. Made from polypropylene plastic. Fully dielectric and resistant to extreme temperature changes (-50° F to 360° F). Resistant to cracking and abrasion. Meets OSHA 29 CFR 1910.147 regulations and ANSI Z353.1. Red.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
VS02	347620021	V-Safe valve cover	1"-2 1/2"	Ea
VS04	347620041	V-Safe valve cover	2 1/2"-5"	Ea
VS06	347626071	V-Safe valve cover	5"-6 1/2"	Ea
VS09	347626111	V-Safe valve cover	6 1/2"-10"	Ea
VS13	347626151	V-Safe valve cover	10"-14"	Ea



CBLOK06R

CBLOK10R


## Honeywell Cable Lockouts

Hasp is constructed of tough and durable nylon for strength and durability. Can accommodate up to (6) padlocks. Highly visible red color identifies padlock for lockout use. All metal parts are zinc-coated or non-corroding. The 3/16" steel cable is rated at 1,000 lbs. minimum pull strength at the weakest point, which prevents accidental energizations. Cables are PVC-coated for wear resistance. Available in 6' or 10' cable lengths.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ CBLOK06R	347607411	Cable lockout	6'	Ea
CBLOK10R	347607421	Cable lockout	10'	Ea

Remove Watermark Now

**Honeywell**



CB01R

CB03R

CB02R

**C-Safe Circuit Breaker Lockouts**

Constructed of rigid plastic. Available for single or double pole circuit breaker lockout applications. Red color helps to identify from a distance.

- **CB01R** single pole lockout requires a switch breaker with a recessed hole in it
- **CB02R** double pole lockout requires the breakers to be connected with a cross bar for lockout application
- **CB03R** single pole lockout that does not require a switch breaker with a recessed hole in it

ITEM #	ORDER #	DESCRIPTION	UOM
◆ CB01R	347600075	Single pole lockout	6/Pk
◆ CB02R	347607455	Double pole lockout	6/Pk
◆ CB03R	347600135	Single pole lockout	6/Pk

**Honeywell**

**M-Safe Nylon Lockout Hasp**

Heavy-duty hasp is made entirely of dielectric nylon. Holds 1-6 padlocks allowing users to properly lockout equipment and prevent accidental operation. Non-conductive and chemical-resistant for strength and durability. Hi-viz red.



MS01

ITEM #	ORDER #	DESCRIPTION	UOM
MS01	347619881	Nylon lockout hasp	Ea

**Honeywell**


**E-Safe Plug Lockouts**

Completely encloses plug from any accidental reconnection. Electrical cable is inserted through the opening and then closed. Made of polypropylene plastic, which is totally dielectric and resists cold or hot temperatures.

**LP110** accepts 110 V and certain models of the 220 V plugs (up to 1 3/4" x 1 3/4" x 1 3/4") with a maximum cable diameter of 1/2".

**LP550** accepts 220 V and 550 V plugs (up to 3" x 3" x 6 3/4") with a maximum cable diameter of 1".

ITEM #	ORDER #	DESCRIPTION	UOM
LP110	347601101	Single entry, accepts 110 V & certain models of the 220 V plugs	Ea
LP550	347605501	Multiple entry, accepts 220 V & 550 V plugs	Ea



LP110

LP550, OPEN

LP550

**Honeywell**

**Group Lock Box**

Used for work team situations where multiple employees, energy sources, machines and processes need to be locked out. All keys are securely stored in the tamper-resistant heavy steel lock box. A single person (group leader or foreman) locks the box until the job is complete and all group members are cleared from work area. Helps to simplify lockout procedures for large equipment. Once the equipment or process is locked out, the key or keys are placed in the box. Then, each authorized work team member places a personal lock or tagout device to the group lock box. This ensures that no single person has access to the box unless all employees have removed their locks or tags. Accepts up to (13) individual locks. Bilingual. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
GLB03	347617041	Group lock box	Ea



GLB03

◆ Non-stock item. Minimum quantity may apply.





# Wipes & Cleaners

Remove Watermark Now

Employers shall provide hand washing facilities. When hand washing facilities are not feasible, employers shall provide either an appropriate antiseptic hand cleaner in conjunction with clean cloth/paper towels or antiseptic towelettes.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

41041



## Wypall\* X80 Wipers

Wypall\* X80 are the wiper of choice for the toughest jobs. For heavy industrial tasks, cleaning grease, grime and oil, solvent wiping, cleaning rough surfaces, or any other challenging task. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
41041	15401041	Brag* Box, 160/Bx	12.5" x 16.8"	Ea



05812



## Wypall\* L30 Wipers

Ideal for general-purpose, light-duty cleanups. Removes soils and liquid from face and hands. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
05812	15405812	Wipers, 1/4 Fold, 90/Pk	12.5" x 12"	12/Cs



34015



## Wypall\* X60 Wipers

Wypall\* X60 in the popular Brag\* box format bring the absorbing power of Hydroknit\* material technology to a lightweight wiper, combining versatile performance and economy for light-duty tasks. Designed to reduce waste, which means you spend less. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
34015	15404015	Brag* Box, 180/Bx	12.5" x 16.8"	Ea



Remove Watermark Now



75260

### Scott® Rags in a Box

Soft, absorbent towels that perform like a cloth. Multi-purpose for thousands of projects. Pop-Up\* Box with built-in handle allows the product to be taken to the job while keeping rags clean. Ideal for painting, wiping up spills, staining and refinishing furniture. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
75260	15405260	Rags, 200/Bx	10" x 13"	8 Bx/Cs



75130



75190

### Scott® Shop Towels

Whether faced with automotive detail, cleaning the garage or simply wiping windows, Scott® shop towels are exactly what are needed to get the job done. Each towel is strong, durable and absorbent. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
75130	15405130	Shop Towels On A Roll, 55/RI	11" x 10.4"	30 RI/Cs
75190	15405190	Shop Towels In A Pop-Up* Box, 200/Bx	10" x 12"	8 Bx/Cs



### Wypall\* Waterless Cleaning Wipes

Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. The ideal pre-saturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Green. Orange/citrus fragrance.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
91371	154013711	Waterless Cleaning Wipes, 75/bucket	9.5" x 12"	Ea
◆ 58310	15408310	Waterless Cleaning Wipes, 50/canister	12" x 10"	Ea



58310

91371



36101



### Kimtech\* Wettask\* Dual Performance Wiping System

Innovative wipes feature a purple, textured side to make cleaning hard to remove substances easier. Use white side for regular cleaning and purple side for tougher jobs when extra scrubbing power is needed. Leaves surfaces looking and feeling cleaner. Purple.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 36101	15400234	Kimtech* Wettask* Dual Performance Wiping System, 90/RI	12" x 12.5"	Ea



**3M**

# Sorbents

Remove Watermark Now

The Hazardous Waste Operations and Emergency Response Standard (HAZWOPER) applies to distinct groups of employers and their employees. This includes any employees who are exposed or potentially exposed to hazardous substances, including hazardous waste.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

## 3M™ 3M™ Petroleum Sorbent Boom T-270 and Double Boom T-280

Petroleum sorbents repel water while absorbing oil and petroleum-based liquids from spills and effluent discharges. Booms are scrim-encased tubes of particulate sorbent material secured by UV-resistant netting. T-280 is double-constructed with (2) 4" booms secured in UV-resistant netting. Built-in attachment clips on ends of booms allow them to be linked together and overlapped, helping to reduce seepage between the segments. T-270 absorbs approximately 20 gals. per boom, T-280 absorbs approximately 10 gals. per boom. 4 Booms/case. Pink.



T-270

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ T-270	66550855	Boom	8" x 10'	Cs
◆ T-280	66550856	Double boom	4" x 10'	Cs



T-151

**3M**

## 3M™ Petroleum Sorbent Pads

Used extensively for controlling, cleaning up and recovering oil and petroleum-based liquids. Conveniently sized pads allow user to quickly spread sorbent over and in the path of a spill. May also be used on a work surface in anticipation of a spill or as a wipe. High-capacity sorbents have a scrim on one side to increase strength and help reduce linting. Standard pads (200 count) absorb approximately 43 1/2 gals. per case; high-capacity pads (100 count) absorb approximately 37 1/2 gals. per case. 17" x 19". White.

ITEM #	ORDER #	DESCRIPTION	UOM
T-151	66550853	Standard sorbent pads	Cs
HP-156	66559156	High-capacity sorbent pads	Cs

### ⚠ WARNING

Failure to properly handle and dispose of sorbents contaminated by hazardous materials could result in serious physical injury or death. For proper handling, consult the *Material Safety Data Sheet* for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M CSD Technical Service in the USA at 1-800-626-8578.



### 3M™ Maintenance Sorbent Folded M-FL550DD, High-Capacity

Easy-to-use for containing and cleaning up spills, drips and fluid leaks. Scrim on one side increases strength and helps reduce linting. Dispensed from a carrying/dispenser box on a perforated roll. Utilizes folded sorbent technology and can be used as a pillow, pad, roll or boom. Each box absorbs approximately 10 1/2 gals. 5" x 50". 3 Boxes/case. Gray.



ITEM #	ORDER #	DESCRIPTION	UOM
M-FL550DD	66550793	Maintenance sorbent, folded	Cs



P-110

### 3M 3M™ Chemical Sorbent Pads P-110

Powerful enough to handle acids (including hydrofluoric acid), bases, coolants and most other hazardous fluids without reacting to most hazardous chemicals. Absorb petroleum-based fluids, non-aggressive chemicals and water-based solutions, reducing the need for different sorbent types. Convenient dispenser box can be wall-mounted. High-capacity chemical sorbent pads absorb approximately 17 gals./case. 11" x 13". 50 Pads/box, 4 boxes/case. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
P-110	66550802	Chemical sorbent pads	Cs

## OSHA's standards for general industry and the construction industry on hazardous waste operations and emergency response (29 CFR 1910.120 or 29 CFR 1926.65) cover all employees involved in:

- Clean-up operations of hazardous substances at uncontrolled hazardous waste sites required by Federal, state, local or other governments;
- Corrective actions involving clean-up procedures at sites covered by the Resource Conservation and Recovery Act (RCRA);
- Voluntary clean-up operations at sites recognized as uncontrolled hazardous waste sites by Federal, state, local or other governments;
- Operations involving hazardous waste that are conducted at treatment, storage and disposal facilities licensed under RCRA;
- Emergency response operations for hazardous substance releases or substantial threats of releases.

Other requirements include controls to reduce and monitor exposure levels of hazardous materials, an informational program describing any exposure during operations and the inspection of drums and containers prior to removal or opening. Decontamination procedures and emergency response plans (described under Emergency Response) must be in place before employees begin working in hazardous waste operations. Employers must also create safer environments by developing and implementing effective new technologies.

For complete information about hazardous waste operations and emergency response, please visit OSHA's Hazardous Waste page at [www.osha.gov](http://www.osha.gov).



JUSTRITE

# Hazardous Storage

Remove Watermark Now

Chemicals require very specific and specialized storage which minimizes risk and personal injury and damage to property and equipment. Safe storage of chemicals also requires that all chemicals be properly identified including statement of hazards.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

896020



894500

JUSTRITE

## Sure-Grip® EX Safety Cabinets for Flammables

Double-wall, 18-gauge steel construction has (2) vents with flame arresters that allow hazardous vapors to be piped away if required. Integral leak-proof well contains accidental spills. Features self-latching doors with 3-point stainless steel bullet latches to help reduce fire risks. Includes U•Loc™ padlockable handle, reflective Haz-Alert™ warning labels for visibility in the dark and SpillSlope® safety shelves that direct incidental spills to the back and bottom of a leaktight 2" sump. Ten-year warranty. Models with self-closing doors comply with the International Fire Code and NFPA 1 Fire Code. Meets NFPA Code 30 and OSHA regulations. FM Approved. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
893000	B6168930	30-Gal. cabinet w/ 2 doors & 1 shelf, manual close	44" H x 43" W x 18" D	Ea
893020	B6163020	30-Gal. cabinet w/ 2 doors & 1 shelf, self-close	44" H x 43" W x 18" D	Ea
894500	B61611021	45-Gal. cabinet w/ 2 doors & 2 shelves, manual close	65" H x 43" W x 18" D	Ea
894520	B6164520	45-Gal. cabinet w/ 2 doors & 2 shelves, self-close	65" H x 43" W x 18" D	Ea
896000	B6166000	60-Gal. cabinet w/ 2 doors & 2 shelves, manual close	65" H x 34" W x 34" D	Ea
896020	B6161795	60-Gal. cabinet w/ 2 doors & 2 shelves, self-close	65" H x 34" W x 34" D	Ea

Ships Direct FOB Mfg.

893020



891200



890400

JUSTRITE

## Sure-Grip® EX Countertop and Compac Safety Cabinets for Flammables

Allow increased access to often-used flammable liquids without compromising safety. Portable size keeps work areas flexible. Fit almost anywhere and provide protection when space is at a premium. Includes (1) adjustable shelf. Complies with OSHA and NFPA regulations. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
890400	B6164400	4-Gal. countertop cabinet, manual close	22" H x 17" W x 17" D	Ea
890420	B6161801	4-Gal. countertop cabinet, self-close	22" H x 17" W x 17" D	Ea
891200	B6161796	12-Gal. compac cabinet, manual close	35" H x 23 1/4" W x 18" D	Ea
891220	B6161803	12-Gal. compac cabinet, self-close	35" H x 23 1/4" W x 18" D	Ea

Ships Direct FOB Mfg.

Remove Watermark Now



### Sure-Grip® EX Blue Steel Countertop Cabinets for Corrosives

Allows increased access to often-used corrosive liquids without compromising safety. Portable size keeps work areas flexible. Fits almost anywhere and provides protection when space is at a premium. Includes (1) adjustable shelf. 22" H x 17" W x 17" D. Complies with OSHA and NFPA regulations. Blue.



890402

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	UOM
890402	B6162402	4-Gal. countertop cabinet, manual close	Ea
890422	B6162422	4-Gal. countertop cabinet, self-close	Ea



### Blue Polyethylene Countertop Storage Cabinet for Corrosives

Hollow-bodied, polyethylene cabinet withstands highly corrosive acids and offers maximum protection against chemical corrosion and leaks. Clearly labeled for ACID contents and accepts a padlock (not included) for added security. Stores up to (2) 4 L bottles. Door can be hinged from either side for best worktop space utilization. Polyethylene spill tray inside contains leaks and can be removed for easy cleaning. Separate polyethylene tray stores under the cabinet and can be used as a handy work tray. 19 1/2" H x 14 1/4" W x 16 1/4" D. Blue.



24040

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	UOM
24040	B61609581	Countertop cabinet	Ea



26800D

26800B

26800



### Smokers Cease-Fire® Cigarette Butt Receptacles

Self-extinguishing design safely collects unsightly cigarette butts and reduces risk of fire. Made of low-maintenance, flame-retardant polyethylene that won't rust, dent or crack. Unique rain bonnet opening keeps rain out and discourages other trash. Lift-off lid to empty galvanized steel pail. Tie-down notches offer security and stability. In high-humidity environments, "drip-lip" internal construction prevents tar condensation from escaping. 16 1/2" dia. x 38 1/2" H. FM Approved.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 26800	B6160010	Cigarette butt receptacle	Pewter gray	Ea
◆ 26800B	B6160001	Cigarette butt receptacle	Adobe beige	Ea
◆ 26800D	B6160003	Cigarette butt receptacle	Deco black	Ea



### Oily Waste Cans

Dispose of oil-soaked rags and protect from fires that start due to spontaneous combustion, sparks or careless use of smoking material. Rags and cloths soaked with flammable liquids present a serious fire risk when improperly discarded. Specially designed, foot-operated lid opens no more than 60° and stays closed when not in use, isolating contents from fire sources and limiting oxygen, virtually eliminating risk of spontaneous combustion. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Galvanized steel body with a durable, red powder-coat paint finish. FM tested and approved. UL® Listed. TÜV certified.



09100

09300

09500

09700

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 09100	B61606921	6-Gal. oily waste can	11 7/8" OD x 15 7/8" H	Ea
◆ 09300	B61606971	10-Gal. oily waste can	13 15/16" OD x 18 1/4" H	Ea
◆ 09500	B61607011	14-Gal. oily waste can	16 1/16" OD x 20 1/4" H	Ea
◆ 09700	B61607041	21-Gal. oily waste can	18 3/8" OD x 23 7/16" H	Ea





## Type I Steel Safety Cans

Fully compliant safety can with ergonomically counter-balanced design for easy pouring with rounded, swinging comfort handle. Protection features include a long-lasting, stainless steel flame arrester that dissipates heat to prevent flashback ignition and leak-proof, positive pressure-relief cap that automatically vents to guard against rupture or explosion. Large ID zone provided for identifying content mixtures and/or department location, work shift, crew or individual user. Heavy-duty, 24-gauge galvanized steel body and handle with powder-coat paint finish. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.



Remove Watermark Now

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ 10301	B61607181	1-Gal. safety can w/ trigger handle, flammables	7 1/4" dia. x 11 1/2" H	Red	Ea
◆ 7110100	B61621001	1-Gal. safety can, flammables	9 1/2" dia. x 11" H	Red	Ea
◆ 7120100	B61631001	2-Gal. safety can, flammables	9 1/2" dia. x 13 3/4" H	Red	Ea
◆ 7125100	B61651001	2 1/2-Gal. safety can, flammables	11 3/4" dia. x 11 1/2" H	Red	Ea
◆ 7150100	B61618091	5-Gal. safety can, flammables	11 3/4" dia. x 16 7/8" H	Red	Ea
◆ 7150110	B61651101	5-Gal. safety can w/ 11202Y poly funnel, flammables	11 3/4" dia. x 16 7/8" H	Red	Ea
◆ 7150200	B61652001	5-Gal. safety can, diesel	11 3/4" dia. x 16 7/8" H	Yellow	Ea
◆ 11202Y	B61608451	Poly funnel for Type I steel cans, 1-gal. & above	1/2" dia. x 11 1/4" L		Ea



## Type II AccuFlow™ Safety Cans

Offer additional convenience with 2 openings; top opening with lift lever for easy filling, second opening equipped with flexible metal hose for targeted pouring. Hose also provides a safe bonding path to the receiving vessel. Manifold automatically vents to provide fast, precise, plug-free pouring. Long-lasting, stainless steel flame arrester dissipates heat to prevent flashback ignition. Gasketed, self-closing leak-tight lid automatically vents to guard against pressure buildup at elevated temperatures. Warning label with extra large ID zone for identifying contents, department location, or individual user name. Heavy-duty, lead-free coated steel with reinforcing ribs and tough, red powder-coat paint finish for durability. 11 3/4" dia. x 17 1/2" H. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 7250120	B61661201	5-Gal. AccuFlow™ safety can w/ 5/8" hose	11 3/4" dia. x 17 1/2" H	Ea
◆ 7250130	B61631301	5-Gal. AccuFlow™ safety can w/ 1" hose	11 3/4" dia. x 17 1/2" H	Ea



## Bench Cans

Help make cleaning small parts with solvents much easier and safer. Simply place parts on the spring-loaded, perforated dasher plate, press down and agitate, then release to return dasher to drain position. Plated steel dasher also serves as an effective flame arrester and hinged cover minimizes evaporation losses. Designed with a protected rim to reduce possible hand injury. Constructed of sturdy, 24-gauge, lead-free coated steel, can is finished in tough powder-coat paint finish for added durability. FM tested and approved. Red.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10175	B61607131	1-Qt. steel bench can	4 7/8" OD x 5 1/2" H	Ea
10295	B61607171	2-Qt. steel bench can	9 3/8" OD x 3 1/4" H	Ea

Ships Direct FOB Mfg.

Remove Watermark Now



### Drum Cover

Economical way to convert open-top 55-gal. steel drums into fire-safe receptacles for combustible trash. Easily attaches using only a screwdriver and wrench. Easy to remove. Steel with a highly chemical-resistant powder-coat paint finish. Fits drums with 22 1/2" to 22 3/4" dia. Replaceable fusible-link assembly inside cover melts at 165° F to automatically close cover and extinguish flame in the event of a fire in the drum. FM Approved. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
26750	B61614361	Self-close drum cover	Ea

Ships Direct **FOB Mfg.** 



### EcoPolyBlend™ 2-DrumSpill Control-Pallet

Durable, UV-protected EcoPolyBlend™ polyethylene is made of black, 100% recycled material that is nearly impervious to chemical attack from hazardous acids, caustics and solvents. Seamless construction and oversized, leak-proof sump prevent leaks even if a 55-gal. drum fails and completely empties its contents. Sturdy, self-locating grates are nearly 2 1/2" thick for superior crack resistance and can be removed for quick sump inspection and cleaning. Includes wide forklift pockets for easy relocation; may be equipped with an optional ramp to facilitate loading and unloading of heavy drums. 18" H x 49" W x 25" D. Meets or exceeds EPA 40, NFPA 1 and the International Fire Code, Spill Prevention, Control and Countermeasures (SPCC) Compliant, NFPA 30 and OSHA 29 CFR.

ITEM #	ORDER #	DESCRIPTION	UOM
28623	B6168623	2-Drum in-line pallet w/out drain	Ea

Ships Direct **FOB Mfg.** 



### EcoPolyBlend™ Accumulation Centers

Economical, low-profile secondary containment platforms are eco-friendly. Made of black, 100% recycled, post-industrial, durable polyethylene. Yellow version is made from 45% recycled content. Nearly impervious to chemicals, including acids and corrosives. Seamless design ensures any leaks or spills are captured in sump before reaching floor drains or creating a slip hazard. Sturdy grates are nearly 2 1/2" thick for superior crack resistance, self-locating, reduce chance of grate "ride-up" and remove for easy cleaning.

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
28653	B6168653	1-Drum accumulation center	5 1/2" H x 25" W x 25" D	Black	Ea
28655	B61618071	2-Drum accumulation center	5 1/2" H x 49" W x 25" D	Black	Ea
28657	B6168657	4-Drum accumulation center	5 1/2" H x 49" W x 49" D	Black	Ea
28656	B6168656	4-Drum accumulation center	5 1/2" H x 49" W x 49" D	Yellow	Ea







# Safety Resources

Worker safety must be the top priority in every workplace. There are numerous resources readily accessible to both employers and employees which can be relied on to help identify risks, protect people, train safety solutions and to enforce rules without prejudice to workers and employers.

## Safety Resource Hotlines

- CAS Substance Identification** ..... (800) 848-6538  
(Identify chemical substances by CAS number or name.)
- NIOSH Technical Information** ..... (800) 232-4636
- OSHA Hotline**..... (800) 321-6742  
(24-hour access line to report unsafe work practices.)

## American Safety Resources

### ABIH - American Board of Industrial Hygiene

6015 W. St. Joseph, Ste. 102  
Lansing, MI 48917-3980  
(517) 321-2638  
[www.abih.org](http://www.abih.org)

### ACGIH - American Conference of Governmental Industrial Hygienists

1330 Kemper Meadow Dr., Ste. 600  
Cincinnati, OH 45240  
(513) 742-2020  
[www.acgih.org](http://www.acgih.org)

### AIHA - American Industrial Hygiene Association

3141 Fairview Park Dr., Ste. 777  
Falls Church, VA 22042  
(703) 207-3561  
[www.aiha.org](http://www.aiha.org)

### ANSI - American National Standards Institute

25 West 43rd St. (4th Floor)  
New York, NY 10036  
(212) 642-4900  
(212) 398-0023 (Fax)  
[www.ansi.org](http://www.ansi.org)

### ASSE - American Society of Safety Engineers

**Customer Service**  
520 N. Northwest Hwy., Park Ridge, IL 60068  
(847) 699-2929  
(847) 768-3434 (Fax)  
[www.asse.org](http://www.asse.org)

### AWMA - Air and Waste Management Association

1 Gateway Center, 3rd Floor  
420 Fort Duquesne Blvd.  
Pittsburgh, PA 15222-1435  
(412) 232-3444  
(800) 270-3444  
[www.awma.org](http://www.awma.org)

## American Safety Resources, continued

### CDC - Centers for Disease Control and Prevention

1600 Clifton Rd. NE  
Atlanta, GA 30329-4027  
(800) 232-4636 CDC public inquiries  
(800) 222-1222 Regional Poison Control Centers  
[www.cdc.gov](http://www.cdc.gov)

### DOT - United States Department of Transportation

1200 New Jersey Ave., SE  
Washington, DC 20590  
(202)-366-4000  
[www.dot.gov](http://www.dot.gov)

### EPA - Environmental Protection Agency

Regulates and enforces environmental laws, such as the Clean Air Act, Superfund and Resource Conservation and Recovery Act (RCRA).  
1200 Pennsylvania Ave., NW  
Washington, D.C. 20460  
(202) 272-0167  
[www.epa.gov](http://www.epa.gov)

### FCIC - Federal Citizen Information Center

An office of GSA that provides information directly to the public.

**U.S. General Services Administration**  
1800 F St., NW, Washington, DC 20405  
(800) 333-4636  
<http://gsa.gov/portal/category/101011>

### FDA - United States Food and Drug Administration

Food and Drug Administration  
10903 New Hampshire Ave.  
Silver Spring, MD 20993-0002  
(888) 463-6332  
[www.fda.gov](http://www.fda.gov)

### HHS - Department of Health and Human Services

The HHS researches aspects of human health, and regulates the FDA, CDC and NIH.  
200 Independence Ave. SW  
Washington, D.C. 20201  
(877) 696-6775  
[www.hhs.gov](http://www.hhs.gov)

### IGA - International Glove Association

P.O. Box 146  
Brookville, PA 15825  
(814) 328-5208  
[www.iga-online.com](http://www.iga-online.com)

**American Safety Resources, continued****MSHA - Mine Safety & Health Administration**

Regulates the mining industry and sets safety and health standards for mines.

US Department of Labor  
Mine Safety and Health Administration  
201 12th St. S., Arlington, VA 22202  
(202) 693-9400  
[www.msha.gov](http://www.msha.gov)

**NIOSH - National Institute for Occupational Safety and Health**

NIOSH is responsible for research and recommendations concerning the prevention of work-related illness and injury.

Division of the CDC  
1600 Clifton Rd.  
Atlanta, GA 30329-4027  
(800) 232-4636 NIOSH Information Line  
[www.cdc.gov/niosh](http://www.cdc.gov/niosh)

**NLAAC - National Lead Assessment & Abatement Council**

Office of Pollution and Toxics  
1200 Pennsylvania Ave. NW  
Mailcode: 7404T  
Washington, DC 20460  
(800) 424-5323  
<http://www.epa.gov/lead/abatement.html>

**NSC - National Safety Council**

The NSC offers periodicals and reference sources; safety software; consulting services; training resources on safety and health, youth concerns, off-the-job safety, driving safety and specialty fields; and posters, award programs, incentives and recognition awards. They also sponsor and conduct safety courses throughout the year through the National Safety Council.

1121 Spring Lake Dr.  
Itasca, IL 60143-3201  
(800) 621-7615  
(630) 285-1315 (Fax)  
[www.nsc.org](http://www.nsc.org)

**OSHA - Occupational Safety & Health Administration**

OSHA creates and enforces safety and health regulations to ensure that employees work in environments that are free of recognized hazards.

200 Constitution Ave. NW, Rm. N-3647  
Washington, D.C. 20210  
(800) 321-6742  
[www.osha.gov](http://www.osha.gov)

**SEI - Safety Equipment Institute**

The SEI certification program is voluntary and available to any manufacturer of safety equipment.

1307 Dolley Madison Blvd., Ste. 3A  
McLean, VA 22101  
(703) 442-5732  
(703) 442-5756 (Fax)  
[www.seinet.org](http://www.seinet.org)

**American Safety Resources, continued****SCAA - Spill Control Association of America**

103 Oronoco St., Ste. 200  
Alexandria, VA 22314  
Phone: 571-451-0433  
[www.scaa-spill.org](http://www.scaa-spill.org)

**USCG - United States Coast Guard**

US Coast Guard Headquarters  
Commandant, U.S. Coast Guard,  
2703 Martin Luther King Jr. Ave. SE  
Washington, DC 20593-7000  
(202) 372-2100  
[www.uscg.mil](http://www.uscg.mil)

**WSO - World Safety Organization**

P.O. Box 518  
Warrensburg, MO 64093  
(660) 747-3132  
(660) 747-2647 (Fax)  
[www.worldsafety.org](http://www.worldsafety.org)

**Canadian Safety Resources****CCOHS - Centre for Occupational Health & Safety**

135 Hunter Street East,  
Hamilton, ON  
Canada L8N 1M5  
(905) 572-2981  
Toll-free: 800-668-4284  
(905) 572-4500 (Fax)  
[www.ccohs.ca](http://www.ccohs.ca)

**CSA - Canadian Standards Association Central Office**

178 Rexdale Blvd.  
Toronto, ON  
Canada M9W 1R3  
(416) 747-4000  
(800) 463-6727  
[www.csa.ca](http://www.csa.ca) or  
[www.csa-international.org](http://www.csa-international.org)

**CSSE - Canadian Society of Safety Engineering**

468 Queen St. East, LL-02  
Toronto, ON  
Canada M5A 1T7  
(416) 646-1600  
Toll-free: 877-446-2674  
(416) 646-9460 (Fax)  
[www.csse.org](http://www.csse.org)

**ECGC - Environment Canada**

Environment Canada Inquiry Centre  
10 Wellington, 23rd Floor  
Gatineau, QC  
Canada K1A 0H3  
(819) 997-2800  
(800) 668-6767 (Canada only)  
[www.ec.gc.ca](http://www.ec.gc.ca)



# Manufacturer Index

Manufacturer Index | 3M – Bullard



**3M** 3M Company  
[www.mmm.com](http://www.mmm.com)

Eye Protection .....	33 – 35, 38, 42, 44
Head & Face Protection .....	56
Hearing Protection .....	60 – 63, 69 – 71
Respiratory Protection .....	74 – 77, 82 – 83, 88
Sorbents .....	234 – 235
Welding & FR Safety .....	132, 134



**Ansell** Ansell Edmont Industrial Inc.  
[www.ansellpro.com](http://www.ansellpro.com)

Hand Protection .....	90 – 91, 96, 99 – 101, 103, 107 – 108, 112, 115
Cold Weather Gear .....	196



**ALLEGRO** Allegro Industries  
[www.allegrosafety.com](http://www.allegrosafety.com)

Confined Space .....	214 – 217
Respiratory Protection .....	89



**Bullard**  
[www.bullard.com](http://www.bullard.com)

Head & Face Protection .....	50 – 51, 59
------------------------------	-------------

Remove Watermark Now



**Capital Safety**  
[www.capitalsafety.com](http://www.capitalsafety.com)



**DBI Sala**  
 Fall Protection ..... 155 – 163  
 New Products ..... 18



**DBI Sala Python Safety**  
 Fall Protection ..... 154 – 156  
 New Products ..... 2 – 3



**Protecta**  
 Fall Protection ..... 156, 159-160, 163



**DeWalt**  
[www.Dewalt.com](http://www.Dewalt.com)

Eye Protection ..... 37 – 38



DuPont  
 Personal Protection

**DuPont Personal Protection**

[www.Dupont.com](http://www.Dupont.com)

Protective Clothing ..... 180 – 185, 190 – 193




**Ergodyne**  
[www.ergodyne.com](http://www.ergodyne.com)

Ergonomics ..... 150 – 153  
 Hand Protection ..... 131



**Gateway Safety**  
www.gatewaysafety.com

Eye Protection .....	37, 42
Head & Face Protection .....	57
Respiratory Protection .....	80



**GERSON, Inc.**  
www.gersonco.com

Respiratory Protection .....	81
------------------------------	----



**Guardian Equipment**  
www.gesafety.com

Showers & Eyewash .....	224, 226 – 229
-------------------------	----------------



**Honeywell**  
www.honeywell.com

Hand Protection .....	94, 103
Instrumentation .....	213
Lockout/Tagout .....	230 – 231
Protective Clothing .....	192
Respiratory Protection .....	77, 85
Showers & Eyewash .....	224 – 225

**Fibre-Metal**  
by Honeywell

Head & Face Protection .....	55 – 56
Welding & FR Safety .....	135

**Howard Leight**  
by Honeywell

Hearing Protection .....	64 – 66, 69, 72 – 73
--------------------------	----------------------

**MILLER**  
by Honeywell

Fall Protection .....	154, 166 – 173
-----------------------	----------------

**NORTH**  
by Honeywell

Eye Protection .....	27
First Aid .....	222 – 223
Hand Protection .....	92, 109 – 110, 114 – 115
Head & Face Protection .....	54
Respiratory Protection .....	84 – 85

**SERVUS**  
by Honeywell

Foot Protection .....	149
-----------------------	-----

**UVEX**  
by Honeywell

Eye Protection .....	22 – 28, 39 – 41, 45
Head & Face Protection .....	54
New Products .....	4 – 8
Welding & FR .....	135

Remove Watermark Now



**John Tillman & Co.**

[www.jtillman.com](http://www.jtillman.com)

Cold Weather Gear .....	197 – 198
Hand Protection .....	119 – 120, 123 – 124
New Products .....	12, 14
Welding & FR Safety .....	135 – 141



**Justrite Manufacturing Company**

[www.justritemfg.com](http://www.justritemfg.com)

Hazardous Storage .....	236 – 239
-------------------------	-----------



**Kimberly-Clark Corporation**

[www.kcprofessional.com](http://www.kcprofessional.com)

Cold Weather Gear .....	201
Eye Protection .....	36, 39, 44
Hand Protection .....	93, 102, 112 – 113
Head & Face Protection .....	52 – 53
New Products .....	13, 16
Protective Clothing .....	180, 185 – 189
Welding & FR Safety .....	132 – 135
Wipes & Cleaners .....	232 – 233



**Mack Boots**

[www.mackboots.com](http://www.mackboots.com)

Foot Protection .....	142 – 149
New Products .....	9



**MAJESTIC Majestic Gloves**  
[www.majesticglove.com](http://www.majesticglove.com)

Cold Weather Gear .....	196
Hand Protection .....	94, 103, 115, 121 – 122, 128 – 130



**Mechanix Wear**  
[www.mechanix.com](http://www.mechanix.com)

Hand Protection .....	97, 118, 124 – 127
-----------------------	--------------------



**MCR Safety**  
[www.mcrcsafety.com](http://www.mcrcsafety.com)



**Crews**

Eye Protection .....	29 – 32, 39, 42, 45
Head & Face Protection .....	57
New Products .....	11



**Memphis Glove**

New Products .....	13, 15
Hand Protection . . . . .	90, 95 – 96, 98, 101 – 102, 104 – 105, 115, 119, 121, 123, 130 – 131
Protective Clothing. . . . .	192
Cold Weather Gear. . . . .	197



**River City**

Protective Clothing .....	192 – 193
---------------------------	-----------



**MOLDEX Moldex-Metric, Inc.**  
[www.moldex.com](http://www.moldex.com)

Hearing Protection. . . . .	66 – 68, 73
New Products .....	17
Respiratory Protection. . . . .	78 – 80, 86 – 87

Remove Watermark Now



**MSA**  
The Safety Company [www.msasafety.com](http://www.msasafety.com)

Cold Weather Gear.....	201
Fall Protection.....	164 – 165
Head & Face Protection.....	46 – 49
Instrumentation.....	210 – 213
New Products.....	14
Respiratory Protection.....	87 – 88



**OccuNomix International Inc.**  
[www.occunomix.com](http://www.occunomix.com)

Cold Weather Gear.....	194 – 195, 199 – 200
Ergonomics.....	150 – 153
Head & Face Protection.....	58
Heat Stress.....	218
Hi-Viz Apparel.....	202 – 207
New Products.....	12, 17



**Radians**  
[www.radians.com](http://www.radians.com)

Eye Protection.....	37 – 38
---------------------	---------



**SAS Safety Corp.**  
[www.sassafety.com](http://www.sassafety.com)

Eye Protection.....	28 – 29, 43
Hand Protection.....	111
Hi-Viz Apparel.....	205
New Products.....	10, 19
Respiratory Protection.....	80
Showers & Eyewash.....	226





Remove Watermark Now



**Showa**  
www.showagloves.com

New Products .....	10, 12
Hand Protection .....	92, 100 - 101, 108 - 109, 113 - 114



**Stearns**  
www.stearnsflotation.com

New Products .....	19
Water Safety .....	174 - 179



**Sqwincher Corporation**  
www.sqwincher.com

Cold Weather Gear .....	201
Heat Stress .....	218 - 221
New Products .....	19



**WELDAS® Weldas Company**  
www.weldas.com

Head & Face Protection .....	57
------------------------------	----



**WELLS LAMONT Industrial Wells Lamont Industry Group**  
www.wellslamontindustry.com

Cold Weather Gear .....	198
Hand Protection ...	93, 104 - 105, 110, 116 - 119, 121 - 122, 128

# Product Index


Product Index | A — B

## A

### Accessories

- eye protection . . . . . **44 – 45**
- fall protection . . . . . **155 – 156**
- respirator . . . . . **89**
- welding . . . . . **135**
- Accumulation Centers, drum . . . . . **239**
- Adapters & Brackets,  
faceshield . . . . . **48 – 49, 51 – 57**
- Air Blowers, confined space  
ventilation . . . . . **214 – 216**
- Air Quality, detection . . . . . **210 – 213**
- Anchors & Connectors,  
fall protection . . . . . **162 – 163, 165, 169 – 170, 173**
- ANSI Class Apparel . . . . . **202 – 207**



**Pg. 179**  


- Anti-exposure Immersion Suits . . . . . **179**
- Anti-vibration Gloves . . . . . **124 – 127**
- Apparel, workwear . . . . . **136 – 138, 180 – 207**
- Aprons**
- disposable . . . . . **190**
- leather & FR. . . . . **136 – 138**
- Arc Flash Protection . . . . . **14, 18, 157, 159, 165, 167**
- Automatic Inflation Vests . . . . . **178**
- Axial Blowers, ventilation . . . . . **214 – 216**

## B

- Backhand Pads . . . . . **117, 141**
- Back Supports, ergonomics . . . . . **150 – 152**
- Bags, welding gear . . . . . **135**
- Ball Valve Lockout Devices . . . . . **230**
- Bandanas & Doo Rags . . . . . **17, 218**
- Banded Earplugs . . . . . **63, 66, 68**
- Beam Anchors,  
fall protection . . . . . **161, 163, 170**
- Belts, fall protection . . . . . **170**
- Bench Cans, hazardous storage . . . . . **238**
- Beverage Coolers . . . . . **221**
- Bibs, leather . . . . . **137**
- Blowers, confined space . . . . . **214 – 216**
- Body Belts, fall protection . . . . . **170**
- Body & Eyewash Shower Units . . . . . **224 – 229**
- Body Fluid Cleanup Kits . . . . . **222**
- Booms, sorbent . . . . . **234**
- Booties, disposable . . . . . **185, 190**
- Boots & Overshoes . . . . . **9, 143 – 149**



**Pg. 54**  


- Brackets, headgear  
& faceshield . . . . . **48 – 49, 51 – 57**

◆ Non-stock item. Minimum quantity may apply.



Breaker Lockouts . . . . . 231

Buckets, tool . . . . . 2, 155

Bug Repellent Wipes . . . . . 223

Bulk First Aid Kits . . . . . 222

Butt Receptacles, cigarette . . . . . 237

**C**

Cabinets, flammable storage . . . . . 236 – 238

Cable Lockouts . . . . . 230

Cable Sleeves, fall protection . . . . . 162, 173

Calibration, gas . . . . . 212 – 213

Cans, safety . . . . . 237 – 238

Cap Mount Earmuffs . . . . . 70 – 71

Caps & Hard Hats . . . . . 47 – 52, 55, 57 – 58

Cape Sleeves, welding . . . . . 137 – 138

Carabiners, fall protection . . . . . 162, 170

Cartridges & Filters, respiratory . . . . . 83, 85 – 88

Chaps, leather welding . . . . . 137

Chemical Protection Apparel . . . . . 181 – 191

Chemical-Resistant Gloves . . . . . 106 – 110

Chemical Sorbents . . . . . 234 – 235

Cigarette Butt Receptacles . . . . . 237

Circuit Breaker Lockout Devices . . . . . 231

Cleaning, lens . . . . . 45

**Clothing**

aprons . . . . . 190

booties . . . . . 190

cold weather . . . . . 12, 194 – 201

coveralls . . . . . 16, 181 – 189

disposable . . . . . 190 – 191

frocks & lab coats . . . . . 191

hi-viz . . . . . 194 – 195, 202 – 207

shoe covers . . . . . 254

sleeves . . . . . 13, 105, 117, 192 – 193

SOLAS . . . . . 19, 174 – 179

rainwear . . . . . 192 – 193

welding . . . . . 136 – 138

winter liners . . . . . 199 – 201

Coil Tethers, fall protection . . . . . 155

Cold Water Immersion Suits . . . . . 179

**Cold Weather Gear**

apparel . . . . . 12, 19, 194 – 195


drinks . . . . . 19

gloves . . . . . 196 – 198

head liners . . . . . 199 – 201

Combination Shower & Eyewash Units . . . . . 227 – 229

Compaxial Blowers, confined space . . . . . 215



**Confined Space** . . . . . 214 – 217

blowers . . . . . 214 – 216

heaters . . . . . 217

manhole accessories . . . . . 216

pumps . . . . . 217

tents . . . . . 217

Construction First Aid Kits . . . . . 222

Containment & Spill Control . . . . . 234 – 235, 239

Coolers, beverage . . . . . 221

Corrosive Storage Cabinets . . . . . 237

Countertop Storage Cabinets . . . . . 236 – 237

Coveralls . . . . . 16, 181 – 189

Cut-Resistant Gloves & Sleeves . . . . . 13, 97 – 106

Cylinders, calibration gas . . . . . 212

---

**D**

---

D-rings & tie-offs,  
*fall protection* . . . . . **156, 159, 161 – 162, 170**

Detectors, gas . . . . . **210 – 213**

Dewatering & Sludge Pumps . . . . . **217**

**Dispensers**

ear plugs . . . . . **64, 66**

hand warmers . . . . . **199**

lens cleaning . . . . . **45**

**Disposable Products**

apparel . . . . . **181 – 191**

booties . . . . . **185, 190**

earplugs . . . . . **61 – 68**

gloves . . . . . **13, 111 – 115**

respirators . . . . . **75 – 81**

wipes, hand . . . . . **232 – 233**

Drinks, electrolyte . . . . . **19, 201, 219 – 221**

Doo Rags, Sweatbands & Winter Liners . . . . . **17, 49, 51, 57 – 58, 199 – 201, 218**

Drench Hose, eyewash units . . . . . **229**

Drivers & Work Gloves . . . . . **14 – 15, 119 – 121**

Drum Accumulation Centers . . . . . **239**

Drum Covers . . . . . **239**

---

**E**

---

Ear Protection  
(*See Hearing Protection*) . . . . . **17, 60 – 73**

Electrical Safety,  
lockout/tagout devices . . . . . **230 – 231**

Electrolyte Drinks . . . . . **19, 201, 219 – 221**

Emergency Escape Respirator . . . . . **85**

**Emergency Response**

eyewash & showers . . . . . **224 – 229**

first aid . . . . . **222 – 223**

water safety / rescue . . . . . **174 – 179**

**Ergonomics** . . . . . **150 – 153**

anti-vibration gloves . . . . . **124 – 127**

back supports . . . . . **150 – 152**

knee pads . . . . . **152 – 153**

**Eye Protection** . . . . .  
cleaners & accessories . . . . . **44 – 45**

eyewash units . . . . . **224 – 229**

goggles . . . . . **40 – 44, 135**

readers & magnifiers . . . . . **39**

safety glasses . . . . . **4 – 8, 10 – 11, 22 – 39**

welding . . . . . **132 – 135**

Eyeglass Cords . . . . . **45**

**Eyewash & Showers**

drench hose units . . . . . **229**

permanent units . . . . . **226 – 229**

personal . . . . . **225**

portable . . . . . **224 – 226**

refill solution . . . . . **225**

---

**F**

---

Faceshields & Visors . . . . . **44, 48 – 49, 51, 53 – 57**

**Fall Protection** . . . . . **154 – 173**

anchors & connectors . . . . . **162 – 163, 165, 169 – 170, 173**

arc flash & welding . . . . . **157, 159, 165, 167**

beam anchors . . . . . **161, 163, 170**

body belts . . . . . **170**

carabiners . . . . . **162, 170**

D-rings & tie-offs . . . . . **156, 159, 161 – 162, 170**

harnesses . . . . . **14, 18, 156 – 159, 162, 164-167, 172 – 173**

hoist systems . . . . . **163**

kits . . . . . **163, 172 – 173**

lanyards . . . . . **159 – 160, 164, 167, 170 – 172**

lifelines . . . . . **160 – 161, 168 – 169**

rope grabs & restraints . . . . . **162, 173**

SRLs . . . . . **157, 160 – 161, 165, 168 – 169**

tool safety . . . . . **2 – 3, 155 – 156, 172**

Faucet-Mounted Eyewash Units . . . . . **226**

Filters & Cartridges, respiratory . . . . . **83, 85 – 88**

Filters & Welding Plates . . . . . **134 – 135**

**First Aid** . . . . . **222 – 223**

eyewash & showers . . . . . **224 – 229**

heat stress . . . . . **218 – 221**

kits . . . . . **222 – 223**

Fit Testing, respiratory . . . . . **89**

Flame-Resistant Apparel . . . . . **12, 136 – 138, 200**

Flammable Storage . . . . . **236 – 239**



Flotation Gear, *water safety* . . . . . 19, 174 – 179

**Footwear** . . . . . 142 – 149

booties . . . . . 185, 190

boots & shoes . . . . . 9, 143 – 149

overshoes . . . . . 149

Freezer Pops, electrolytes . . . . . 221

Frocks & Lab Coats . . . . . 191

Full Face Respirators . . . . . 82 – 84, 86 – 88

**G**

Gas Detection . . . . . 210 – 213

Glasses, safety . . . . . 4 – 11, 22 – 39

**Gloves**

accessories . . . . . 131

anti-vibration . . . . . 124 – 127

chemical resistant . . . . . 106 – 110

cold weather . . . . . 196 – 198

cut-resistant . . . . . 15, 97 – 105, 125

disposable . . . . . 13, 19, 111 – 115

general purpose, light-duty . . 10, 12, 15, 91 – 96

hand pads . . . . . 117, 141

heat-resistant . . . . . 116 – 118

hi-viz . . . . . 93 – 94, 98, 103, 121 – 122, 124 – 126, 130, 196

leather & drivers . . . . . 14 – 15, 119 – 122

sleeves . . . . . 13, 105, 117, 192 – 193

trade & utility . . . . . 123 – 131

welders . . . . . 139 – 141

Goggles . . . . . 40 – 44, 135

Group Lock Box . . . . . 231

Guard Rails, manhole . . . . . 216

**H**

Half Mask Respirators . . . . . 77, 82, 84, 86 – 87

**Hand Protection** . . . . . 90 – 131

accessories . . . . . 131

anti-vibration . . . . . 124 – 127

chemical-resistant . . . . . 12 – 13, 19, 106 – 110

cold weather . . . . . 196 – 198

cut-resistant . . . . . 15, 97 – 105, 125

disposable . . . . . 13, 19, 111 – 115

general purpose, light-duty . . 10, 12, 15, 91 – 96

hand pads . . . . . 117, 141

**Hand Protection, continued**

hand warmers . . . . . 199

heat-resistant . . . . . 116 – 118

hi-viz . . . . . 93 – 94, 103, 121 – 122, 124 – 126

leather & drivers . . . . . 14 – 15, 119 – 122

sleeves . . . . . 13, 105, 117, 192 – 193

trade & utility . . . . . 123 – 131

welders . . . . . 139 – 141

wipes & cleaners . . . . . 232 – 233

Hard Hats & Caps . . . . . 47 – 52, 55, 57 – 58

Harnesses, *fall protection* . . . . . 14, 18, 156 – 159, 162, 164 – 167, 172 – 173

Harness Belts, *fall protection* . . . . . 170

Hasps, lockout . . . . . 231

**Hazardous Storage** . . . . . 236 – 239

cabinets & cans . . . . . 236 – 238

containment . . . . . 239



**Head & Face Protection** . . . . . 46 – 59

brackets & adapters . . . . . 48 – 49, 51 – 57

faceshields & visors . . . . . 48 – 49, 51, 53 – 57

hard hats & caps . . . . . 47 – 52, 55, 57 – 58

spray socks . . . . . 89

sweatbands & doo rags . . . . . 51, 57 – 58, 135, 218

welding helmets . . . . . 132 – 135

winter liners . . . . . 199 – 201

Remove Watermark Now

Product Index | H — L

**Hearing Protection** ..... 60 – 73

- banded earplugs ..... 63, 66, 68
- detectable ..... 63, 65
- earmuffs ..... 17, 70 – 73
- earplugs ..... 61 – 68
- noise indicator ..... 71
- radio headsets ..... 71, 73

Heaters, work tent ..... 217

**Heat-Resistant**

- apparel ..... 136 – 138
- gloves ..... 116 – 118, 139 – 141

**Heat Stress** ..... 218 – 221

- bandanas & doo rags ..... 17, 218
- coolers ..... 221
- drinks ..... 201, 219 – 221
- shelters ..... 217
- sweatbands ..... 49, 51, 57 – 58, 135, 218

Helmets, welding ..... 132 – 135

Highway Safety, apparel ..... 202 – 207

**Hi-Viz Apparel** ..... 202 – 207

- class 2 apparel ..... 202 – 206
- class 3 apparel ..... 194 – 195, 206 – 207
- gloves ..... 93, 94, 98, 103, 121 – 122, 124 – 126, 130, 196
- non-compliant apparel ..... 204 – 205
- rainwear ..... 193
- SOLAS ..... 19, 174 – 179

Hoist Systems, fall protection ..... 163

Holster, tool ..... 2, 155 – 156

Horizontal Lifelines, fall protection ..... 161, 173

**I**

Ice Rescue Suits, water safety ..... 179

Immersion Suits, water safety ..... 179

Industrial First Aid Kits ..... 222

Insect Repellent, skin ..... 222

**Instrumentation** ..... 210 – 213

- gas detection ..... 210 – 213
- noise indicator ..... 71

Insulated Gloves ..... 196 – 198

**Jackets**

- ANSI Class ..... 12, 195, 207
- cold weather ..... 194 – 195
- flotation ..... 19, 177
- FR, welding ..... 136 – 138
- rainwear ..... 192 – 193

**K**

**Kits**

- calibration, gas ..... 212 – 213
- fall protection ..... 163, 172 – 173
- first aid ..... 222 – 223
- respiratory ..... 88 – 89

Knee Pads, ergonomics ..... 152 – 153

Kneeling Pads ..... 153

**L**

Lab Coats & Frocks ..... 191

Ladder Safety, fall protection ..... 162



Lanyards, fall protection ..... 159 – 160, 164, 167, 170 – 172

Leather Apparel ..... 136 – 138

Leather & Driver Gloves ... 119 – 124, 139 – 141,

Leggings, leather ..... 137

Lens Cleaning, eyewear ..... 45

Lid Lifters, manhole ..... 216

Life Jackets, water safety ..... 174 – 178



Lighted Eyewear ..... 35

Limiters, fall protection ..... 165, 168 – 169

Lock Box, padlock ..... 231

**Lockout/Tagout** ..... 230 – 231

    devices ..... 230 – 231

Lumbar & Back Supports ..... 150

**M**

Magnifiers & Readers, eyewear ..... 39

Maintenance Sorbents ..... 234 – 235

**Manhole Safety**

    accessories ..... 216

    dewatering pumps ..... 217

    lid lifter ..... 216


    ventilation ..... 214 – 216

    work tents ..... 217

Maritime Safety ..... 174 – 179

Mold Remediation Respirator Kit ..... 88

Mounted Eyewash & Shower Units ..... 226 – 229



Mouthbit Respirator ..... 85

Multi-gas Detectors ..... 210 – 212

**N**

**New Products** ..... 2 – 19

Noise Indicator ..... 71

Oily Waste Cans ..... 237

Overshoes & Boots ..... 9, 143 – 149

**P**

Pads, sorbent ..... 234 – 235

Pants & Shirts, disposable apparel ..... 191

PAPRs, respiratory ..... 88

Particulate Respirators ..... 75 – 81

Pedestal-Mounted Eyewash Units ..... 228 – 229

Permanent Showers & Eyewash Units .. 226 – 229

Personal Eyewash Units ..... 224

Petroleum Sorbents ..... 234

PFDs, water safety ..... 174 – 179

Plug Lockouts ..... 231

Ponchos, rain ..... 192

Portable Eyewash Units ..... 224 – 226

Pouches, tool ..... 2, 155

**Protective Clothing** ..... 180 – 193

    aprons ..... 190

    booties ..... 190

    cold weather ..... 12, 194 – 201

    coveralls ..... 181 – 189

    disposable ..... 181 – 191

    flame-resistant ..... 12, 136 – 138, 200

    hi-viz ..... 12, 193 – 195, 202 – 207

    shoe covers ..... 254

    sleeves ..... 13, 105, 117, 192 – 193

    SOLAS ..... 19, 174 – 179

    rainwear ..... 192 – 193

    welding ..... 136 – 138

Pumps, sludge ..... 217

**R**

Radio Earmuffs ..... 71, 73

Rags, shop ..... 233

Rainwear ..... 192 – 193

Readers, eyewear ..... 38 – 39

Reflective Apparel ..... 193 – 195, 202 – 207

Regulators, gas detection ..... 212

Remediation Kits, mold . . . . . **88**  
 Rescue Bags, *water safety* . . . . . **178**  
 Rescue Suits & Vests, *water safety* . . . . . **174 – 179**  
 Receptacles, cigarette butt . . . . . **237**



**Respiratory Protection . . . . . 74 – 89**  
 cartridges & filters . . . . . **83, 85 – 88**  
 disposable . . . . . **75 – 81**  
 fit testing & accessories . . . . . **89**  
 mold remediation . . . . . **88**  
 PAPRs . . . . . **88**  
 respirator lockers . . . . . **80**  
 reusable . . . . . **74, 82 – 87**  
 spray socks . . . . . **89**  
 welding . . . . . **76, 80**

**Resources . . . . . 240 – 241**  
 American & Canadian . . . . . **240 – 241**  
 Hotlines . . . . . **240**

Retractable Lifelines,  
*fall protection* . . . . . **157, 160 – 161, 165, 168 – 169**

Ring Buoy, *water safety* . . . . . **178**

Roof Anchors, *fall protection* . . . . . **173**

Rope Grabs & Restraints,  
*fall protection* . . . . . **162, 173**

**S**

Safety Cabinets & Cans,  
*hazardous storage* . . . . . **236 – 238**

Safety Eyewear  
 (See *Eye Protection*) . . . . . **4 – 8, 10 – 11, 22 – 39**

Safety Footwear . . . . . **9, 142 – 149**

Saline, eyewash . . . . .

Search & Rescue, maritime . . . . . **177 – 179**

Shelters Work Tents . . . . . **217**

Shield, manhole . . . . . **217**

Shirts & Pants,  
 disposable apparel . . . . . **191**

Shoe Covers, disposable . . . . . **185, 190**

Shoes & Boots . . . . . **142 – 149**

Shop Rags . . . . . **232 – 233**

**Showers & Eyewash Units**

drench hose units . . . . . **229**  
 permanent units . . . . . **226 – 229**  
 personal . . . . . **225**  
 portable . . . . . **224 – 226**  
 refill solution . . . . . **225**

Single-gas Detectors . . . . . **210, 213**

Skin Creams . . . . . **223**

Sleeves,  
 protective . . . . . **13, 105, 137 – 138, 192 – 193**

Sludge Pumps, dewatering . . . . . **217**

SOLAS Products, *water safety* . . . . . **19, 174 – 179**

**Sorbents . . . . . 234 – 235**  
 accumulation centers . . . . . **239**  
 pads & booms . . . . . **234 – 235**

Spats, leather . . . . . **137**

Specialty-coated / cut-resistant gloves . . . . . **97 – 105**

Spill Control & Containment . . . . . **234 – 235, 239**

Spray Socks . . . . . **89**

Storage, hazardous . . . . . **236 – 239**

SRLs,  
*fall protection* . . . . . **157, 160 – 161, 165, 168 – 169**

Stations, *first aid* . . . . . **222 – 223**

Steel Toe Footwear . . . . . **9, 143 – 147**

Storage Bags, respirator . . . . . **89**

Storage Cabinets, hazardous . . . . . **236 – 237**

Strobe Light, PFDs . . . . . **178**

Sweatbands, Doo Rags  
 & Winter Liners . . . . . **49, 51, 57 – 58, 199 – 201, 218**

Sweatshirts . . . . . **195, 206 – 207**





T

T-Shirts . . . . . 206


Tents & Shelters, work . . . . . 217

Tethers, fall protection . . . . . 155

Tool Holsters . . . . . 2 – 3, 155

Tool Lanyards, fall protection . . . . . 155, 172

Towels, shop . . . . . 232 – 233



Trade & Utility Gloves . . . . . 123 – 131

U

Umbrellas, work . . . . . 216

V

Valve Lockouts . . . . . 230

Ventilation, confined space . . . . . 214 – 216

**Vests**

flotation . . . . . 174 – 178

hi-viz . . . . . 202 – 206

Visors & Faceshields . . . . . 44, 48 – 49, 51, 53 – 57

Remove Watermark Now

W

Wall-Mount Eyewash Units . . . . . 227

**Water Safety . . . . . 174 – 179**

automatic vests . . . . . 178

flotation jackets . . . . . 177

flotation vests . . . . . 19, 174 – 178

immersion suits . . . . . 179

welders vest . . . . . 175

**Welding & FR Safety . . . . . 132 – 141**

accessories . . . . . 135

apparel . . . . . 136 – 138

fall protection . . . . . 157, 159, 165, 167

flotation vest . . . . . 175

lenses & goggles . . . . . 135

gloves . . . . . 139 – 141

helmets & filters . . . . . 132 – 135

respiratory . . . . . 76, 80


Winter Apparel & Gloves . . . . . 194 – 201

Winter Liners . . . . . 199 – 201

**Wipes & Hand Cleaners . . . . . 232 – 233**

cleaners . . . . . 233

wipes . . . . . 16, 232 – 233




Work Gloves . . . . . 12 – 15, 90 – 131, 139 – 141

Work Suits, anti-exposure . . . . . 179

Work Tents & Shelters . . . . . 217

Workwear Apparel . . . . . 136 – 138, 180 – 207

Remove Watermark Now



At Saferite Solutions Inc, we provide our customers with the safety products needed to perform their daily tasks in the safest manner! We stock products from some of the largest and most reputable manufacturers in the industry; including 3M, Capital Safety, MSA, Honeywell and much more.

This is why we stand behind all our products and provide our customers with a 100% customer satisfaction program.



## TERMS AND CONDITIONS

### TERMS:

We accept all major credit cards, checks, cash and payments via PayPal as well.

- EFT (Electronic Fund Transfers) can be arranged
- Net 30 terms from invoice available

### DELIVERIES & FREIGHT:

All local deliveries are free of charge.

Customer is responsible for freight charges on any orders that need to be shipped.

Drop ships from manufacturers are subject to their specific policies. International shipping is available upon request.

### WARRANTY:

We make no representation in warranty, expressed or implied, arising out of or in connection with the sale, manufacture, delivery or use of any products offered in this catalog. Each manufacturer's warranty differs and varies, consult with one of our customer service representatives for more information.



### RETURNED GOODS:

Genuinely returns are accepted as long as items are unopened and sealed in its original manufactures package. Goods will be replaced or money refunded, however we must be advised of any faulty goods upon receipt of the item. It is the customers responsibility to pay for and ship the item back to us within 30 days of receipt. Returned products may also be subject to a 15% restocking fee. Special orders and non-stock items are subject to Mfg return policy, etc.

### DAMAGED SHIPMENT:

All damage must be reported at time of receipt. Short pays or damage not reported, will not be accepted.

### PRICING:

All prices are subject to change without notice. We cannot be held responsible for errors in printing.



**ISE** SUPPLIES

isesupplies.weebly.com  
(786) 655 2866  
1000 Hialeah Dr  
Suite 1393  
Hialeah, FL 33010



# SUPPLIES


Remove Watermark Now

SEE 1

20  
200

3M

20  
100



EYE 3

PROTECTION 4

20  
20

SOLUTIONS 5



## 3M has a mission to help you protect your vision

At 3M, we've seen the impact of eye injuries and look to help you prevent them by offering products with progressive designs, advanced features and exceptional materials. With your safety in our sights, we research and develop high-quality eye protection solutions for your work, your environment and your unique optical requirements. And, with our focus on fit, we see to it that our versatile line of protective eyewear accommodates diverse face shapes and sizes.

With 3M, there's so much to see – and we don't want you to miss a thing. For more insight, visit [3M.com/See3M](http://3M.com/See3M)

