



**3M**

Remove Watermark Now

# Hearing Protection

Exposure to high levels of noise causes hearing loss and may cause other harmful health effects as well. The extent of damage depends primarily on the intensity of the noise and the duration of the exposure.

Go to [www.osha.gov](http://www.osha.gov) for complete information.



## The right fit test. Right now.

3M™ E-A-Rfit™ Dual-Ear Validation System

pdfelement



**E-A-Rfit™**

**3M**

## 3M 3M™ E-A-R™ Classic™ Earplugs

Moisture- and flame-resistant. Slow-recovery foam provides comfortable, effective seal while exerting low pressure in ear canal. Fit wide range of ear canals. Classic™ Plus are slightly longer than regular E-A-R™ Classic™ earplugs to fit deeper into the ear canal and provide higher noise reduction. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
310-1001	665564465	Classic, uncorded, pillow pack	29	200 Pr/Bx
311-1101	665522755	Classic, corded, poly bag	29	200 Pr/Bx
312-1201	665521395	Classic, uncorded, poly bag	29	200 Pr/Bx
310-1101	665572675	Classic Plus, uncorded, pillow pack	33	200 Pr/Bx
311-1105	665573745	Classic Plus, corded, poly bag	33	200 Pr/Bx
390-1000	665564475	Classic, uncorded, Value Pack™ dispenser	29	200 Pr/Bx
391-1001	665521305	Classic, uncorded, One Touch™ refill bottle	29	500 Pr/Btl




310-1101

311-1101

## 3M 3M™ E-A-R™ Classic™ SuperFit™ 30 and SuperFit™ 33 Earplugs

Cylindrical shape fits wide range of ear canals. Best fit achieved when plug is fully inserted so no ring is visible. Aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
310-1009	665572645	SuperFit 30, uncorded, pillow pack	30	200 Pr/Bx
310-1008	665572635	SuperFit 33, uncorded, pillow pack	33	200 Pr/Bx




310-1008

## 3M 3M™ E-A-Rsoft™ Yellow Neons™ and Yellow Neon Blasts™ Disposable Foam Earplugs

Soft foam provides low-pressure comfort. Optional breakaway cord keeps earplugs handy. Yellow Neon Blasts have red flames. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1250	665522765	Yellow Neons, uncorded, poly bag	33	200 Pr/Bx
311-1250	665572075	Yellow Neons, corded, poly bag	33	200 Pr/Bx
312-1252	665572295	Yellow Neon Blasts, uncorded, poly bag	33	200 Pr/Bx
311-1252	665563975	Yellow Neon Blasts, corded, poly bag	33	200 Pr/Bx



312-1250

311-1250

312-1252

## 3M 3M™ E-A-Rsoft™ FX™ Earplugs

Disposable earplugs offer high-level hearing protection and comfort. Flanged shape allows for easy insertion and effective fit. Soft foam provides exceptional comfort. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1260	665572795	E-A-Rsoft FX, corded	33	200 Pr/Bx
312-1261	665572805	E-A-Rsoft FX, uncorded	33	200 Pr/Bx



312-1260

312-1261

### WARNING


These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



Remove Watermark Now

Earplugs



## 3M 3M™ Foam Earplugs 1100 and 1110

Soft, comfortable earplugs conform to unique shape of each ear canal for excellent hearing protection and comfort. Foam is tapered to fit most ear canals. Bright orange color aids in compliance checks. Can be combined with earmuffs for additional protection. Test compatible with 3M™ E-A-Rfit™ Validation System. Corded plugs are not for use in the 3M™ Foam Earplug Dispenser. CSA Class AL.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR*	UOM
1100	665511005	Foam Earplugs 1100, uncorded	1,000 Pr/Cs	29	200 Pr/Bx
1110	665511045	Foam Earplugs 1110, corded	500 Pr/Cs	29	100 Pr/Bx

## 3M 3M™ E-A-R™ TaperFit™ 2 Earplugs

Soft, roll-down foam expands to fit ear canal and provides low-pressure, comfortable seal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	SIZES	NRR*	UOM
312-1219	665564195	TaperFit 2, uncorded	Regular	32	200 Pr/Bx
312-1223	665564445	TaperFit 2, corded	Regular	32	200 Pr/Bx
312-1221	665520085	TaperFit 2, uncorded	Plus	32	200 Pr/Bx
312-1224	665564455	TaperFit 2, corded	Plus	32	200 Pr/Bx

## 3M 3M™ E-A-R™ Push-Ins™ Earplugs

Simple-to-use design features soft Earform™ tip that expands in ear canal for comfortable seal against noise. Blue stem makes fitting and removal easy and helps keep tips clean. Ready-to-use, reusable plugs form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR*	UOM
318-1000	665564225	Push-Ins, uncorded	400 Pr/Cs	28	100 Pr/Bx
318-1001	665564235	Push-Ins, corded	400 Pr/Cs	28	100 Pr/Bx
318-1002	665564245	Push-Ins, uncorded	2,000 Pr/Cs	28	200 Pr/Bx
318-1003	665573665	Push-Ins, corded	2,000 Pr/Cs	28	200 Pr/Bx




## 3M 3M™ Skull Screws™ Earplugs

Steel-gray color and soft foam provide look and comfort level younger workers prefer. Screw "threads" molded into foam make insertion convenient and easy. No roll-down required. Test compatible with 3M™ E-A-Rfit™ Validation System. 480 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P1300	665570235	Skull Screws, uncorded	30	120 Pr/Bx
P1301	665521895	Skull Screws, corded	30	120 Pr/Bx

## 3M 3M™ E-A-R™ Express™ Pod Plugs™

Reusable with unique pod shape and soft, flexible grip for pushing earplug into position. No touching or roll-down needed for insertion. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
321-2100	665564275	Express Pod Plugs, uncorded w/ blue grips	25	100 Pr/Bx
321-2200	665574665	Express Pod Plugs, uncorded w/ assorted color grips	25	100 Pr/Bx
311-1114	665572275	Express Pod Plugs, corded w/ blue grips	25	100 Pr/Bx
311-1115	665574975	Express Pod Plugs, corded w/ assorted color grips	25	100 Pr/Bx

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

### WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.



### 3M™ E-A-R™ E-Z Fit™ Earplugs

Soft, smooth, low-pressure foam rolls down easily and expands to fit ear canal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1208	665520855	E-Z Fit, uncorded	28	200 Pr/Bx
312-1222	665564205	E-Z Fit, corded	28	200 Pr/Bx



### 3M™ E-A-R™ UltraFit™ Earplugs

Triple-flange design fits a wide range of ear canals. No rolling or touching during insertion. Washable and reusable. Test compatible with 3M™ E-A-Rfit™ Validation System.



ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR*	UOM
340-4003	665564285	UltraFit, uncorded	400/Cs	25	100 Pr/Bx
340-4004	665522475	UltraFit, corded	400/Cs	25	100 Pr/Bx
340-4002	665522775	UltraFit, corded, carrying case	200/Cs	25	50 Pr/Bx

Earplugs



### 3M™ E-A-R™ Metal Detectable Earplugs

Test compatible with 3M™ E-A-Rfit™ Validation System.

**Yellow Neons™** include stainless steel ball encapsulated into foam of the earplug with metal detectable cord. Roll-down required.

**UltraFit™** include stainless steel ball positioned in stem with metal detectable cord. Feature pre-molded, triple-flanged design and require no roll-down or sizing. Comfortable, effective, washable and reusable. Available with metal detectable Econopack cord.

**Express™ Pod Plugs™** feature easy insertion, paddle-style grips for correct fitting and no roll-down. Packaged in pillow packs.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR*	UOM
311-4106	665574835	Yellow Neons, metal detectable, corded	2,000 Pr/Cs	32	200 Pr/Bx
340-4007	665574985	UltraFit, metal detectable, corded	400 Pr/Cs	25	100 Pr/Bx
340-4017	665522155	UltraFit, metal detectable, corded, Econopack	2,000 Pr/Cs	25	200 Pr/Bx
311-1127	665573795	Express Pod Plugs, metal detectable, corded	400 Pr/Cs	25	100 Pr/Bx



### 3M™ Tri-Flange™ Earplugs

Conforms to shape of ear canal. Soft, flexible, translucent flanges form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P3000	665563965	Tri-Flange, corded	26	100 Pr/Bx
P3001	665521905	Tri-Flange, cloth corded	26	100 Pr/Bx



### 3M™ No-Touch™ Foam Earplugs

"Hands off the foam" earplugs feature soft purple foam fused with LiveWire stem for easy insertion. No roll-down required. Tapered shape for good seal. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/Case.




ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P2000	665564415	No-Touch, uncorded	29	100 Pr/Bx
P2001	665563895	No-Touch, corded	29	100 Pr/Bx



### 3M™ E-A-R™ Caboflex™ Model 600 Hearing Protector

Silicone pods contain foam core for an effective seal and good noise reduction. Pods swivel to properly align with and enter ear canal. Band can be worn under the chin for use with hard hats or safety eyewear. NRR 20 (under-the-chin) and NRR 17 (behind-the-head). 100/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
320-2001	665564265	Caboflex Model 600	20/17	10/Bx

◆ Non-stock item. Minimum quantity may apply.



Remove Watermark Now



MAX-1

MAX30-USA



MAX-1S



## MAX® Earplugs

Maximum noise-blocking performance in a single-use design. Easy-to-insert contoured shape resists backing out of ear canal, while soft foam delivers long-lasting comfort. Smooth, soil-resistant skin. Max USA features patriotic red/white/blue colors. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	COLOR	CASE QTY	NRR	UOM
MAX-1	341501695	MAX, uncorded, polybag	Coral	2,000 Pr/Cs	33	200 Pr/Bx
MAX-30	341501735	MAX, corded, polybag	Coral	1,000 Pr/Cs	33	100 Pr/Bx
MAX-1S	341592425	MAX Small, uncorded, polybag	Dreamsicle orange	2,000 Pr/Cs	30	200 Pr/Bx
MAX-30S	341563415	MAX Small, corded, polybag	Dreamsicle orange	1,000 Pr/Cs	30	100 Pr/Bx
MAX1-USA	341501725	MAX USA, uncorded, polybag	RWB	2,000 Pr/Cs	33	200 Pr/Bx
MAX30-USA	341501755	MAX USA, corded, polybag	RWB	1,000 Pr/Cs	33	100 Pr/Bx
MAX-LS4	34153956	MAX, uncorded, LS-400 dispenser refill	Coral	2,000 Pr/Cs	33	200 Pr/Bg
MAX-1-D	341501705	MAX, uncorded, LS-500 dispenser refill	Coral	2,000 Pr/Cs	33	500 Pr/Bx



## Leight® Source 500 Earplug Dispenser

Hygienic and economical source for earplugs. Built with heavy-duty anodized aluminum and designed for wall installation. Dispenses earplugs with simple turning of handle. Ideal for large factories and process industries that have zero tolerance for packaging waste. Holds (500) pairs of Howard Leight single-use earplugs. Can be used with MAX®, Max Lite®, Laser Lite®, Multi Max®, FirmFit® and Quiet® earplugs (not included). 1/Case.

ITEM #	ORDER #	DESCRIPTION	UOM
LS-500	341501651	Leight Source 500 earplug dispenser	Ea

LS-500



## Multi Max® Earplugs

Single-use design is 2-sizes-in-1 for best fit. Smooth, soil-resistant skin prevents dirt from penetrating surface prior to insertion. Self-adjusting, polyurethane foam expands to fit virtually every wearer. Improves individual fit while simplifying inventory. Coral/yellow. Tested to ANSI S3.19-1974. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
MM-1	341501785	Multi Max, uncorded, polybag	31	200 Pr/Bx

MM-1



## Max Lite® Earplugs

Smooth, soil-resistant closed-cell foam skin prevents dirt build-up. Low-pressure polyurethane foam expands gently inside ear canal for comfortable long-term wear, while contoured T-shape is easy to handle. Single-use design. Green. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
LPF-1	341501595	Max Lite, uncorded, polybag	2,000 Pr/Cs	30	200 Pr/Bx
LPF-30	341501615	Max Lite, corded, polybag	1,000 Pr/Cs	30	100 Pr/Bx
LPF-1-D	341501605	Max Lite, uncorded, LS-500 dispenser refill	2,000 Pr/Cs	30	500 Pr/Bx


LPF-1

LPF-30



## SmartFit® Multiple-Use Earplugs

Multiple-use earplugs feature Conforming Material Technology™ which uses body heat to adapt triple-flange design to shape of ear canal. Fit almost every wearer. Include HearPack® case. Orange. Tested to ANSI S3.19-1974. 1,000 Pair/case.



SMF-30

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
SMF-30	341502115	SmartFit, detachable cord, HearPack case	25	100 Pr/Bx



## Fusion® Multiple-Use Earplugs

Multiple-use earplugs made with FlexiFirm® core for easy insertion and SoftFlange™ design for all-day comfort and easy handling. Four-flange design distributes pressure evenly on ear canal for superior attenuation. Include HearPack® storage case and detachable cord system. Tested to ANSI S3.19-1974. 1,000 Pair/case.



FUS30-HP

ITEM #	ORDER #	SIZES	COLOR	NRR	UOM
FUS30S-HP	341539515	Small	Green/yellow	27	100 Pr/Bx
FUS30-HP	341501385	Regular	Blue/yellow	27	100 Pr/Bx

Remove Watermark Now



### SmartFit® Detectable Earplugs

Designed for processing industries, detectable earplugs use body heat to adapt to shape of ear canal. Blue color provides high visual detection. Ring on stem and attached cord can be detected by automated equipment. Triple-flange distributes pressure evenly. Packaged in polybags. Tested to ANSI S3.19-1974. 500 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
SDT-30	341502105	SmartFit detectable, attached cord	25	100 Pr/Bx




### Quiet® Multiple-Use Earplugs

Multiple-use earplugs feature patented no-roll-down design, contoured shape and built-in flexible stem for easy handling and fit. Smooth, non-irritating skin provides all-day comfort. Easy to clean for long-term use. Tested to ANSI S3.19-1974. 10 Boxes/case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
QD1	341502045	Quiet, uncorded, polybag	26	100 Pr/Bx
QD30	341502065	Quiet, polycord, polybag	26	100 Pr/Bx
QD30-RC	341502025	Quiet, polycord, safety case	26	50 Pr/Bx



### Laser Lite® Earplugs

Single-use design features self-adjusting polyurethane foam that expands to fit virtually every wearer. Contoured T-shape for easy insertion and wear. Vibrant magenta/yellow color for visible protection. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
LL-1	341501475	Laser Lite, uncorded, polybag	2,000 Pr/Cs	32	200 Pr/Bx
LL-30	341501495	Laser Lite, corded, polybag	1,000 Pr/Cs	32	100 Pr/Bx
LL-LS4	341539525	Laser Lite, uncorded, LS-400 dispenser refill	2,000 Pr/Cs	32	200 Pr/Bg
LL-1-D	341501485	Laser Lite, uncorded, LS-500 dispenser refill	2,000 Pr/Cs	32	500 Pr/Bx



### AirSoft® Multiple-Use Earplugs

Four-flange design uses internal fins to create interlocking, noise-blocking barrier within the ear's air pocket, providing dependable attenuation upon proper insertion. Firm stem and tapered shape facilitate easy insertion/removal and allow plug to sit comfortably in ear canal. Regular size. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
AS-30R	341501315	AirSoft, red polycord, reusable case	500 Pr/Cs	27	50/Bx
DPAS-30R	341501345	AirSoft, red polycord, polybag	1,000 Pr/Cs	27	100/Bx
DPAS-30W	341501365	AirSoft, white nylon cord, polybag	1,000 Pr/Cs	27	100/Bx
DPAS-1	341501335	AirSoft, uncorded, polybag	1,000 Pr/Cs	27	100/Bx



### Laser Trak® Detectable Earplugs

Single-use, detectable earplug features self-adjusting, polyurethane foam to fit virtually any wearer and contoured T-shape for easy handling. Non-ferrous metal grommet is detectable by automated processes. Bright orange/blue color for easy compliance checks. Blue polycord attached. Tested to ANSI S3.19-1974. 1,000 Pair/case.




ITEM #	ORDER #	DESCRIPTION	NRR	UOM
LT-30	341501665	Laser Trak detectable, corded, polybag	33	100/Bx



### FirmFit™ Disposable Earplugs

Comfortable, classic style, firm foam earplug provides excellent protection in most medium-to-high noise environments. Easy to insert- requires less pressure to roll down. Slow recovery rate allows plenty of time to correctly insert in ear canal and exerts less expansion pressure on the ear canal. Distinct warning orange color makes compliance checks easy.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
FF-1	341513915	FirmFit, uncorded in polybag	30	200 Pr/Bx
FF-30	341563965	FirmFit, corded in polybag	30	100 Pr/Bx

◆ Non-stock item. Minimum quantity may apply.

Earplugs




Remove Watermark Now



## Banded Earplugs

Patented band design prevents ear pods from touching dirty or contaminated surfaces when set down. Great for environments with intermittent noise hazards. Packaged in a resealable bag with (1) pair replacement pods. QB1HYG® features molded pods that fit inside ear canal and a bell-flared shape for inner-aural protection. QB2HYG® provides supra-aural protection with soft foam pods that rest partially in ear and a flat-arrow shape. QB3HYG® provides semi-aural protection with super-soft foam oval-shaped pods that rest outside ear. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
QB1HYG	341501935	QB1HYG, inner-aural protection	Yellow	27	10/Bx
QB2HYG	341501955	QB2HYG, supra-aural protection	Orange	25	10/Bx
QB3HYG	341501975	QB3HYG, semi-aural protection	Red	23	10/Bx
QB200HYG	341501965	QB2HYG replacement pods			50 Pr/Bx



QB1HYG



92212

## Gateway GloPlugz® Earplugs

Soft, comfortable, disposable earplugs. Extremely smooth, tapered design allows for incredibly easy insertion. Non-allergenic polyurethane formula is extraordinarily soft and comfortable. Available with a glossy purple cord to make compliance checks easy. Blue.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
92202	323327401	GloPlugz, uncorded	31	200/Bx
92212	323322125	GloPlugz, corded	31	100/Bx



6445



## Glide® Trio Triple Flange Reusable Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Simply push and twist to find your fit. Large handle on curved stem for easy insertion and removal. Soft triple flange plug is washable and reusable. Cord can be attached at any desired length. Bright green color is a symbol of Moldex quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6445	222264455	Glide Trio reusable, corded	27	50 Pr/Bx



## Glide® Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Large handle on curved stem for easy insertion and removal. Simply push and twist to find your fit. Cord can be attached at any desired length.

Glide Trio Triple Flange Earplugs are washable and reusable. Bright green color is a symbol of Moldex quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6940	222269405	Glide Foam, uncorded	30	100 Pr/Bx
6945	222269455	Glide Foam, corded	30	100 Pr/Bx



6945



6645

6644

6604

6880



## SparkPlugs® Foam Earplugs

Feature random multi-color swirl design. Made of extra soft, PVC-free foam with a tapered shape that fits snugly and comfortably. Metal detectable version for food processing applications comes with metal detectable cord. Available with PlugStation® dispenser. Highest Independently tested NRRs, tested to ANSI S3.19-1974.

\*The random color patterns are registered trademarks of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6604	222200545	SparkPlugs, uncorded	2,000 Pr/Cs	33	200 Pr/Bx
6654	222228235	SparkPlugs, corded	2,000 Pr/Cs	33	100 Pr/Bx
6615	222266155	SparkPlugs, metal detectable	2,000 Pr/Cs	33	100 Pr/Bx
6644	222200591	PlugStation w/ SparkPlugs, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp
6645	222200601	PlugStation w/ SparkPlugs, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp
6881	222268815	PlugStation w/ SparkPlugs, metal detectable, corded	600 Pr/Cs	33	150 Pr/Dsp
6880	222268805	PlugStation w/ SparkPlugs, corded	600 Pr/Cs	33	150 Pr/Dsp

Remove Watermark Now



### Rockets® Reusable Earplugs

Easy-grip handle allows for effortless insertion and air bubble in tip provides cushioned comfort. Soft, flexible flanges provide a superior seal. Each pair includes Pocket-Pak® carrying case. Washable and reusable. Bright blue metal detectable model has new metal detectable cord and enclosed metal spring that eliminates any exposed metal. Tested to ANSI S3.19-1974. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
6400	222200465	Rockets, uncorded	Purple	27	50 Pr/Bx
6405	222256905	Rockets, corded	Purple	27	50 Pr/Bx
◆ 6415	222256895	Rockets, metal detectable, corded in poly bag w/out Pocket-Pak	Blue	27	50 Pr/Bx
6420	222200475	Rockets, cloth corded	Purple	27	50 Pr/Bx
6404	222264045	Rockets, corded in poly bag w/out Pocket-Pak	Purple	27	50 Pr/Bx
6480	222200485	Rockets, Special Ops®, uncorded	Camouflage	27	50 Pr/Bx
6485	222200495	Rockets, Special Ops®, corded	Camouflage	27	50 Pr/Bx



Earplugs





### Meteors® Disposable Earplugs

Foam roll-down earplugs feature a unique undercut shape with a smaller diameter that fits comfortably in narrower part of ear canal. Larger base ensures proper insertion, fit and removal. 100% PVC-free slow-recovery foam molds with individual contours of ear canal, and soft, smooth surface will not irritate skin. Available in a small size for women and other workers with smaller ear canals. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

\*The random color patterns are a registered trademark of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6630	222266305	Meteors, small, uncorded	2,000 Pr/Cs	28	200 Pr/Bx
6632	222266325	Meteors, small, corded	2,000 Pr/Cs	28	100 Pr/Bx
6634	222266345	PlugStation w/ Meteors small, uncorded	1,500 Pr/Cs	28	250 Pr/Dsp
6870	222268705	Meteors, uncorded	2,000 Pr/Cs	33	200 Pr/Bx
6970	222269705	Meteors, corded	2,000 Pr/Cs	33	100 Pr/Bx
6875	222268755	PlugStation w/ Meteors, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp



### Goin' Green® Foam Earplugs

Feature extra soft, low-pressure, PVC-free tapered foam for comfortable fit. Look for the colored streaks and swirls as a symbol of Moldex quality. Available with PlugStation® dispenser. Tested to ANSI S3.19-1974.

\*The random color patterns are registered trademarks of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6620	222200575	Goin' Green, uncorded	2,000 Pr/Cs	33	200 Pr/Bx
6622	222200585	Goin' Green, corded	2,000 Pr/Cs	33	100 Pr/Bx
6646	222200615	PlugStation w/ Goin' Green, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp
6647	222200625	PlugStation w/ Goin' Green, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp



### Comets® Reusable Earplugs

Convenient finger pocket allows for easy insertion, and soft flanges adjust to ear canal to hold earplug in place. Reusable design features extra soft material and air pocket for an extremely comfortable fit. Tested to ANSI S3.19-1974. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6490	222200505	Comets, uncorded	25	50 Pr/Bx
6495	222200515	Comets, corded	25	50 Pr/Bx



### Softies® Foam Earplugs

Made from extra-soft, lightweight foam for a comfortable fit. Tapered design provides easy insertion and is shaped to fit even the smallest ear canals. Radiant orange color for easy compliance checks. Non-irritating, smooth surface contributes to wearer comfort. Highest independently tested NRR 33. Tested to ANSI S3.19-1974.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6600	222200535	Softies, uncorded	33	200 Pr/Bx
6650	222200645	Softies, corded	33	100 Pr/Bx





## Mellows® Foam Earplugs

Made of extra-soft, extra-light foam. Tapered shape fits easily in ear canal and gently and snugly seals without pressure. Smaller design is perfect for extended wear. Provide maximum foam comfort with appropriate protection for mid- to high-level noise areas. Hi-viz bright orange plug. Non-irritating, 100% PVC-free. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6820	222268205	Mellows, uncorded	2,000 Pr/Cs	30	200 Pr/Bx
6840	222268405	Mellows, corded	2,000 Pr/Cs	30	100 Pr/Bx
◆ 6846	222268465	PlugStation w/ Mellows, uncorded	1,500 Pr/Cs	30	250 Pr/Dsp
6847	222268475	PlugStation w/ Mellows, uncorded	2,000 Pr/Cs	30	500 Pr/Dsp



## JETZ® Reusable Earplugs

Ideal choice for cost effective hearing protection for most high noise environments. Special grip at end of plug stem makes insertion and removal simple, even when wearing gloves. Extra-soft material and triple flange design gently seals without pressure for all-day comfort. Cord attachment with locking loop helps keep optional braided cloth cord securely in place. Washable, reusable and 100% PVC-free. Independently tested to ANSI S3.19-1974. 200 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6450	222264505	JETZ, uncorded	27	50 Pr/Bx
6455	222264555	JETZ, corded	27	50 Pr/Bx




## Flip to Listen® Dual Mode Earplugs

Dual mode earplugs that protect wearers from noise and, with a quick flip, also allow better communication when needed, without the inconvenience of removing earplugs. Flip cap allows user to easily switch from a closed position (NRR 24 dB) for protection from continuous noise, to an open position (NRR 4 dB) to communicate or hear. Effective hearing protection for most noisy environments, plus the ability to hear more clearly away from the workplace without taking out earplugs and having to refit them again. Triple flange design provides maximum comfort for all day wear. Soft, flexible flanges provide a superior seal and fit most ear canals. Stem helps user insert earplug into ear canal to get a good and secure fit. Can be easily washed and reused. Each pair comes with a Pocket-Pak® carrying case to keep them clean when not in use, plus an optional cloth cord. PVC-free. 4 Boxes/case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
◆ 6770	222267705	Flip to Listen w/ cord & Pocket-Pak	244	50 Pr/Bx



## Pura-Fit® Foam Earplugs

Features longer design for easy fitting and removal. Soft, PVC-free foam has non-irritating smooth surface. Tapered for easy insertion into any size ear canal. The bright green color is a symbol of Moldex quality. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	NRR	UOM
6800	222268005	Pura-Fit, uncorded	2,000 Pr/Cs	33	200 Pr/Bx
6900	222231035	Pura-Fit, corded	2,000 Pr/Cs	33	100 Pr/Bx
6844	222200701	PlugStation w/ Pura-Fit, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp
6845	222268451	PlugStation w/ Pura-Fit, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp
6882	222268825	PlugStation w/ Pura-Fit, corded	33	150 Pr/Dsp	



## Jazz Band® Canal Cap Hearing Protector

Comfortable alternative to earmuffs. Optional breakaway cord hangs around neck when not in use. Designed to not interfere with safety glasses. Soft, PVC-free foam pods gently cap ear canal providing maximum comfort. Packaged with spare pods. NRR 25 (under-the-chin). Independently tested to ANSI S3.19-1974. 50/Case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6506	222265065	Jazz Band hearing protector	25	10 Pr/Bx
6504	222265045	Replacement pods (5 pair) & neck cord	25	Kit

## Hearing Protection Styles:

### Disposable Earplugs

Are made of formable material and are designed to be inserted into a person's ear canal, where they expand and conform to the shape of each individual's ear canal.

**3M**



### Reusable Earplugs

Usually are premolded and made from silicone, plastic or rubber and are available in several different sizes.



**HOWARD LEIGHT**  
By Honeywell

### Ear Caps

Seal the opening to the ear without entering the ear canal. Similar to band-type hearing protectors, they usually come on a band that can be placed around the neck when the caps are not in use for convenience in work areas with varying noise levels.



**HOWARD LEIGHT**  
By Honeywell

### Earmuffs

Suppress unwanted noise by completely covering the outer ear.



**3M**

**3M**

### Communication Headsets

Combines the entertainment benefit of a digital AM/FM radio with advanced sound amplification technology for improved situational awareness.



**HOWARD LEIGHT**  
By Honeywell

### Active Noise Canceling Headsets

Use an electronic system to cancel unwanted background noise while at the same time enhancing the quality of audio delivered through the headset.



**HOWARD LEIGHT**  
By Honeywell



Remove Watermark Now



## 3M™ Peltor™ Optime™ 98 Series Earmuffs

Lightweight earmuff recommended for noise levels up to 98 dBA. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H9A	665564061	Optime 98 Series, headband	25	Ea
H9P3E	665564051	Optime 98 Series, cap-mount	23	Ea



## 3M™ Peltor™ Optime™ 95 Series Earmuffs

Recommended for noise levels up to 95 dBA. Slim design with 2-point suspension exerts lower pressure for comfortable, long-term use. Soft, liquid foam-filled ear cushions provide added comfort and protection. Beige. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H6A/V	665570121	Optime 95 Series, headband	21	Ea
H6B/V	665570131	Optime 95 Series, neckband	21	Ea
H6F/V	665521581	Optime 95 Series, folding	21	Ea



## 3M™ Peltor™ Optime™ 101 Series Earmuffs

Recommended for noise levels up to 101 dBA. Provides attenuation at low and high frequencies. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions provide excellent seal and lower pressure. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H7A	665570071	Optime 101 Series, headband	27	Ea
H7B	665570211	Optime 101 Series, behind-the-head	26	Ea
H7P3E	665564431	Optime 101 Series, cap-mount	24	Ea



## 3M™ Peltor™ Optime™ 105 Series Earmuffs

Recommended for noise levels up to 105 dBA. Features "double-shell" earcup design (two cups connected via foam inner layer to reduce structural resonances). Designed with wide, softly padded headband and stainless steel headband wires. Liquid foam-filled cushions provide good seal and low surface pressure. Weight: 9.3 oz. Also available in twin cup neckband, cap-mount, and hi-viz headband styles. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H10A	665564031	Optime 105 Series, headband	30	Ea
H10B	665570291	Optime 105 Series, neckband	29	Ea
H10P3E	665522721	Optime 105 Series, cap-mount	27	Ea
H10AHV	665570111	Optime 105 Series, hi-viz headband	30	Ea

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



## 3M™ Peltor™ X Series Earmuffs

Lightweight. Electrically insulated (dielectric) wire headband on over-the-head models. Earcups tilt for optimum comfort and efficiency. Twin headband design helps reduce heat buildup with good fit and balance. Wire headband offers comfortable pressure during prolonged usage. Ear cushion foam technology for an effective acoustic seal and reliable protection. Spacer design on X3, X4 and X5 models improves attenuation without excess bulk or weight. Despite larger earcups, the X5 is lightweight with excellent balance and comfort; features NRR 31 dB; provide high noise reduction in both standard headband and hard hat-attached models; and unique attenuation from combination of foam in the earcups, cushions and spacer and cup design. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
X1A	665510071	X1, over-the-head	22	Ea	◆ X3P3E	665511201	X3, cap-mount	25	Ea
X1P3E	665510271	X1, cap-mount	21	Ea	◆ X4A	665511281	X4, over-the-head	27	Ea
X2A	665510731	X2, over-the-head	24	Ea	X4P3E	665511641	X4, cap-mount	25	Ea
◆ X2P3E	665510891	X2, cap-mount	24	Ea	X5A	665511961	X5, over-the-head	31	Ea
X3A	665511181	X3, over-the-head	28	Ea	X5P3E	665521801	X5, cap-mount	31	Ea

Remove Watermark Now



### 3M™ Model 3000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Lightweight, durable plastic construction is non-conductive for tough environments. Features large earcup openings with soft, foam-filled cushions, replaceable foam cup liners and take-apart assembly for easy cleaning. NRR 25 (over-the-head), NRR 26 (behind-the-head) and (under-the-chin). 24/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
330-3002	665521591	Model 3000 earmuffs	25/26	Ea



### 3M™ Model 1000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Lightweight, durable plastic construction is non-conductive. Features large earcup openings with soft, foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 20 (over-the-head), NRR 22 (under-the-chin) and (behind-the-head). 24/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
330-3001	665570081	Model 1000 multi-position earmuffs	20/22	Ea



### 3M™ Peltor™ PTL™ Earmuffs

Push-to-listen (PTL) earmuffs help provide noise protection plus ability to hear surrounding sounds with the touch of a button. On/off listening button with fingertip control on one ear cup activates listening mode for 30 seconds at a time- workers no longer need to lift or remove earmuffs to hear sounds. (Note: The other cup is standard protective style.) Include liquid and foam-filled ear cushions, easily accessible battery compartment and 4-point headband suspension. AA battery (not included). 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H7A-PTL	665519711	PTL earmuffs, headband	25	Ea



### 3M™ Peltor™ Digital Worktunes™ Headset

AM/FM and MP3 compatible headset features easy fingertip controls, (5) station presets, seek and scan options, and liquid and foam-filled cushions for comfort. MP3 cord included. Requires (2) AA batteries (not included). 1/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
WTD2600	665574761	Digital Worktunes headset	26	Ea



### 3M™ Noise Indicator NI-100

Designed for variable noise environments to help workers identify potentially hazardous noise levels and know when hearing protection devices (HPDs) may be required. Green flashing LED indicates that noise levels are below 85 dB where HPDs may not need to be worn; red flashing LED indicates noise levels are above 85 dB, a potentially dangerous noise level where HPDs may be required. Small, lightweight design (.6 oz.) clips to shirt or jacket and includes a rechargeable battery that operates for up to 200 hours between charges. If not manually powered off, device will automatically power off after approximately 10 hours. Dimensions: 2" L x 1.4" W x 0.5" D. Can be used as an effective training tool within a hearing conservation program (consult OSHA Standard 29 CFR 1910.95) to help ensure workers know when and where to wear hearing protection. 10/Case.



ITEM #	ORDER #	DESCRIPTION	UOM
NI-100	665523571	Noise Indicator NI-100	Ea



#### WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.



Remove Watermark Now

Earmuffs



## QM24+® Earmuffs

Three-position, ultra-lightweight earmuffs weigh only 6 oz. Feature high-visibility red cups, black headband and replaceable muff cushions. Adjustable crown strap provides a secure fit when worn behind-the-head or under-the-chin. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
QM24+	341502081	QM24+ earmuffs	25	Ea



## Thunder® Noise-Blocking Earmuffs

Unique dual-headband offers better positioning and breathability, and non-deforming outer headband minimizes pressure. Dielectric construction withstands use and abuse while protecting workers in electrical environments. Features patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance. Cap-mounted earmuffs include a pair of adapters for use with most popular hard hats. Tested to ANSI S3.19-1974. 10/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
1010928	341536771	T1 Thunder, headband	Green	26	Ea
1010970	341536791	T3 Thunder, headband	Black	30	Ea
1011601	341500541	T1H Thunder, cap-mount	Green	23	Ea
1011602	341500551	T2H Thunder, cap-mount	Dark green	25	Ea
1011603	341500581	T3H Thunder, cap-mount	Black	27	Ea

Hat sold separately.



## Leightning® Noise-Blocking Earmuffs

Steel wire construction stands up to daily use and abuse without compromising comfort. Padded foam headband and super soft ear cushions eliminate "squeezing pressure" on the head. Patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance. Cap-mounted styles include pair of adapters. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
1010922	341500261	L1 Leightning, headband	Light gray	25	Ea
1010924	341500281	L3 Leightning, headband	Black	30	Ea



## Viking® Noise-Blocking Earmuffs

Flexibility for wearing earmuffs in multiple positions (over-the-head, behind-the-head or under-the-chin). Can be worn with hard hats, faceshields, respirators and other PPE. Robust, non-deforming dielectric construction. Features patented Air Flow Control™ technology for optimal attenuation and snap-in ear cushions. Includes elastic headband strap for better positioning. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
1010925	341500291	V1 Viking, multi-position headband	Light blue	25	Ea
1010926	341500301	V2 Viking, multi-position headband	Dark blue	27	Ea
1010927	341500321	V3 Viking, multi-position headband	Black/silver	29	Ea



Remove Watermark Now



**1030110**  
**SYNC™ Digital AM/FM Radio Earmuffs**

Combines hearing protection, high-fidelity sound, and the ability for individuals to listen to the radio or personal listening devices safely at work. Improved comfort and fit through its padded diamond-patterned headband and reinforced fork slides that keep it in place when worn. 10 Pre-set stations and volume memory can be personalized for each worker. Includes 3.5 mm aux input cable.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
1030110	341561311	SYNC stereo earmuffs	25	Ea
1030331	341562701	SYNC AM/FM earmuffs	25	Ea



**SYNC™ Electro® Digital AM/FM Radio Earmuffs**

Combines the entertainment benefit of a digital AM/FM radio with advanced sound amplification technology for improved situational awareness. Directionally placed stereo microphones amplify and enhance ambient sound up to 85 dB, allowing workers to hear important communication — alarms/warning signals, co-workers' voices — more effectively. For ambient noise exposures above 85 dBA, the listening circuitry manages speaker volume to a level that does not exceed 85 dBA.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 1030333	341562721	SYNC Electro	25	Ea

**MOLDEX MX-5 and MX-6 Earmuffs**

Features soft cushion-ribbed open air headband for cool comfort all day long. Overmolded headband is durable for rugged wear over many shifts. Larger ear cushions allow freedom to fit almost all ears comfortably. Lightweight wire frame allows easy cup adjustment yet holds its position for lasting comfort. Cool looks and comfort to promote worker acceptance and compliance. Extra soft foam/low pressure cushions and headband are PVC-free. Glossy surface for easy cleaning and longer wear. MX-6 features exclusive waffled cup foam for superior NRR protection. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6130	222261301	MX-6 earmuffs	30	Ea
♦ 6135	222261351	MX-6 hygiene kit		Ea
♦ 6120	222261201	MX-5 earmuffs	27	Ea
♦ 6125	222261251	MX-5 hygiene kit		Ea



**M1 Premium Earmuffs**

SoftCoat® covering on cups and yoke helps muffle sound transmission. Black-chrome, spring-steel headband resists fatigue, folds into a super-compact size for easy storage and helps maintain stability without twisting out of shape like other wire-band earmuffs. Six different adjustment points for comfortable fit for most head sizes. Exclusive iridescent color and sculpted shape for great looks. Independently tested to ANSI S3.19-1974. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 6100	222261001	M1 Premium earmuffs, iridescent cups	29	Ea



**M2 Multi-Position Earmuffs**

Low-profile design can be worn over-the-head, behind-the-head or under-the-chin. SoftCoat® covering helps muffle transmitted noise. Special grips molded into cups make fitting and alignment quick and easy. Cup adjustment is infinitely variable, distributing pressure evenly. NRR 26 (over-the-head). Independently tested to ANSI S3.19-1974. 20/Case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 6200	222262001	M2 multi-position earmuffs, iridescent cups	26	Ea

♦ Non-stock item. Minimum quantity may apply.