

Remove Watermark Now



Dayton Commercial Upright Vacuums

Height adjusts for use on bare or carpeted floors, and drop-down handle allows cleaning under furniture. Disposable filter bag improves indoor air quality, maximizes suction power, and eliminates clogging. Front bumper protects furniture.



Description	Cleaning Path	Amps	Power Cord Length	Net Weight	Item No.
Vacuums					
2-qt. cap.	13"	12	50 ft.	15.7 lb.	24Z193 ✓
4-qt. cap.	13"	8	50 ft.	15.2 lb.	24Z194 ✓



Multipurpose Upright Vacuums

- 70dBa
- Filter down to 0.3 microns

V-HDU-14

Rugged dual-motor upright vacuum with roto-molded housings and triple air filtration handles tough jobs. Includes onboard tools. CRI (Carpet Rug Institute) Green Label approved.

V-SMU-14 SINGLE-MOTOR

Single-motor upright vacuum has automatic pile height adjustment, single-clip latch release, dual easy-access clean-out ports, and HEPA 3-stage filtration. Double-strain cord relief eliminates connection or cord replacement hassles. CRI (Carpet Rating Institute) Silver Performance approved.

V-LWU-13 LIGHTWEIGHT

Automatic pile height adjustment adjusts to a variety of floor surfaces and reduces premature brush wear. Comes with standard 2-stage HEPA filtration to improve indoor air quality. Includes spare belt and bag. CRI (Carpet Rug Institute) Green Label approved.

V-DMU-14 DUAL-MOTOR

Includes standard HEPA 3-stage filtration for improved indoor air quality. Versatile vac cleans multiple surfaces with the flip of a switch. Comes with onboard tools. LEED qualifying. CRI (Carpet Rug Institute) Green Label approved.



Description	Cleaning Path	Amps	Power Cord Length	Net Weight	Mfr. Model	Item No.
V-HDU-14	14"	7.9A	40 ft.	21 lb.	9007462	4VDW2 ✓
V-SMU-14, Single	14"	10	50 ft.	16 lb.	1060829	5PFR9 ✓
V-LWU-13 Light-Weight Upright Vacuum	13"	10	50 ft.	8 lb.	1068028	15A755 ✓
V-DMU-14 Dual Motor Upright Vacuum	14"	10	50 ft.	24 lb.	1068027	15A756 ✓

Commercial Upright Vacuums Sanitaire

- Nonmarking wraparound guard
- Meet OSHA requirements

Note: For disposable vacuum bags, see page 1405.

Quiet Clean, 2-Motor—HEPA filtration improves indoor air quality and quiet 67dB may contribute to LEED points. Cleans carpet, bare floors, and above floors, and lays flat to clean under most bed frames. Includes metal extension wand with built-on retractable dusting brush. HEPA filter is washable. Use disposable paper vacuum bag.

Quiet Clean—69dB high air filtration may contribute to LEED credits. 2-speed, high-performance motor operates at minimal noise level, great for noise sensitive environments. Chrome steel brush roll with replaceable brush strips for easy maintenance. Features large capacity, top-filling cloth outer bag with disposable filter bag, Quick Kleen® removable clear fan chamber, ergonomic metal handle, and detachable quick-change power cord.

Sanitaire—Includes cloth outer bag with paper inner bag and 30-ft. power cord. Features allergen filter.

Quiet Clean Sealed HEPA—Improve indoor air quality. Quiet 69dB may contribute to LEED credits. 5:1 reinforced stretch hose provides a cleaning reach of 11 ft. Onboard 3-pc. tool set includes crevice wand, extension wand, and dusting brush. No. 3WE84 uses disposable paper bag; No. 4WYR2 has large capacity dirt cup.

EON—Cleans carpet, bare floor, or above the floor. Extension hose and onboard attachments: dusting brush, wand, and nested crevice wand. Handle folds down for storage or transport. Uses disposable paper bags. Allergen exhaust filter for indoor air quality.

Quick Kleen®—Heavy-duty with removable, easy-access fan chamber and chromed steel beater bar brush cloth outer bag with disposable filter bag, Quick Kleen® removable clear fan chamber, ergonomic metal handle, and detachable quick-change power cord.



Lightweight Traditional—Features include a hardwood beater bar bristle brush roll and a 3-position chrome steel handle with comfort grip. No. 4WT59 has a cloth shake-out bag, and No. 4LU78 has a dust cup.

Attachment Kit, No. 5H070—Includes dusting brush, upholstery nozzle, crevice tool, extension wands, vinyl hose assembly, curved handle, and base adapter. For select 12" models only.



Description	For Use With	Item No.	Pkg. Qty.
Replacement Parts			
Vacuum Belt	Nos. 1AFY6, 1AFY7, 1TGZ3, 4WT59, 3U712, 3U477, 3U478, 4LU78, 1AFZ2	4MK44	2
Upright Vacuum Belt	Nos. 48ME62 and 4WYR2	1AFY8	2
Upright Vacuum Brush Roll, Chrome Steel	Nos. 3U712, 1AFZ2, 4WT59, 4LU78	1AFY9	1
Accessories			
Upright Vacuum Accessory Kit	Nos. 3U712, 1TGZ3, 4WT59, 4LU78, 1AFY6, 1AFY7, 1AFZ2, 4WYR3, 4WYR4	5H070	1
Filter	No. 4WYR2	4WYR5	1
HEPA Filter	Nos. 2VAN9 and 1TGZ5	2TRL4	1
	Nos. 48ME62 and 4WYR2	2TRL5	1

Description	Cleaning Path	Amps	Power Cord Length	Net Weight	Mfr. Model	Item No.
Vacuums						
Quiet Clean, 2-Motor	13"	11.3	50 ft.	20 lb.	SC9180B	1TGZ5 ✓
Quiet Clean	12"	6.5	50 ft.	16.6 lb.	SC889A	4WYR4 ✓
Sanitaire	12"	5	30 ft.	10.7 lb.	SC9050D	36MZ17 ✓
Quiet Clean Sealed HEPA	15"	10	40 ft.	18 lb.	SC5815B	3WE84 ✓
	15"	10	40 ft.	18 lb.	SC5845B	4WYR2 ✓
EON	12"	10	40 ft.	16 lb.	SC5500A	48XL30 ✓
	12"	7	50 ft.	16.8 lb.	SC886E	3U712 ✓
	12"	7	50 ft.	16 lb.	SC888K	1AFZ2 ✓
Quick Kleen®	16"	7	50 ft.	18.5 lb.	SC899F	3U478 ✓
	12"	7	50 ft.	17.5 lb.	SC887B	4WYR3 ✓
	12"	5	30 ft.	12.2 lb.	SC679J	4WT59 ✓
Lightweight Traditional	12"	5	30 ft.	14 lb.	SC689A	4LU78 ✓

* CRI (Carpet Rug Institute) Green Label approved.

Remove Watermark Now



ORECK
Commercial Upright Vacuums

Lightweight units weigh only about 9 lb. and feature a disposable inner bag to trap dust and dirt. Ergonomic handle has an easy to use power switch. Low-profile design allows unit to lay flat to clean under furniture. No. 36N094 includes a 40-ft. cord and convenient carrying handle. No. 36N095 includes a 30-ft. cord, edge brushes, and clear nonmarking bumpers. No. 36N096 has a 40-ft. cord, a permanent belt, and circuitry to protect the belt and motor from jams.

Description	Mfr. Model	Item No.
U2000R-1	U2000R-1	36N094 ✓
XL2100RHS	XL2100RHS	36N095 ✓
U2000RB-1	U2000RB-1	36N096 ✓
U2000RB2L-1	U2000RB2L-1	30RJ32 ✓
Snap-On/Snap-Off Disposable Bags, Pkg. of 25	PK800025	4LB34



Commercial Upright Vacuums

Note: For accessories and replacement parts, see Grainger.com®.

TASKVAC COMPACT CORDLESS

Rechargeable vacuum features a fade-free Li-ion battery system with intuitive controls and an interchangeable battery and charger. Powered brushroll allows easy transition from a hard floor to rugs or carpeting. Low-profile base and extreme recline handle let you clean under counters and furniture easily. Feature 2 layers of microfiltration with extra 2-layer filter included. Edge cleaning bristles remove dirt edge of walls and baseboards and wide cleaning mouth cleans up spills quickly. Also features a battery-life gauge and a bottom-release dirt cup.

TASKVAC

Bagless vacuum allows quick and effortless cleaning without the cost or inconvenience of buying and changing bags. Easy-to-operate with fingertip On/Off switch, manual 5-position height adjustment, and 35-ft., 3-wire, high-visibility cord. Belt view indicator lets you know if agitator is still running and the system check indicator alerts you when the filter needs to be cleaned or checked. Belt changing and checking the brushroll is easy with flip-up access levers. Includes both a primary rinsable filter and a HEPA final filter. Rubber wheels provide easy movement. Also includes onboard tools: 8-ft. stretch hose, 12" wand, 11" crevice tool, and upholstery/dusting tool.

LIGHTWEIGHT

Provides a perfect balance of durability, performance, and weight for everyday room-to-room cleaning. No. 11W075 features a 40-ft. quick-change cord, HEPA filtration, automatic height adjustment, and is CRI Certified Gold. Includes 12" nozzle, fingertip On/Off switch, and nonmarking furniture guards and handles that drop down flat. No. 21XU80 features a 35-ft. quick-change, pigtail cord, wind tunnel technology, and LEED certified 2-speed motor for 70dB, quiet cleaning. 13.5"W nozzle provides more coverage than most vacuums. 11-qt. capacity, self-sealing HEPA bag prevents dirt from escaping back into the room.

HIGH FILTRATION

Upright models feature HEPA filtration and onboard cleaning accessories, including stretch hose, wand, upholstery tool, dusting brush, and crevice tool. No. 11W085 includes an onboard LED module that alerts you when the filter, bag, or brushroll needs servicing. Disposable bag system automatically seals the bag opening to trap dust and reduce emissions. 3-position handle and low-profile nozzle will flatten to the floor to clean under furniture. Includes 50-ft. quick-change power cord. No. 6END8 is a CRI Certified Bronze bagless unit that comes fully assembled. 35-ft., quick-change power cord. Twin chamber bagless system traps dirt in a sealed chamber. Hush® setting for quiet operation and low dBA. Multispeed power surge switch for heavily soiled areas. Steel rear axles and large rear wheels.

Description	Cleaning Path	Amps @ 120V	Net Weight	Mfr. Model	Item No.
Taskvac Compact Cordless	11"	—	8 lb.	CH20110	24Z198 ✓
Taskvac	13"	12	15.7 lb.	CH53010	24Z197 ✓
Lightweight	12"	4	9.4 lb.	C1320	11W075 ✓
Lightweight	13½"	5.5A	11.6 lb.	CH50400	21XU80 ✓
High Filtration	13"	10	18 lb.	CH50100	11W085 ✓
High Filtration	15"	12	16.7 lb.	C1660-900	6END8 ✓



ROYAL
Royal Commercial Upright Vacuums

LIGHTWEIGHT

Ideal for cleaning carpets, bare floors, and above the floors. Convenient stretch hose and two 16" wands, onboard dusting brush, furniture nozzle, and 7.25" crevice tool. 5-position height adjustment. Royal-Aire® filtration traps 99.9% of dust, pollen, and pet dander particles as small as 5 microns. CRI Certified Bronze.

BAGLESS HEPA

High performance with HEPA filtration. Swivel rear wheel casters provide maneuverability. Onboard tools include stretch hose, 16.5" extension wand, turbo tool, 16" crevice tool, and dusting brush. Triple row ball-bearing agitator. Metal handle and 5-position height adjustment. CRI Certified Silver.

INDUSTRIAL ALL-METAL

Hard-working yet lightweight vacs are easy to maneuver. Die-cast aluminum design with commercial quality urethane wheels. Bell-shaped nozzle provides effective dual-edge cleaning. Curved metal fan blades protect the upright from damage. HEPA-type filtration. Infinite screw height allows operator to adjust nozzle. Adjust-Rite feature indicates when nozzle is at correct height. No. 11W084 features a ball bearing quad brushroll with stiffener and CRI Certified Silver. No. 6ENE7 features a ball bearing quad brush roll and CRI Certified Gold.

Description	Cleaning Path	Amps @ 120V	Net Weight	Mfr. Model	Item No.
Lightweight	15"	12	16 lb.	CR50005	6ENE5 ✓
Bagless HEPA	15"	12	17.5 lb.	RY6100	6ENE6 ✓
	14"	10	15.5 lb.	CR5128Z	11W084 ✓
Industrial All-Metal	18"	10	20 lb.	CR5158Z	6ENE7 ✓

Remove Watermark Now

Tough Guy® Replacement Vacuum Bags



For Use With	OEM No.	Item No.	Pkg. Qty.
Bissell*			
Bissell* Model 37491 BG1001 Paper Bag	25602, PKBP10	3ZJH7	10
Bissell* Model BGU8000 Paper Bag	U8000	3ZJL2	25
Bissell* Model BGU8000 Paper Bag	U8000	3ZJL9	25
Bissell* Model 3822 BG1000 Paper Bag	7644, 10-1154	6JEN8	10
Bissell* ProBag 12 & 16 BG101H & BG102H Paper Bag	9469	10G171	10
Bissell* ProBag 12 & 16 BG101H & BG102H Paper Bag	9469	10G172	10
Clarke*/Alto*			
Clarke* CarpetMaster Paper Bag	1471058500	6GAN7 †	10
Clarke* Combi Vac, FiltraVac & FiltraPac BackPack Paper Bag	50721	3ZJJ9	10
Clarke* ReliaVac 12HP Paper Bag	56637120	3ZJK3	10
Clarke* Comfort Pak Paper Bag	1471097500	3ZJH7	10
Clarke* 300 & 400 Red Cotton Upright Cloth Bag (no zipper) with liner	50700A	3ZJL4	1
Clarke* S12, S16 Red Cotton Upright Cloth Bag (¼ Zipper) with liner	56648423	3ZJL6	1
CleanMax*			
CleanMax* Pro & Standard Paper Bag	CMP	11C828 ‡	10
CleanMax* Model CMBP-6 Backpack Paper Bag	CMBP-10	20TM82	10
CleanMax* Canister CMDC-12 Paper Bag	CMHC-10	48ZD78	10
Electrolux*			
Electrolux* Type U Upright Paper Bag	248	6JEN8	10
Eureka*/Sanitaire*			
Sanitaire* Backpack SC412 Paper Bag	C352-2500	20TM82	10
Eureka* DCF-3 Dust Cup	61825/62136A	48ZD75	1
Sanitaire* Backpack SC530 Paper Bag	62135	3ZJH7	10
Eureka* Mighty Mite Paper Bag	60295	3ZJK1	10
Eureka* F & G Paper Bag	52320A	3ZJK3	10
Eureka* LiteSpeed Paper Bag	61820/63256	3ZJK9	5
Eureka* SL & Sanitaire* Lightweight Paper Bag	61125	3ZJL1	3
Eureka*/Sanitaire* SC600 & SC800 Series Red Cotton Upright Cloth Bag (no zipper) with liner	53354-3	3ZJL4	1
Eureka*/Sanitaire* Red Cotton Upright Cloth Bag (full zipper)	53506-1	3ZJL5	1
Eureka*/Sanitaire* SC600 & SC800 Series Red Cotton Upright Cloth Bag (¼ Zipper) with liner	53416-1	3ZJL6	1
Sanitaire* Style SD - Duralux SC9120, SC9150 Paper Bag	63262	3ZJL7	5
Sanitaire* Style ST Models 600, 800 High Efficiency Bag	63213A	3ZJL8	5
Sanitaire* Style Z High Efficiency Bag	63881	5RAFO	10
Sanitaire* Style UP-1 Upright Paper Bag	62100	6JEN8	10
Euroclean*/Kent*			
Euroclean* UZ934 & UZ932 Canister Paper Bag	1406905020	3ZJK5 †	10
Euroclean* UZ964 Hip Vac Paper Bag	14066554050	3ZJK2 †	10
Kent* 152B DuraVac Paper Bag	56330690	3ZJJ2 †	10
Euroclean*/Kent* Pro12 E888 & Pro 16 Paper Bag	14129901	3ZJK3	10
Euroclean* Pro12 E888 Red Cotton Upright Cloth Bag (no zipper) with liner	141298900	3ZJL4	1
Euroclean* Pro12 E888, Pro16 E899 Red Cotton Upright Cloth Bag (¼ Zipper) with liner	141298900	3ZJL6	1
Euroclean* UZ930, UZ930s, GD930 Paper Bag	1407015040	48ZD78	10
Euroclean* GD930 Hepa Filter	1402666010	48ZD80	10
Euroclean* Pro12 E888 Red Cotton Upright Cloth Bag (no zipper) with liner	141298900	3ZJL4	1
Hoover*			
Hoover* A Paper Bag	4010001A	3ZJ7	3
Hoover* A HEPA High Efficiency Bag	43655126	11C829	3
Hoover* Y Paper Bag	4010100Y	3ZJ8	3
Hoover* Y HEPA High Efficiency Bag	902419001	11C830	3
Hoover* Y HEPA Carbon High Efficiency Bag	902481001	11C831	3
Hoover* BP Standard Paper Bag	1KE2103000	11C832	10
Hoover* Y Wind Tunnel HEPA Cartridge Filter	40140201	11C834	1
Hoover* Y Wind Tunnel Final Foam Filter	40110004	11C833	2
Hoover* Allergen B Paper Bag	4010103B	10G172	10
Hoover* Standard B Paper Bag	4010102B	10G171	10
Hoover* HushTone 13' & 15' Models Paper Bag	AH10143/AH10243	52VN95	10
IPC Eagle*			
IPC Eagle Models 464 & 664 Pleated Filter	FTDP00013	10E709 ‡	1
Karcher*/Tornado*			
Karcher*/Tornado* CK14/1 OD Paper Bag	6.267	11C828 ‡	10
Karcher*/Tornado* CleanBreeze High Efficiency Bag	6.904-305	20TM81	10
Karcher*/Tornado* CV30/1, CV38/2 & CV48/2 Paper Bag	6.904-294	3ZJL5	10
Karcher*/Tornado* CV30/1, CV38/2 & CV48/2 Hepa Filter	K64147600	48ZD81	1
Karcher*/Tornado* Pac-Vac Model PV6 Paper Bag	C352-2500	20TM82	10
Karcher*/Tornado* Model CW50 & CW100 Paper Bag	6.906-097.0	3ZJH8	10
Kenmore*			
Kenmore* 50015 Upright Paper Bag	20-50015	3ZJH6	10
Koblenz*			
Koblenz* F & G Fits U-110 Z, U-310 Z, U-610 Z Paper Bag	45-0315-7	3ZJK3	10
Koblenz* BP1400 Paper Bag	49-5803-9	20TM82	10
Mastercraft*			
Mastercraft* QC 1415 Plus Uprights Paper Bag	450146	3ZJ6	3
Mastercraft* Enviromaster Probe 6 Backpack	273502	3ZJJ3	10
Minuteman*			
Minuteman* MPV 14 & MPV18 Paper Bag	—	3ZJK6	10
Minuteman* MPV 13 Single Motor Upright Paper Bag	—	3ZJK7	10
Minuteman* #761177PKG Paper Bag	761177	10E085	10
Minuteman* #805038PKG Paper Bag	805038	10E086	12
Minuteman* #760598PKG Paper Bag	760598	10E087	10
Minuteman* #384003PKG Paper Bag	384003	10E088	10
Minuteman* #805040 Cloth SMS Bag	805040	10E080	10
Minuteman* #805054 Cloth SMS Bag	805054	10E081	1
Minuteman* #110039 ULPA Filter	110039	10E082	1
Minuteman* #110029 ULPA Filter	110029	10E083	1
Minuteman* #110025 HEPA Filter	110025	10E084	1

For Use With	OEM No.	Item No.	Pkg. Qty.
Mosquito Vac*			
Mosquito Super Vac*, Super HEPA BP - 10 Qt. Paper Bag	10-1041	3ZJH7	10
Mosquito Super Vac*, Super HEPA BP - 6 Qt. Paper Bag	10-1042	3ZJJ3	10
N.A.C.E.*/Numatic*			
N.A.C.E.*/Numatic* Henry/James Paper Bag	604100	25K810	10
N.A.C.E.*/Numatic* Henry/James High Efficiency Bag	604015	25K811	10
N.A.C.E.*/Numatic* Charles/George Paper Bag	604102	25K812	10
N.A.C.E.*/Numatic* Charles/George High Efficiency Paper	604016	25K813	10
Niifisk*-Advance*			
Advance* Spectrum CarpetMaster Paper Bag	1471058500	6GAN7 †	10
Advance* ReliaVac Paper Bag	56637120	3ZJK3	10
Niifisk* CarpeTwin Upright 16XP/20XP Paper Bag	323153	3ZJK4	10
Niifisk* CarpeTwin Upright 14/18 Advac Model Paper Bag	703768	3ZJJ2 †	10
Advance* Adgility 10 Qt. Backpack Paper Bag	1471097500	3ZJH7	10
Niifisk* ReliaVac 12HP & 16HP Red Cotton Upright Cloth Bag (no zipper) with liner	56648423	3ZJL4	1
Niifisk* ReliaVac 12HP & 16HP Red Cotton Upright Cloth Bag (¼ Zipper) with liner	56648423	3ZJL6	1
Niifisk* Eliminator I High Efficiency Bag	1470745010	48ZD76	3
Niifisk* GA70, GS80/GM80 & GS90/GM90	81620000	49AJ55	5
Niifisk* GD930, GD950, UZ930, Z970, DP9000 Paper Bag	1407015040	48ZD78	10
Niifisk* GD930 Hepa Filter	1402666010	48ZD80	1
Nobles*/Tennant*/Castex*			
Nobles* Lite Trac/Tennant* Viper & Whirlwind Paper Bag	611783	3ZJH9	10
Nobles* Portapac/Tennant* Backpack Paper Bag	611780	3ZJL1	10
Nobles* TrailBlazer & TrailBlazer Lite Backpack Paper Bag	612084	3ZJJ3	10
Nobles* Ultra Glide V-DMU-15, Tennant 3100 & 3120 Paper Bag	1014505	5KRE5 †	10
Tennant* 6400/6400E/6400D (washable) Panel Filter	361668	6XMZ3	1
Tennant* 6500/6550/6600 (washable) Panel Filter	379882	6XMZ5	1
Tennant* Battery Powered Sweeper Model 3610 Pleated Filter	1016246	10E709	1
Tennant* Floor Scrubber 5680 & 5700 Pleated Filter	370113/103781	10E704	1
Tennant* Floor Scrubber 7300 Rider/Nobles EZ Rider Pleated Filter	1037822	10E707	1
Tennant* V-SMU-14 Paper Bag	9007744	11C828 ‡	10
Tennant* V-BP-6 Backpack Paper Bag	907784	20TM82	10
NSS*			
NSS* Outlaw/Bandit Backpack Paper Bag	67-9-009-1	3ZJJ3	10
NSS* Marshall 14/18 Paper Bag	68-9-024-1	3ZJL4	10
NSS* Pacer Models 112-115UE Paper Bag	7190461	3ZJL5	10
NSS* Pacer Models 112-115UE Hepa Filter	719041	48ZD81	1
Oreck*			
Oreck* XL2000, XL8000, XL 9000 Without Docking System Paper Bag	8000	3ZJL2	25
Oreck* XL2000, XL8000, XL 9000 fits New & Old Dock Systems Paper Bag	PK20008	3ZJL9	25
Oreck* XL Pro 14 Paper Bag	PK10PR014DW	3ZJN1	10
Oreck* Pro 12 Model PRO12 Paper Bag	PK10PR012DW	5RAF1	10
Oreck* OR101H, OR102H High Efficiency Bag	OR-44	5RAF2	10
Oreck* Super Compact Canister	PKBB12DW	48ZD79 †	12
Panasonic*			
Panasonic* Upright Type U Paper Bag	MC-115PT	3ZJ6	3
Perfect Vac*			
Perfect Vac* PB1001 Backpack 10 Qt. Paper Bag	101394	3ZJH7	10
Powr-Flite*			
Powr-Flite* PF50, 70, 757, 1886 & 1887 Paper Bag	266PB	3ZJK3	3
Powr-Flite* PF82HF Paper Bag	E9A19	3ZJK9	5
Powr-Flite* PF300BP Paper Bag	C352-2500	20TM82	10
ProTeam*			
ProTeam* LineVac	100291	48ZD77	10
ProTeam* ProLux, ProForce, ProCare Paper Bag	103483	6JEN8	10
ProTeam* 10 Qt. Super Coach, MegaVac Paper Bag	100331	3ZJH7	10
ProTeam* QuietPro CN Paper Bag	104544	6JEN9	10
ProTeam* 6 Qt. QuarterVac Paper Bag	100431	3ZJJ3	10
ProTeam* Super Coach Pro™ 10 Qt. Paper Bag	107313	20TM83	10
ProTeam* Super Coach Pro™ 6 Qt. Paper Bag	107314	20TM84	10
Pullman Holt*			
Pullman Holt* UV-3 Paper Bag	527042	6JEN8	10
Pullman Holt* 390ASB Paper Bag	B600900	48ZD78	10
Pullman Holt* PV930/Pullman Ermator* 930 Euro Hepa Filter	6337010/B704212	48ZD80	1
Ridgid*			
Ridgid* Wet/Dry Cartridge Pleated Filter	VF4000	6XMZ7	1
Royal*/Dirt Devil*			
Royal* Standard Uprights Type B Paper Bag	3-067247-001	10G171	10
Royal* Commercial Uprights Type B Paper Bag	66247	10G172	10
Royal* Aire Y HEPA High Efficiency Bag	1-RY3650-000	10G173	10
Royal* Aire Y Commercial Paper Bag	43655127	10G174	10
Rubbermaid*			
Rubbermaid* 9VBPO6 Backpack 6 Qt.	9VBPPB06	48ZD77	10
Sandia Plastics*			
Sandia* Raven 10 Qt. Paper Bag	10-0006	3ZJH7	10
Sandia* Raven 6 Qt. Paper Bag	10-0197	3ZJJ3	10
Sears Craftsman*			
Sears Craftsman* Tall Wet/Dry Cartridge Pleated Filter	17816	6XMZ6	1
Windsor*			
Windsor* Sensor, Sensor XP12, Versamatic Plus Paper Bag	5300	3ZJH6	10
Windsor* VP10 Backpack Paper Bag	68005	3ZJH7	10
Windsor* Versamatic Paper Bag	2003	3ZJH8	10
Windsor* Sensor XP/S Micro Filter	5301ER	3ZJK8	1
Windsor* Versamatic Plus Motor Filter	1825	10E705	10
Windsor* Sensor XP Exhaust Filter	5143	10E706	10
Windsor* Sensor Exhaust Filter for SRS12/SRS15	2846	10E708	10
Windsor* Versamatic Standard Motor Filter	1044	10E710	10
Windsor* Versamatic Foam Exhaust Filter	1043	10E711	10

* Registered trademark of vacuum manufacturer. † Includes 2 prefilters in each package. ‡ Includes secondary filter(s) in each package.



Backpack Vacuums



■ 5-ft. x 1½" locking swivel hose, 2 aluminum wands, selector floor nozzle, crevice tool, dust brush, and utility nozzle

Nos. 4TR09, 4TR10, and 1UG82 have 4-level microlined filtration for indoor air quality. Feature auto-resetting thermal motor protection; accepts optional HEPA Cartridge Filter Kit No. 1UG88.

No. 1TFX2 has cartridge filter and high efficiency filter bag. No. 4TR10 operates at 400 Hz for aircraft cleaning. ASTM Tested with an 8-ft. x 2½" dia. hose.

Description	Amps	Static Pressure	Number of Motor Stages	Cord Length	Item No.
Aircraft Model	7.5	60"	2-Stage	50 ft.	4TR10 ✓
Professional-Duty	10	90"	2-Stage	50 ft.	4TR09 ✓
Heavy-Duty	9	65"	1-Stage	35 ft.	1UG82 ✓
Light-Duty	12	52"	1-Stage	25 ft.	1TFX2 ✓

Accessories

Micro-Lined Collection Filters for Nos. 4TR09, 4TR10, and 1UG82, Pkg. of 5	4TR17
Cloth Filter for Nos. 4TR09, 4TR10, and 1UG82	4TR18
HEPA Cartridge Filter Kit for 4TR09, 4TR10, 1UG82	1UG88
HEPA Cartridge Filters (Fits Dayton Backpack Vacuums with Kit No. 1UG88 installed), Pkg. of 4	1UG89
High-Efficiency Collection Filter Bag for No. 1TFX2, Pkg. of 5	1UFP3
Portable Vac Cartridge Filter and Foam Sleeve Pkg. for Nos. 1VHF8, 4YE74, 13J020, 13J021	4TB95
14" Professional Floor Nozzle for Dayton Backpack Vacuums	1UG86
Turbo Brush Carpet Nozzle for Dayton Backpack Vacuums	1UG87
Portable Vac HEPA Filter for Nos. 1TFX2	6AKY8



Backpack Vacuums



No. 45NY78

■ Includes 2-pc. wand, floor tool, crevice tool, dusting brush, and bag

HEPA 4-stage filtration improves indoor air quality. Filter captures 99% of particles at 0.3 microns. Lightweight 11-lb. design. LEED qualifying with CRI SOA Bronze performance and low 70 dBA.

Description	Amps	Static Pressure	Air Flow	Number of Motor Stages	Cord Length	Item No.
Vacuums						
6-qt.	10	—	111 cfm	1	50 ft.	45NY78 ✓
10-qt.	10	—	111 cfm	1	50 ft.	45NY75 ✓
Accessories						
10-qt. HEPA Bags						21ML41



HEPA Backpack Vacuum

■ Quiet 62 dB sound level

HEPA filter allows safe collection of hazardous materials (99.99% of particles at 0.3 microns). Includes sack filter, dust bag, tapered hose, curved plastic tube, telescoping wand, floor nozzle, dust brush, crevice cone and 5 dust bags. Exhaust air is directed upward to avoid interference with operator.

Description	Amps	Static Pressure	Air Flow	Number of Motor Stages	Cord Length	Item No.
GD10 Vacuum	9.5	99"	144 cfm	1-Stage	50 ft.	4NFP4 ✓
Accessories						
6-Piece Tool Kit for No. 4NFP4						4RX21
Replacement HEPA Upstream Filter for No. 4NFP4						4RYF7
Disposable Bags for No. 4NFP4						4RYH9

Backpack Vacuum



■ Operates quietly at 61 dB

■ Includes a 6-pc. tool kit and 50-ft. power cord

Versatile vacuum features an interchangeable lid for quick conversion into a powerful blower. Lightweight unit has adjustable straps and a cushioned backpad to ensure a proper and comfortable fit. HEPA filter bag helps protect indoor air quality. For accessories, see Grainger.com®.

Amps	Air Flow	Number of Motor Stages	Cord Length	Item No.
12	120 cfm	2-Stage	50 ft.	11W081 ✓

Atrix Backpack Vacuums Remove Watermark Now



No. 21AD04

HEPA—Lightweight 10-lb. vac easily converts to a blower. 4-stage high efficiency filtration with HEPA exhaust filter. Comes with 7 attachments including a stainless steel telescoping wand with 20 height adjustments.

Battery-Powered—Has the same features as No. 21AD04 but also includes a rechargeable Li-Ion powered battery pack. Continuous run time of 50 to 55 minutes.



No. 35MM76

Description	Voltage	Tank Size	Item No.
Vacuums			
HEPA, 12A	120	8 qt.	21AD04 ✓
HEPA, 13.5A	36	8 qt.	35MM76 ✓
Accessories			
Bag			21AD05
Vacuum Battery Charger			35MM77
Vacuum Battery Replacement			35MM78

Shoulder Backpack Vacuum



■ Lightweight design; weighs only 9.2 lb.

■ Includes positive locking hose, 2-pc., 2-bend aluminum wand with button lock, crevice tool, floor tool, dusting brush, upholstery tool, and adapter

Easy-to-carry design with an ergonomic harness with sternum clip to secure shoulder straps. Hypercone cartridge filter provides consistent airflow. HEPA filtration.

Amps	Air Flow	Cord Length	Item No.
8.5	120 cfm	48 ft.	6ENE2 ✓

Backpack Vacuums



No. 38EW21

■ Each includes a 2-piece, 2-bend, 56" aluminum wand, 14" floor tool, 17" crevice tool, 3" dust brush, and 5" upholstery tool

■ 4-level filtration system captures up to 99.9% of harmful particulates

Each meets CRI standards and the requirements of the LEED rating system for green cleaning-sustainable cleaning equipment.

MegaVac—10 qt. Converts into a high-powered blower without additional parts or accessories. Designed for large industrial facilities and commercial construction sites. Weighs 13 lb. Use filter No. 2RKX8.

Super CoachVac HEPA—10 qt. For use in schools, office buildings, healthcare facilities, or any large, high-traffic area. Weighs 11 lb. Uses filter No. 2RKX8.

Super QuarterVac HEPA—6 qt. For use in smaller commercial buildings, businesses, and residences. Weighs 10 lb. Uses filter No. 2RKX4.

LineVacer HEPA or ULPA—10 qt. True-sealed HEPA or ULPA filtration system. For use in medical facilities, cleanrooms, computer labs, or highly sensitive areas with delicate equipment. EPA's RRP rule. Use filter No. 5TZH9.

Super Coach Pro—FlexFit articulating harness. Four level filtration and HEPA Media. For use in schools, office buildings, healthcare facilities, or any large high-traffic area.

Description	Amps	Static Pressure	Air Flow	Number of Motor Stages	Cord Length	Item No.
Vacuums						
MegaVac	9.9	100"	150 cfm	1	50 ft.	2RKW9 ✓
Super CoachVac HEPA	9.9	100"	150 cfm	1	50 ft.	33KE26
Super QuarterVac HEPA	9.9	100"	150 cfm	1	50 ft.	33KE27
LineVacer HEPA	6.2	75"	124 cfm	2	50 ft.	5TZH4 ✓
LineVacer ULPA	6.2	75"	124 cfm	1	50 ft.	5TZH5 ✓
Super Coach Pro 6	9.5	96"	159 cfm	1	50 ft.	38EW21 ✓
Super Coach Pro 10	9.5	96"	159 cfm	1	50 ft.	38EW20 ✓
Accessories						
Micro Filter, 10 qt. for Nos. Mfr. No. 106781, 106782, Pkg. of 10						2RKX8
Micro Filter, 6 qt. for Nos. Mfr. No. 106783, 106784, 106785, Pkg. of 10						2RKX4
Filter for Nos. Mfr. No. 107204, 107205, Pkg. of 10						5TZH9
Intercept Micro Filter for Nos. Super Coach Pro 6, GoFree Flex Pro, ProVac FS 6, Pkg. of 10						38EW28
Intercept Micro Filter for Nos. Super Coach Pro 10, Pkg. of 10						38EW27

Remove Watermark Now



PortaPower Lightweight Vacuum

Compact model is ideal for overhead and detail cleaning, plus a narrow footprint allows for easy stair cleaning. Includes triple stretch hose, 2 extension wands, rug and floor tool, wall/floor brush, furniture tool, dusting brush, crevice tool, reusable commercial cloth bag, shoulder strap, and cord storage strap.

Vacuum Carrying Bag No. 6ENE4 features padded adjustable shoulder and waist straps.



★★★★★
CUSTOMER RATED
ON GRAINGER.COM®

Description	Amps	Peak HP	Net Weight	Power Cord Length	Item No.
Portable Vacuum	7.4	3.1	8.3 lb.	33½ ft.	6ENE3 ✓
Vacuum Carrying Bag					6ENE4



Compact Vacuum/Blower

- Operates at 86 dB
- Snap-on tool caddy; blower adapter
- 4-ft. slinky hose

Weights only 5 lb. Transport by hand or shoulder (with included strap). 98 mph motor air velocity. 360° rotating exhaust air deflector. 30-ft. double-insulated power cord. Meets OSHA 29 CFR 1910.399 standards.

Hypoallergenic Filter Bags—71-cu.-in. disposable, double-wall bags treated to inhibit germs, bacteria, mold, and mildew.



Description	Amps	Air Flow	Static Pressure	L	W	H	Item No.
Portable Dry Vacuum	4	64 cfm	50"	15"	6"	8"	4LB41 ✓
Hypoallergenic Paper Filter Bags and Motor Micro Filter, Pkg. of 12							4LB37



Compact Vacuums and Blowers

VACUUM/BLOWERS

Vac N Blo—Shoulder unit is a combination industrial vacuum and power blower designed for indoor and outdoor use. Attachments include dual power unit, flexible hose, 2" to 20" extension wands, Pik-All nozzle, blower nozzle, crevice tool, inflator adapter, and shoulder strap.

Vac N Blo 500—Combination hand vacuum and power blower. Attachments include extension wand, flexible hose, Pik-All nozzle, dust brush, crevice tool, inflator adapter, shoulder strap, and 6 disposable paper bags.

Description	Amps	Air Flow	Static Pressure	L	W	H	Item No.
Vac N Blo	11.25	130 cfm	90"	17"	7"	7"	2TUX5 ✓
Vac N Blo	7.5	100 cfm	80"	17"	7"	7"	2TUX6 ✓
Vac N Blo 500	4.5	70 cfm	60"	16½"	4"	5½"	2TUX7 ✓
Air Force Blaster	9.5	180	—	11.5"	7"	7"	2TUY1 ✓
Air Force	8	80	—	7.5"	4.5"	9.75"	2TUY3 ✓
Vac N Go	4.5	70 cfm	60"	7¼"	7"	14"	5NJJ7 ✓
DataVac ESD	7.5	100 cfm	85"	7"	7"	17"	2TUX8 ✓
DataVac Pro Series	6.5	85 cfm	65"	15"	7"	7"	5NJJ5 ✓
DataVac Pro Series	7.25	100 cfm	80"	17"	7"	7"	5NJJ6 ✓

Accessories

Replacement Bags for No. 2TUX7, Pkg. of 5	2TUY4
5 Replacement Bags and 2 Toner Filters for No. 2TUX8	2TUY5
Replacement Bags for No. 2TUX8, Pkg. of 5	2TUY6
Mounting Bracket for No. 2TUY1	2TUY2

No. 2TUX7



No. 2TUY1



BLOWERS

Electric industrial blowers remove drywall dust and other miniscule contaminants from tools and machinery. Steel construction, with no heating element.

Air Force Blaster—Attachments include flexible hose, neoprene blower/nozzle, and foam filter.

Air Force—Handheld unit includes stretch hose blower nozzle, air flare, and shoulder strap.

VACUUMS

Vac N Go—High-powered hand vac with foam filter features a 500W motor. All-steel construction; lightweight, compact, and easy to handle. Ideal for auto interiors, shop, or home. Attachments include Pik-All nozzle, dust brush, crevice tool, and 2 disposable bags.

DataVac ESD—HEPA-certified filter traps 99.97% of particles and dust (at 0.3 microns). Safe from electrostatic discharge. Steel construction. Attachments include antistatic stretch hose, crevice tool, dust brush, grounding wrist strap, shoulder strap, and 5 disposable bags.

DataVac Pro Series—All-steel unit designed for electronic equipment and computer cleaning. Features a toner filter system that picks up spills from laser printers and copiers; triple filtration is 99.9% efficient on particles to 0.3 microns. No. 5NJJ5 features a single-stage motor, No. 5NJJ6 has a 2-stage motor.

Attachments include 6-ft. flexible hose, two 20" extension wands, nozzle, crevice tool, brush insert, dusting brush, air pin pointer, shoulder strap, 2 extra toner filter disposable bags, micro filter, and cleaning tool kit.



Stick Vacuum and Floor Sweepers

STICK VACUUM

3-in-1 vacuum functions as a stick vac, handheld vac, and shoulder vac. Designed for dry cleaning of bare or carpeted floors. Disposable filter bag improves indoor air quality and reduces loss of suction power.

Attachments include hose, 2 poly extension wands, bare or carpet floor selector nozzle, utility nozzle, crevice tool, dusting brush, and shoulder strap.

BRUSHLESS SWEEPERS

Nonmarking, washable rubber blades sweep dust and debris from a variety of floor surfaces. Low profile for cleaning under furniture.

No. 1HA86—Horsehair corner brushes direct dirt into the sweep path, for cleaning close to baseboards and walls. Soft bumper protects furniture.

No. 5M867—Tinted window lets you see when the sweeper needs emptying. Poly-blend bristle corner brushes for fine cleaning.

MANUAL FLOOR AND CARPET SWEEPER

Smaller sweep path for cleaning tight spots. Poly-blend bristle corner brushes. Use on bare floors or low-pile carpets.

DUAL-ACTION SWEEPER

3 brushes and 2 kinds of bristles pick up large debris, smaller crumbs, and dirt. Poly-blend bristle corner brushes. Soft bumper protects furniture. Use on bare floors or low-pile carpets.



Description	Cleaning Path	Brand	Item No.
Vacuum and Sweepers			
Stick Vacuum	10½"	Dayton	2YMT8 ✓
Brushless Sweeper	9½"	Oreck	1HA86 ✓
Brushless Sweeper	7½"	Rubbermaid	5M867 ✓
Manual Floor and Carpet Sweeper	6½"	Rubbermaid	5M865 ✓
Dual Action Sweeper	7½"	Rubbermaid	4HC27 ✓
Accessories for No. 2YMT8			
Vacuum Filter Bags, Pkg. of 5		Dayton	2YMU3
Turbo Floor Nozzle		Dayton	2YMU4



Tornado®

Dry Canister Vac

Lightweight and streamlined construction with an ergonomically designed handle. Less than 70 dB sound level make vac ideal for noise-sensitive environments such as hotels, offices, and schools. Multistage filtration system features a CleanBreeze microfiber filter bag, a permanent main filter, motor protection filter, and an integrated HEPA exhaust filter for optimum indoor air quality.

Amps	Air Flow	Net Weight	Power Cord Length	L	W	H	Item No.
10	70 cfm	15 lb.	41 ft.	20"	14"	14"	21YG40 ✓



No. 21YG56



No. 21YG59

Tornado®

Taskforce® Wet/Dry Vacs

Handle dry debris pickup and liquids such as water and scrubbing and stripping solutions. Works well for general maintenance and to manage soil and moisture in high-traffic areas. Feature a 2-stage dust-free filtration system. All models include a crush-resistant hose, 2-pc. wand, hard floor tool, squeegee attachment, dust brush, and crevice tool. No. 21YG59 also includes an integrated front-mount squeegee and a tip-and-pour waste and water disposal system.

Tank Size	Tank Material	Peak HP	Amps	Average Brush Life	Air Flow	Static Pressure	Wet Cap.	Dry Cap.	Power Cord L	Mfr. Model	Item No.
10 gal.	Polyethylene	1.6	10	750 hr.	114 cfm	90"	5 gal.	10 gal.	30 ft.	94234	21YG56 ✓
15 gal.	Stainless Steel	1.6	10	750 hr.	114 cfm	90"	10 gal.	15 gal.	30 ft.	94232	21YG57 ✓
17 gal.	Polyethylene	1.6	10	750 hr.	114 cfm	90"	12 gal.	17 gal.	30 ft.	94230	21YG58 ✓
20 gal.	Stainless Steel	1.6	10	750 hr.	114 cfm	90"	15 gal.	20 gal.	30 ft.	94236	21YG59 ✓

16-gal. T-Lite Electric Vacuum



55-gal. Dual Jumbo Electric Vacuum Head

Wet/Dry Electric Vacs

16-GAL. T-LITE VACUUM

- Crackproof, corrosionproof, thermoplastic tank
- 115V portable vacuum with 2 rear wheels, 2 front swivel casters
- Hinged tank for easy emptying

Detachable powerhead and large poly external filter that resists clogging. Includes liquid shutoff, 16-ft. x 1 1/2" static conductive urethane hose with sleeve, 2-piece double curve wand, 14" squeegee floor tool, 14" hard floor tool, and 18" hand nozzle.

55-GAL. DUAL JUMBO VACUUM HEAD

- Removable motors for use as blowers
- Fits 55-gal. roll-top drum No. 1N159 (sold separately)
- External filters resist clogging

Simultaneously picks up wet and dry dirt. Includes liquid shutoff, 2" hose adapter, 16-ft. x 2" static conductive urethane hose, 2" two-piece double curve wand, 22" floor squeegee tool, floor gulper tool, and 18" hand nozzle.

Description	Item No.
1 1/2" Dia. Replacement Accessories for T-Lite Vac	
15-Ft. Static Conductive Clear Urethane Hose w/Sleeve	1N157
2-Piece Double Curve Floor Wand	1N155
Vacuum Cleaner Squeegee Tool	1N153
Filter Bag for Portable Vacuums	1N147
2" Dia. Replacement Accessories for 55-Gal. Jumbo Vac	
Vacuum Cleaner Hose Adapter	1N146
16-Ft. Static Conductive Black Neoprene Hose	1N158
2-Piece Double Curve Vacuum Cleaner Wand	1N156
Vacuum Cleaner Squeegee Tool	1N144
External Filter Bag for Dual Head Jumbo Vacs	1N148
External Filter Bag for Quad Head Air Vacuum	1N151

Description	Peak HP	Air Flow	Static Pressure	Mfr. Model	Item No.
16-gal. T-Lite Wet/Dry Vacuum	2.25	184 cfm	51"	98699	35PG50 ✓
55-gal. Dual Jumbo Electric Vacuum Head		243 cfm		98698	35PG51 ✓



18-gal. Complete Vac

Wet/Dry and Wet-Only Air-Powered Vacs

Note: all air vacuums come with a 3/8" jet installed. 7/32" and 1/4" jets are also supplied.

18-GAL. COMPLETE PORTABLE AIR VACUUM

- 50 cfm air at 80 psi
- Compressed air-powered vacuum, single venturi, packaged with 3 jet sizes
- External filter resists clogging and handles simultaneous wet/dry pickup

Only 19" wide—air power through tight spaces. Hinged stainless steel tank simply tilts to empty. Comes with 15-ft. x 1 1/2" static conductive urethane hose with sleeve, double curved wand, 14" floor squeegee tool, 14" hard floor tool, and 18" x 1 1/2" hand nozzle.

55-GAL. DUAL-VENTURI AIR-VACUUM HEAD ONLY

- 3 jet sizes
- External filter resists clogging and handles simultaneous wet/dry pickup

Reach deeper and farther to recover heavier water, dirt, and sludge. Jumbo air vac with drum mount and attachments fits 55-gal. roll-top drum No. 1N159 (sold separately). Includes dual liquid shutoff (installed), 2" hose adapter, 16-ft. x 2" static conductive neoprene hose, double curve wand, 22" x 2" floor squeegee, floor gulper tool, and 18" hand nozzle.

55-GAL. QUAD AIR-VACUUM HEAD ONLY

- External filter resists clogging and handles simultaneous wet/dry pickup
- Liquid shutoff installed

Recovers 55 gal. of viscous liquids from 100 ft. away in less than a minute. Also picks up shot, blasting sand, and ultrafine dust. Fits 55-gal. roll-top drum No. 1N159 (sold separately). Includes 2" hose adapter, 16-ft. x 2" static conductive neoprene hose, double curve wand, 22" floor squeegee tool, floor gulper tool, and 18" hand nozzle.

55-GAL. INTERNAL DUAL-HEAD AIR VACUUM HEAD ONLY

- For wet recovery only
- Mufflers provide quiet operation

Designed for flood control, sludge pickup, and cleaning of sumps and coolant tanks. Fits 55-gal. roll-top drum No. 1N159 (sold separately). Includes dual liquid shutoffs, 2" hose adapter, 16-ft. x 2" static conductive neoprene hose, 2-piece double curve wand, 22" floor squeegee tool, and 18" hand nozzle.

55-GAL. JUMBO VACUUM DRUM

Fits air-vacuum heads on this page. 2" positive-seal drain valve for easy emptying. 18-ga. steel roll-top drum.

POWERHEAD VACUUM SILENCER

Reduces the sound level of electric and air powerheads. This flow-through muffler fits between power unit and filter. 1 required for each power unit; completes system.



55-gal. Quad Head Only

Description	Tank Material	Vertical Lift	Air Inlet	Static Water Lift	Air Flow	Vacuum Hose Dia.	Vertical Lift	Horizontal Reach	Mfr. Model	Item No.
18-gal. Complete Vacuum	Stainless Steel	15 ft.	1/2"	242"	184 cfm	1 1/2"	15 ft.	30 ft.	98697	32EY90 ✓
55-gal. Dual Head Only	Urethane	25 ft.	3/4"	239"	160 cfm	2"	25 ft.	50 ft.	98696	32EY94 ✓
55-gal. Quad Head Only	Urethane	50 ft.	1"	200"	238 cfm	2"	50 ft.	100 ft.	98695	32EY93 ✓
55-gal. Internal Head Only	Drum Sold Separately	25 ft.	0.75"	242"	160 cfm	2"	25 ft.	50 ft.	98694	35PG49 ✓
55-gal. Vacuum Drum, Steel									95944	35PG55
Powerhead Silencer									90551	35PG53

Remove Watermark Now

GUARDAIR.

Pneumatic Wet/Dry Vacuums

4-, 8-, AND 15-GAL. COMPLETE UNITS

Offer safety, durability, and high performance in a compact size. No. 3PXL6 includes generating head with standard cloth filter, canister drum, tool coupler, 20" extension wand, 3" round brush, 5" wide utility tool with detachable brush, 9" crevice tool, and air supply hose with fittings.

Nos. 3PXL7 to 3PXL9 include generating head with standard cloth filter, canister drum, standard duty vacuum hose, 12" wide metal wet/dry floor tool with 4-ft. wand, 24" long metal crevice tool, and air supply hose with fittings.

30- AND 55-GAL. COMPLETE UNITS

Generate high vacuum lift and flow instantly and effectively. No. 3PXN4 dual venturi mode is ideal for heavy sludge, dirt, and liquids.

Units include generating head with standard cartridge filter, drum dolly, 12" wide metal wet/dry floor tool with 4-ft. wand, 24" long metal crevice tool, and air supply hose with fittings.

STATIC CONDUCTIVE VACUUM UNITS

Ideal for high static applications such as vacuuming talc and powders. Eliminate static electricity and nuisance shocks by incorporating static conductive components to help suppress charges.

Include a generating head with standard cartridge filter, drum dolly, 12" wide metal wet/dry floor tool with 4-ft. wand, 24" long metal crevice tool, and air supply hose with fittings. No. 3PXU1 has air supply hose with fittings.

VACUUM GENERATING HEADS AND KITS

Mount compressed air-powered heads on 18-ga. thick 30- or 55-gal. drums (sold separately), making them into high performance vacuums. Kit Nos. 3PXN6 to 3PXN8 include standard cartridge filter, standard duty vinyl vacuum hose, metal wet/dry floor tool with 4-ft. steel wand, and 24" long metal crevice tool.



4-gal. Complete Unit



30-gal. Single Venturi Complete Unit



30-gal. Vacuum Generating Head



55-gal. Dual Venturi Generating Head

Description	Minimum Air Compressor	Air Inlet	Air Requirements	Static Water Lift	Air Flow	Mr. Model	Item No.
4, 8, and 15-gal. Complete Units							
4-gal. with 1 1/4" x 10-ft. Vacuum Hose	5 HP	0.38"	20 cfm	100"	56 cfm	N041MC	3PXL6 ✓
8-gal. with 1 1/2" x 20-ft. Vacuum Hose	10 HP	0.75"	47 cfm	213"	60 cfm	N081DC	3PXL7 ✓
15-gal. with 1 1/2" x 20-ft. Vacuum Hose	5 HP	0.5"	20 cfm	105"	61 cfm	N151SC	3PXL9 ✓
15-gal. with 1 1/2" x 20-ft. Vacuum Hose	10 HP	0.75"	47 cfm	213"	60 cfm	N151DC	3PXL8 ✓
30 and 55-gal. Single Venturi Complete Units							
30-gal. with 1 1/2" x 20-ft. Vacuum Hose	10 HP	0.75"	47 cfm	213"	60 cfm	N301DC	3PXN2 ✓
30-gal. with 2" x 20-ft. Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N301BC	3PXN1 ✓
55-gal. with 2" x 20-ft. Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N551BC	3PXN3 ✓
55-gal. Dual Venturi with 2" x 20-ft. Vacuum Hose	25 HP	0.75"	110 cfm	163"	163 cfm	N552BC	3PXN4 ✓
Static Conductive Vacuum Units							
15-gal. with 1 1/2" x 20-ft. Vacuum Hose	5 HP	0.5"	20 cfm	105"	61 cfm	N151SC-NED	3PXU1 ✓
15-gal. with 1 1/2" x 20-ft. Vacuum Hose	10 HP	0.75"	47 cfm	213"	60 cfm	N151DC-NED	3PXT9 ✓
30-gal. with 1 1/2" x 20-ft. Vacuum Hose	10 HP	0.75"	47 cfm	213"	60 cfm	N301DC-NED	3PXT8 ✓
30-gal. with 1 1/2" x 20-ft. Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N301BCX-NED	3PXT7 ✓
30-gal. with 2" x 20-ft. Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N301BC-NED	3PXT6 ✓
55-gal. with 1 1/2" x 20-ft. Vacuum Hose	10 HP	0.75"	47 cfm	213"	60 cfm	N551DC-NED	3PXT5 ✓
55-gal. with 1 1/2" x 20-ft. Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N551BCX-NED	3PXT4 ✓
55-gal. with 2" x 20-ft. Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N551BC-NED	3PXT3 ✓
55-gal. with 1 1/2" x 20-ft. Vacuum Hose	25 HP	0.75"	110 cfm	163"	163 cfm	N552BCX-NED	3PXT2 ✓
55-gal. with 2" x 20-ft. Vacuum Hose	25 HP	0.75"	110 cfm	163"	163 cfm	N552BC-NED	3PXT1 ✓
Vacuum Generating Heads and Kits							
30-gal. Vacuum Generating Head with 2" Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N301B	3PXN5 ✓
30-gal. Vacuum Generating Head Kit with 1/2" Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N301BK	3PXN6 ✓
55-gal. Vacuum Generating Head with 2" Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N551B	3PXN9 ✓
55-gal. Vacuum Generating Head Kit with 2" Vacuum Hose	15 HP	0.75"	68 cfm	185"	89 cfm	N551BK	3PXN7 ✓
55-gal. Dual Venturi Generating Head Kit with 2" Vacuum Hose	25 HP	0.75"	110 cfm	163"	163 cfm	N552BK	3PXN8 ✓

Description	For Use With	Item No.
Accessories		
Maintenance kit	30 gal. Units	5JJD4
	55 gal. Units	5JJD3
3/4" x 20 ft. Air Supply Hose	15, 30, and 55-gal. Units	5JJG7
Exhaust Silencer Insert	15, 30, and 55-gal. Units	3PXP1
Filter	30 and 55-gal. Units	3PXP2
Filter, Pkg. of 6	30 and 55-gal. Units	3PXP3 ✓
Gasket	55-gal. Covers	3PXP4
Filter Bag	30 and 55-gal. Units	3PXP5
Retaining Spring	30 and 55-gal. Units	3PXP6
Filter	30 and 55-gal. Units	3PXP7 ✓
2" Wet/Dry Vacuum Accessory Kit	15, 30, and 55 gal. Units	5JJC9
Vacuum Hose, 2' x 20-ft.	All Models	3PXP8
5" Dia Aluminum Brush Tool	1 1/2" Vacuum Hose	5JJD9
	2" Hose	5JJE0
12"W Aluminum Wet/Dry Vacuum Accessory Kit	2" Hose	5JJE2
6"W Aluminum Utility Tool	1 1/2" Vacuum Hose	5JJE3
	2" Hose	5JJE4
22" Steel Sand Pick-Up Tool	1 1/2" Vacuum Hose	5JJE5
	2" Hose	5JJE6
24" Aluminum Vacuum Cleaner Crevice Tool	1 1/2" Vacuum Hose	5JJE7
24" Steel Vacuum Cleaner Crevice Tool	2" Hose	5JJE8
14"W Aluminum Floor Tool with Bristles	1 1/2" Vacuum Hose	5JJE9
14"W Aluminum Squeegee Tool	1 1/2" Vacuum Hose	5JJE0
20" Plastic Vacuum Cleaner Extension Tube	1 1/4" Hose	5JJF1

Description	For Use With	Item No.
3" Dia. Plastic Vacuum Cleaner Brush Tool	1 1/4" Hose	5JJF2
9" Plastic Vacuum Cleaner Crevice Tool	1 1/4" Hose	5JJF3
Liquid Shut Off Assembly	8-gal. Units	5JJF6
	15-gal. Units	5JJF7
Liquid Shut-Off Assembly	30 and 55-gal. Units	3PXP9
Liquid Drain Valve	30 and 55 gal. Drum Lower 2" Bung Hole	5JJF5
Vacuum Cleaner Hose Connector	2" Hose	3PXR1
Rubber Gasket	30-gal. Covers	3PXR2
1 1/4" Curved Tool Coupler	1.25" Hose	5JJF4
Filter	4-gal. Vacuum	3PXR4
	15-gal. Vacuum	3PXR3
Exhaust Housing	15, 30, and 55-gal. Units	3PXR5
Exhaust Silencer Foam	8, 15, 30 and 55 gal. Units	3PXR6
Vacuum Cleaner Floor Tool	1 1/2" Vacuum Hose	3PXR7
Exhaust Assembly	8, 15, 30, and 55-gal. Units	3PXR8
Grounding Strap	Static Conductive Vacuum Units	3PXR9
55-gal. Dolly Assembly	55 gal. Units	5JJC8
4-gal. Canister With Lid Clamps	4-gal. Units	5JJG8
55-gal. Vacuum Drum	Pneumatic Wet and Dry Vacuums	5JJC6
30-gal. Vacuum Drum	Pneumatic Wet and Dry Vacuums	5JJD0



Eliminator II Pro



SS Mercury
Recovery Vacuum



Compact
Hip Vacuum

Critical Area Vacuums, Tool Kits, Filters, and Bags



DRY VACUUMS

GM80 and GM80 CR—Model GM80 has a standard 4-stage filtration system and a thermal protection device that helps keep motor from overheating. Ball-joint couplings allow for 360° movement; helps prevent hoses from cracking, knotting, and splitting.

Model GM80 CR is for cleanroom use. The 4-stage filtration system collects and retains fine dust and powders. Extra-large filter helps maintain even air flow and reduces premature clogging. A thermal protection device helps keep motor from overheating. Hose provides ESD protection. Safety latches help prevent container from opening if vacuum is dropped. Operates at a quiet 59 dB. Includes an ULPA exhaust filter for cleanroom use.

IVT 1000CR Safe-Pak and IVT 1000CR—Multistage filtration system is compact and easy to maneuver. Operate at 61 dB. Model IVT 1000CR Safe-Pak can safely collect and contain potent compounds for disposal.

Eliminator I—Features a 3-stage filtration system for dry collection. Easy to empty 5-gal. collection container. Operates at 65 dB.

WET/DRY VACUUMS

Eliminator II—Feature a 3-stage filtration system, wheeled trolley, and a large ergonomic handle for easy transport. A float valve shuts off unit when container is full. Operate at 65 dB.

GWD 255—Powered by 2 independent bypass motors and can fit both 30- and 55-gal. drums. Washable main sack filter helps extend filter life.

COOLANT/CHIP VACUUMS

VHO 200—Specifically designed to collect and discharge oil and coolants in metalworking applications. Designed with a diverting valve that reverses the flow of air to pump out the tank quickly and easily. Also includes a tilting motorhead for easy access to the internal chip basket. Liquids and solids can be collected, separated, discharged, and recycled. Small profile allows for maneuverability in tight areas. Feature a chip basket to collect metal shavings and a liquid level sight tube.

EXPLOSIONPROOF VACUUMS

118 EXP and 118 EXPW—304 stainless steel construction. Operate at 78 dB. CSA Approved. Model 118 EXP is for dry collection and includes a wheeled collection container. Large antistatic filter and external filter shaker help prevent premature clogging. Model 118 EXPW picks up liquids and other wet hazardous materials.

MERCURY RECOVERY VACUUMS

SS Mercury and VT Mercury—Activated carbon absorbent filter prevents mercury from escaping into exhaust air. Safety latches provide added security. Operate at 59 dB. VT model includes a microstatic diffuser to protect the motor and a separator to collect liquid mercury.

COMPACT VACUUMS

Features a compact and ergonomic design that allows freedom of movement and reduces back strain. Provides a dry use multistage filtration system with a paper bag, foam filter, upstream HEPA filter, and exhaust filter to ensure indoor air quality. Lightweight with quiet operation. Hook-and-loop strap accommodates users of all shapes and sizes; left or right hand operation. Operates at 52 dB.

TOOL KITS

Wet/Dry Vac Kit No. 4RXZ2—Includes hose assembly, floor nozzle with 3 inserts, crevice nozzle, dust brush, and 2 telescoping wands.

Drum Top Vac Kit, 2" No. 4RXZ6—Includes inlet coupler, hose, hose handle, hose cuff, 2 wands, floor nozzle with 3 inserts, crevice device, and dust brush.

Drum Top Vac Kit, 1½" No. 4RXZ7—Includes inlet reducer, vinyl hose cuff, wand, floor nozzle, brush strip, crevice nozzle, dust brush, and hose coupler.

Dry-Only Vac Kit No. 4RXZ8—Includes hose assembly, 2 wands, floor nozzle, crevice nozzle, dust brush, and utility tool.

Explosionproof Dry Vac Kit No. 4RXZ3—Includes hose assembly, hose coupler, floor nozzle, crevice nozzle, dust brush, hose clamp, and 2-piece wand.

Explosionproof Wet/Dry Vac Kit No. 4RXZ4—Includes hose assembly, hose coupler, floor nozzle, crevice nozzle, floor squeegee, crevice nozzle, dust brush, hose clamp, and 2-piece wand.

Mercury Hose Kit No. 4RXZ9—Includes hose assembly.

Mercury Tool Kit No. 4RXZ5—Includes hose assembly and crevice nozzle.

ULPA Filter Dry Vac Kit No. 4RYA2—Includes hose assembly, 2 wands, combination floor nozzle, dust brush, crevice nozzle, and upholstery tool.

Dry-Only Vac Kit No. 4RYA3—Includes 2 wands, stainless steel curved tube, floor nozzle, hose, cuff, crevice nozzle, dust brush, and cap plug.

Description	Tank Cap.	Peak HP	Amps	Air Flow	Static Pressure	Tank Material	Wet Capacity	Dry Capacity	Power Cord Length	Item No.
Dry Vacuums										
GM80	3.25 gal.	1½ HP	9	80 cfm	84"	Aluminum	—	2.25 gal.	30 ft.	4RXY7 ✓
GM80 CR	3.25 gal.	1½ HP	9	80 cfm	84"	Aluminum	—	2.25 gal.	30 ft.	4NFP9 ✓
IVT 1000CR Safe-Pak	3.25 gal.	1½ HP	10	72 cfm	80"	Stainless Steel	—	2.25 gal.	30 ft.	4RXZ8 ✓
IVT 1000CR	3.25 gal.	1½ HP	10	76 cfm	79"	Stainless Steel	—	2.25 gal.	30 ft.	4RXZ9 ✓
Eliminator I	8 gal.	1½ HP	8.3	135 cfm	92"	Polyethylene	—	8 gal.	25 ft.	48XT63 ✓
Wet/Dry Vacuums										
Eliminator II Pro	12 gal.	1½ HP	8.5	130 cfm	89"	Plastic	12 gal.	7.25 gal.	50 ft.	39UD67 ✓
GWD 255	55 gal.	2 HP	12.5	99 cfm	70"	Plastic	50 gal.	50 gal.	25 ft.	48XT65 ✓
Coolant/Chip Vacuums										
VHO 200 DV, 50mm, Polyurethane Hose	19.8 gal.		13.3			—	19.8 gal.	5.8 gal.	50 ft.	33JG44
VHO 200 DV, 38mm, PVC Hose	19.8 gal.		13.3			—	19.8 gal.	5.8 gal.	50 ft.	33JG43
Explosionproof Vacuums										
118 EXP, Dry Only	6.6 gal.	1½ HP	10	130 cfm	69"	Stainless Steel	—	6.6 gal.	30 ft.	4NFR2 ✓
118 EXPW, Wet Only	13.2 gal.	1½ HP	10	130 cfm	69"	Stainless Steel	13.2 gal.	—	30 ft.	4NFR5 ✓
Mercury Recovery Vacuums										
SS Mercury	3.25 gal.	1½ HP	9	24 cfm	82"	Stainless Steel	1.5 qt.	3.25 gal.	30 ft.	4NFT8 ✓
VT Mercury	12 gal.	1½ HP	8.3	99 cfm	117"	Polyethylene	—	—	30 ft.	4NFT5 ✓
Compact Hip Vacuum										
UZ964, Dry Only	0.58 gal.	0.09	6	59 cfm	76"	—	—	0.58 gal.	50 ft.	4NFP6 ✓

Description	For Use With	Mr. Model	Item No.
Tool Kits			
Wet/Dry Vac Kit	4NFT3, 4NFR7, 4NFT1, 4RXZ5, 4RXZ6	M70036	4RXZ2
Drum Top Vac Wet/Dry Kit, 2"	4NFU1	M90026	4RXZ6
Drum Top Vac Wet/Dry Kit, 1½"	4NFU1	M90027	4RXZ7
Dry-Only Vac Kit	4NFP9	M70038	4RXZ8
Explosionproof Dry Vac Kit	4NFR2	M80075	4RXZ3
Explosionproof Wet/Dry Vac Kit	4NFR5	M80076	4RXZ4
Mercury Hose Kit	4NFT8	01726200	4RXZ9
Mercury Tool Kit	4NFT5	M90047	4RXZ5
ULPA Filter Dry Vac Kit	4RXZ7	M70041	4RYA2
Dry-Only Vac Kit	4RXZ8, 4RXZ9	01760480	4RYA3

Description	For Use With	Mr. Model	Item No.
Replacement Filters and Bags			
HEPA Prefilter, Dry Only	4NFT8, 4NFT5	12015500	4RYF5
HEPA Filter, Dry Only	4NFP9, 4RXZ7, 4NFT8	11730410	4RYG6
HEPA Filter, Wet/Dry Pick Up	4RXZ7, 4NFT8, 4NFR2, 4NFR5	01727631	4RYF4
HEPA Filter, Wet/Dry Pickup	4NFT3, 4NFR7, 4NFT1, 4NFU1	1408678500	4RYF6
ULPA Filter, Wet/Dry Pickup	4NFP9, 4RXZ8, 4RXZ9, 4NFT8, 4NFR2, 4NFR5	01737631	4RYF9
Disposable Vacuum Bags, Wet/Dry Pickup, Pkg. 3	4NFT1, 4NFT5	1470746010	4RYH7
Main Filter, Dry Only	4RXZ5, 4RXZ6, 4NFU1	1409512500	4RYG3
Carbon Filter, Dry Only	4NFT5	01726400	4RYH3

Remove Watermark Now

Contractor High-Airflow Wet/Dry Vacs

- Quiet operation motor housing
- Onboard tool storage
- Convertible blower port

Feature a single-stage bypass motor, poly or stainless steel tank with top handle, easy access On/Off switch, cord wrap, and 2-latch lid for easy emptying. Lock-On® positive connection hose system; high-quality cartridge filter and foam sleeve. ASTM Tested with an 8-ft. x 2½" dia. hose.

6-, 8-, AND 10-GAL. TANKS

Include: 8-ft. x 1¼" hose, 2-pc. extension wands, deluxe 10" floor nozzle, crevice tool, utility nozzle, and integral wide stance caster system. Optional 2½" tool kit No. 22975 is available on page 1415. No. 45UZ57 include tank drain.

12, 16-, 22-, AND 32-GAL. TANKS

Feature high performance motor and longer motor brush life. Include 8-ft. and 2½" hose, 2 extension wands, 14" floor nozzle with brush, utility nozzle, crevice tool, elbow grip, concentrator nozzle, hose holder, tool storage, and tank drain.

No. 3VE21 includes high-efficiency collection bag filter, on-board tool storage holder, and integral wide-stance caster system.

Nos. 1UG91 includes a high-efficiency collection bag filter, on-board tool storage basket, and large rear wheel dolly with transport handle.

No. 2RPD8 includes tool storage basket, large rear wheel dolly with two 10" fully pneumatic treaded tires and transport handle for increased mobility over rough, rugged terrain and surfaces.

No. 22XJ48 includes high-efficiency collection bag filter, transport handle, integral 4-wheel vac cart, on-board tool storage, tank drain, cord wrap and 2-latch lid for easy emptying.

LONG-LIFE BRUSHLESS MOTOR

An innovative, brushless bypass motor design provides 5000 hr. of service-free operation and increased performance. Vacs have a 3-level filter system with HEPA cartridge filter, high-efficiency collection filter bag, foam sleeve, and large tank drain that reduces the chance of clogging. Include: 8-ft. x 2½" hose, 2 extension wands, 14" floor nozzle with brush, utility nozzle, crevice tool, elbow grip, and concentrator nozzle.

No. 22XJ55 has a metal handle and large, rear-wheel dolly/basket system for easy transport.



8-Gal.
No. 3VE19

CUSTOMER RATED
ON GRAINGER.COM®



12-Gal.
No. 22XJ47

Tank Size	Tank Material	Peak HP	Amps	Average Brush Life	Air Flow	Static Pressure	Wet Capacity	Dry Capacity	Power Cord Length	Item No.
6 gal.	Plastic	3½ HP	8.1	400 hr.	110 cfm	52"	2.25 gal.	4.25 gal.	12 ft.	3VE18 ✓
8 gal.	Plastic	4½ HP	10.8	400 hr.	125 cfm	55"	2.5 gal.	6.25 gal.	12 ft.	3VE19 ✓
10 gal.	Polypropylene	5 HP	11.3	400 hr.	140 cfm	58"	4.71 gal.	10.23 gal.	12 ft.	45UZ57 ✓
12 gal.	Stainless Steel	5½ HP	11.6	1100 hr.	145 cfm	70"	11 gal.	11.5 gal.	18 ft.	22XJ47 ✓
	Polypropylene	5½ HP	11.6	400 hr.	145 cfm	70"	6 gal.	10 gal.	18 ft.	12Z214 ✓
16 gal.	Plastic	6½ HP	12.0	1100 hr.	155 cfm	72"	8.25 gal.	14 gal.	18 ft.	3VE21 ✓
	Stainless Steel	6½ HP	12.0	1100 hr.	155 cfm	72"	13.75 gal.	14.75 gal.	18 ft.	22XJ48 ✓
22 gal.	Plastic	6½ HP	12.0	1100 hr.	155 cfm	72"	14.5 gal.	20 gal.	18 ft.	1UG91 ✓
32 gal.	Polypropylene	6½ HP	12.0	1100 hr.	150 cfm	68"	25 gal.	31 gal.	20 ft.	2RPD8 ✓
Long-Life Brushless Motor										
12 gal.	Plastic	—	12.0	—	130 cfm	62"	6.5 gal.	10.75 gal.	18 ft.	22XJ54 ✓
18 gal.	Polypropylene	—	12.0	—	130 cfm	62"	12.5 gal.	16.75 gal.	18 ft.	22XJ55 ✓

Contractor 2-In-1 Wet/Dry Vacs

- Onboard tool storage
- Rear blower port

These large-capacity, heavy-duty wet/dry utility vacs feature a single-stage bypass, high-airflow motor, while a removable 2.5-gal. portable vac handles small jobs. Filtration system includes a heavy-duty cartridge filter, portable vac cartridge filter, and a

high-efficiency collection bag filter. Lock-On® positive connection hose system. Include 2 sets of cleaning tools. 2½"-dia. tools: 8-ft. hose, 2 extension wands, 14" floor nozzle, 8" utility nozzle, crevice tool, and elbow grip. 1¼" dia. tools: 4-ft. hose, crevice tool, and utility nozzle. ASTM Tested with an 8-ft. x 2½" dia. hose.



16-Gal.
Stainless
No. 22XJ53



20-Gal.
Poly
No. 1VHF9

Tank Size	Tank Material	Peak HP	Amps	Average Brush Life	Air Flow	Static Pressure	Wet Capacity	Dry Capacity	Power Cord Length	Item No.
16 gal.	Stainless Steel	6.0	12.0	500 hr.	120 cfm	52"	9.75 gal.	15.25 gal.	18 ft.	22XJ53 ✓
20 gal.	Plastic	6.0	12.0	500 hr.	120 cfm	52"	5.75 gal.	13.25 gal.	18 ft.	1VHF9 ✓

Industrial Wet/Dry Vac Heads

Mount on 55-gal., full removable head (FRH) drum. 2-stage, bypass, 120V, 60 Hz motor. Vac heads include 7-ft. x 1½" crush-resistant hose, utility nozzle with squeegee, 3 vac head-securing clamps, 18-ft. 3-cond. cord, and ultra-duty cartridge filter with nanofiber filtration media. ASTM Tested with an 8-ft. x 2½" dia. hose.



No. 4YE60



No. 1VHG3

LONG-LIFE BRUSHLESS MOTOR VAC HEAD

Provides 5000 hr. of motor run time. Steel motor housing provides durability for heavy-duty use in rugged environments.

Peak HP	Amps	Average Brush Life (hr.)	Static Pressure	Air Flow	Item No.
3	11	750	85"	80 cfm	4YE60 ✓
4	11.5	800	90"	100 cfm	4YE63 ✓
Long-Life Brushless Motor Vac Head					
12	—	—	98"	90 cfm	1VHG3 ✓

Industrial 2-Stage Wet/Dry Vacs

- Deluxe onboard tool storage

Feature ball bearing construction 2-stage bypass motors for dependable cleaning performance. Motor housings have top handle, convertible blower port, easy-access On/Off switch, cord wrap, and quieter operation. Lock-On® positive connection hose system. Large tank drain reduces the chance of clogging. Include deluxe 1½"-dia. floor cleaning kit: 10-ft. crush-resistant, lock-on hose; 2 metal extension wands; 14" metal floor nozzle with brush and squeegee inserts; foam sleeve; and cartridge filter. Integral heavy-duty vac cart on Nos. 22XJ49, 22XJ46, and 4TB85. ASTM Tested with an 8-ft. x 2½" dia. hose.

10- AND 16-GAL STAINLESS STEEL TANKS

Features a vac dolly with two 10" full pneumatic treaded tires for mobility over rugged terrain and surfaces. 50-ft. power cord.

LONG-LIFE BRUSH MOTOR

Utility brush vacuum is designed for high frequency, heavy-duty wet/dry applications in heavy industrial/commercial, automotive, utility, mechanical, hospitality, and job site uses. Features quiet operation motor housing, 2-stage long life brush bypass motor, heavy-duty front casters, metal transport handle, large rear wheel dolly, tool storage, and tank drain. Include set of 1.5"-dia. cleaning tools, 12 ft. X 1.5" locking hose, poly extension wands, 14" wet/dry floor nozzle, crevice tool and claw nozzle, HEPA cartridge filter, and high efficiency collection filter bag.



10-Gal. Stainless
Steel
No. 22XJ49



22-Gal. Poly
No. 4TB85

Tank Size	Tank Material	Peak HP	Amps	Average Brush Life	Air Flow	Static Pressure	Wet Capacity	Dry Capacity	Power Cord Length	Item No.
10 gal.	Stainless Steel	2	8.5	750 hr.	82 cfm	73"	7 gal.	9 gal.	20 ft.	22XJ49 ✓
16 gal.	Plastic	2	8.5	750 hr.	82 cfm	73"	10.5 gal.	14.75 gal.	20 ft.	4TB82 ✓
	Stainless Steel	2	8.5	750 hr.	82 cfm	73"	12.25 gal.	15.75 gal.	50 ft.	22XJ46 ✓
22 gal.	Plastic	2	8.5	750 hr.	82 cfm	73"	16.5 gal.	20.75 gal.	20 ft.	4TB85 ✓
Long-Life Brush Motor										
12 gal.	Stainless Steel	2	8	1800 hr.	78 cfm	63"	10.5 gal.	11 gal.	18 ft.	22XJ63 ✓
18 gal.	Plastic	2	8	1800 hr.	78 cfm	63"	10.25 gal.	15.75 gal.	18 ft.	22XJ64 ✓



20-Gal. Stainless Steel

Industrial Heavy-Duty 2-Stage Wet/Dry Vacuums

Powerful, dependable vacs with 2-stage bypass motor are designed for noncombustible materials. Each features the Lock-On® positive connection hose system. Lid is rustproof and dent-resistant. Stainless steel tank models handle mildly corrosive liquids including detergent and shampoos. Side handles included on tank and motor housing. Accessory vac kits available on page 1415. ASTM Tested with an 8-ft. x 2½" dia. hose.

16- AND 20-GAL. STAINLESS STEEL

Include 1½" x 7-ft. hose, utility nozzle, squeegee insert, foam sleeve, polyester full-cloth filter and cartridge filter with nanofiber filtration media. No. 22XJ50 has a 4-wheel dolly with 10" wheels, metal hubs, and full swivel caster. Integral transport handle on tank. No. 4YE62 features a steel motor housing design to add extra durability. 4-wheel, heavy-duty, industrial dolly with 10" wheels, metal hubs, and 2 full swivel casters, and full front bumper.



LONG-LIFE BRUSHLESS MOTOR

Innovative brushless motor design yields 5000 hr. of motor run time. FlipNPour™ dolly has locking rear wheels and allows vacuum to be emptied without lifting up. Include onboard tool storage, 1½" x 12-ft. hose, 2 interlocking metal wands, 14" master floor nozzle, squeegee, floor brush and carpet inserts, crevice tool, dusting brush, utility nozzle, HEPA cartridge filter, High Efficiency collection filter bag, foam sleeve, integral transport handle, 10" wheels, metal hubs, and 2 full swivel casters.

20-Gal. Plastic and Stainless Steel

Features quiet-operation motor housing.



FlipNPour™ Dolly

Tank	Tank Type	Peak HP	Amps @ 120V	Average Brush Life	CFM @ 2.5" Orifice	Static Pressure	Wet Capacity	Dry Capacity	Power Cord Length	Item No.
20 gal.	Stainless Steel	4	11.5	800 hr.	100	90"	18.25 gal.	17.25 gal.	18 ft.	4YE62 ✓
16 gal.	Stainless Steel	3	11.0	750 hr.	80	85"	13.75 gal.	12.25 gal.	18 ft.	22XJ50 ✓
Long-Life Brushless Motor										
20 gal.	Plastic	—	12.0	5000 hr.	90	100"	13.75 gal.	18.75 gal.	35 ft.	22XJ57 ✓
20 gal.	Stainless Steel	—	12.0	5000 hr.	90	100"	18.25 gal.	17.25 gal.	35 ft.	22XJ56 ✓



6-Gal., 2 Peak HP

Commercial Poly Tank Wet/Dry Vacuums

- Quiet operation motor housing design
- Rustproof and dent-resistant poly tank

Effectively clean up wet/dry messes and provide routine cleaning maintenance in areas where quiet operation is preferred. Efficiently pick up noncombustible materials, dust, dirt, and debris, as well as liquids and mixtures. Lock-On® positive connection hose system. Powerful bypass motors are permanently lubricated. Include high-efficiency collection filter bag and foam sleeve. No. 4YE65 features a heavy-duty cartridge filter. Nos. 4YE66, 22XJ58, 6AKZ0, 6AKZ1, 6AKZ2, and 4YE68 feature a HEPA cartridge filter for maximum filtration efficiency. ASTM Tested with an 8-ft. x 2½" dia. hose.

6-GAL. TANK, 4.5 PEAK HP

Powerful, single-stage bypass motor features 4 dual-hooded caster wheels. 1¼"-dia. plastic tools include: 8-ft. hose with hand grip and airflow control, 2 extension wands, dual surface selection floor nozzle, crevice tool, dusting brush, utility nozzle, and 10" wet/dry floor nozzle.

6-GAL. TANK, 2 PEAK HP

Powerful 2-stage bypass motor features 4 heavy-duty, nonmarking casters. 1¼"-dia. plastic tools

include: 10-ft. crush-resistant hose, 2 metal interlocking wands, dual surface selector floor nozzle, crevice tool, dusting brush, and utility nozzle.

10-, 12-, AND 16-GAL. TANK

Powerful, 2-stage bypass motors with large tank drain to reduce chance of clogging. 1½"-dia. plastic tools include: 10-ft. crush-resistant hose with lock-on swivel end, 2 metal interlocking wands, 14" professional master nozzle with squeegee, floor brush and carpet tool inserts, crevice tool, dusting brush, and utility nozzle.

Nos. 6AKZ2 and 6AKZ1 feature a heavy-duty dolly with 4 nonmarking wheels, onboard tool storage basket, and convertible blower port. Nos. 4YE68 and 6AKZ0 feature an integral nonmarking caster system and an onboard tool storage caddy. Nos. 6AKZ0, 6AKZ1, and 6AKZ2 feature a convertible blower port.

LONG-LIFE BRUSHLESS MOTOR

Innovative, brushless motor provides 5000 hr. of run time for increased productivity and decreased downtime. FlipNPour™ dolly has locking rear wheels that allows the vacuum to be emptied without lifting, onboard tool storage, nonmarking wheels, and a 12-ft. hose.



16-Gal. Long-Life Brushless Motor



FlipNPour™ Dolly

Tank	Tank Type	Peak HP	Amps @ 120V	Average Brush Life	CFM @ 2.5" Orifice	Static Pressure	Wet Capacity	Dry Capacity	Power Cord Length	Item No.
Wet/Dry										
6 gal.	Poly	4.5	8.0	400 hr.	125	60"	3.25 gal.	5.25 gal.	18 ft.	4YE65 ✓
6 gal.	Poly	2	7.4	750 hr.	75	75"	3.25 gal.	5.25 gal.	35 ft.	4YE66 ✓
10 gal.	Poly	2	7.4	750 hr.	75	75"	7.25 gal.	9.25 gal.	35 ft.	4YE68 ✓
12 gal.	Poly	3	11.5	750 hr.	90	75"	9.75 gal.	10.25 gal.	35 ft.	6AKZ2 ✓
16 gal.	Poly	4	12	800 hr.	90	90"	12.25 gal.	15 gal.	35 ft.	6AKZ0 ✓
16 gal.	Poly	4	12	800 hr.	90	90"	12.25 gal.	15 gal.	35 ft.	6AKZ1 ✓
Long-Life Brushless Motor										
16 gal.	Plastic	—	12.0	5000 hr.	90	100"	11.25 gal.	15 gal.	35 ft.	22XJ58 ✓

Remove Watermark Now



Commercial Stainless Steel Tank 2-Stage Wet/Dry Vacs

- Quiet operation motor housing design
- Permanently lubricated 2-stage bypass motor

Pick up noncombustible materials, dust, dirt, and litter from carpet and floor surfaces, as well as liquids and mixtures, and squeegee floors dry. HEPA cartridge with abrasion-resistant filtration media provides maximum filtration efficiency. Features a Lock-On® positive connection hose system. ASTM Tested with an 8-ft. x 2½" dia. hose.

6-Gal. Tank—Vac includes foam sleeve, high-efficiency collection filter bag, and the following 1¼"-dia. plastic tools: 10-ft. crush-resistant hose with handgrip and airflow control, 2 interlocking metal wands, dual surface selector nozzle, crevice tool, dusting brush, and utility nozzle.

10-Gal. Tank—Features a quiet operation motor housing, 2-stage bypass motor, convertible blower port, stainless steel tank, heavy-duty vac cart, on-board tool storage, tank drain, top handle, cord wrap, 2-latch lid for easy opening, nonmarking wheels, and 35-ft. power cord. Includes 10-ft. hose, 2 metal locking extension wands, 14" master nozzle with squeegee, floor brush, carpet tool inserts, crevice tool, dusting brush, utility nozzle, tool basket, 3-wheel dolly, HEPA Cartridge Filter, and a high-efficiency collection filter bag with foam sleeve.

Long-Life Brushless Motor—Provide a motor run time of 5000 hr. Include the following 1½"-dia. tools: 12-ft. hose, 2 interlocking metal wands, 14" floor nozzle, squeegee, floor brush and carpet inserts, crevice tool, dusting brush, utility nozzle, foam sleeve, and a high-efficiency collection filter bag.

No. 22XJ59 has a heavy-duty 4-wheel dolly; No. 22XJ60 comes with a FlipNPour™ dolly.

FlipNPour™
Dolly



16-Gal.
Brushless
Motor
No. 22XJ60



10-Gal.
No. 6AKY9



Tank	Tank Type	Peak HP	Amps @ 120V	Average Brush Life	CFM @ 2.5" Orifice	Static Pressure	Wet Capacity	Dry Capacity	Power Cord Length	Item No.
6 gal.	Stainless Steel	2	7.4	750 hr.	75	75"	5 gal.	4.75 gal.	35 ft.	22XJ51 ✓
10 gal.	Stainless Steel	3	11.5	750 hr.	90	75"	9.25 gal.	9.25 gal.	35 ft.	6AKY9 ✓
Long-Life Brushless Motor										
12 gal.	Stainless Steel	—	12.0	—	90	100"	8.5 gal.	11 gal.	35 ft.	22XJ59 ✓
16 gal.	Stainless Steel	—	12.0	—	90	100"	11.25 gal.	14.75 gal.	35 ft.	22XJ60 ✓



Specialty Wet/Dry Vacs

- Single-stage bypass motor (except Hotel Vacs are 2-stage) ASTM Tested with an 8-ft. x 2½" dia. hose.

Pump Vac—Utility vac has a built-in pump to quickly and easily pump nonhazardous liquids from its large-capacity poly tank. Lock-On® positive connection hose system. Easily converts from wet/dry vac to pump operation, eliminating transportation and emptying liquid from tank. Electric shutoff when liquid capacity is reached (no overflow), and a manual switch restart lowers liquid level so vacuuming can continue.

Includes: heavy-duty vac cart, 8-ft. x 2½" lock-on hose, 2 extension wands, 14" floor nozzle, utility nozzle, crevice tool, elbow grip, concentrator nozzle, foam sleeve, and heavy-duty cartridge filter.

- Self-priming
- Pumps up to 50 ft. high; 6 gpm
- Uses conventional garden hose (not included)

Note: Not intended for use as a continuous running pump.

Power On Demand Vac—Power tool activated vacuum features a built-in receptacle for power tools; a 3-position switch for On/Off/Auto; and a corrosion- and dent-resistant plastic tank. Includes: 7-ft. x 1½" crush-resistant hose, 6" utility nozzle, brush insert, universal tool adapter, heavy-duty cartridge filter, and high-efficiency collection filter bag for fine dust.

- Auto power adjusts to maintain the maximum available vacuum power

Wet/Dry Portable Blower Vac—Vacuum motor detaches for use as a powerful handheld blower that delivers 265 mph air velocity. Lock-On® positive connection hose system. Rustproof, dent-resistant tank.

Includes: 8-ft. x 2½" lock-on hose with holder, 2 extension wands, utility nozzle, 14" floor nozzle with brush, crevice tool, elbow grip, concentrator nozzle, high-quality cartridge filter, foam sleeve, high-efficiency collection bag filter for fine dust, and deluxe wide-stance caster system.

- Quiet operation motor housing
- Onboard tool storage

Hotel Vac—Innovative and economic long-life brush design features a 2-stage bypass motor for up to 1800 hr. of motor operation. Include set of 1.5"-dia. cleaning tools, 10 ft. x 1.5" lock on hose, 2 metal extension wands, multisurface floor nozzle, crevice tool, utility nozzle, dusting brush and 14" wet/dry floor nozzle, HEPA cartridge filter, and high efficiency collection filter bag.

Ash Vac—Specifically designed for vacuuming very fine ashes created by boiler systems, wood/pellet stoves, coal stoves, and fireplaces. 2-stage filtration system includes a HEPA cartridge filter. Vinyl-covered flexible steel-lined hose with a metal intake nozzle, crevice tool, and a thermal protective device provides additional user safety. For cold and dry ashes only.



Pump
Wet/Dry
No. 4TB87



Power On
Demand
No. 3UP78

Description	Tank	Tank Type	Peak HP	Amps @ 120V	Average Brush Life	CFM @ 2.5" Orifice	Static Pressure	Wet Capacity	Dry Capacity	Power Cord Length	Item No.
Pump Wet/Dry Vac	18 gal.	Poly	6	12.0	500 hr.	135	52"	12.5 gal.	16.75 gal.	18 ft.	4TB87 ✓
Power On Demand Vac	8 gal.	Poly	4	9.5	500 hr.	125	55"	6.25 gal.	7.5 gal.	18 ft.	3UP78 ✓
Portable Blower Vac	18 gal.	Poly	6.5	12.0	500 hr.	105	50"	10.25 gal.	16 gal.	18 ft.	3VE22 ✓
Hotel Vac	4 gal.	Stainless Steel	2	8.0	1800 hr.	65	70"	1.25 gal.	3.25 gal.	35 ft.	22XJ61 ✓
Hotel Vac	6 gal.	Plastic	2	8.0	1800 hr.	65	70"	3.5 gal.	3.5 gal.	35 ft.	22XJ62 ✓
Ash Vac	5 gal.	Stainless Steel	—	6.3	500 hr.	70	40"	—	4.25 gal.	6 ft.	22XJ65 ✓

Dayton Remove Watermark Now

Wall Mount Wet/Dry Vacs

Conveniently mount to the wall for easy, centralized accessibility. ASTM Tested with an 8-ft. x 2 1/2" dia. hose.

3.5 and 5-Gal.—Space-saving design with extra-long 18-ft. hose. Feature single-stage motor. Dent-resistant, rustproof tank. Include heavy-duty wall mounting bracket, 1 1/4" dia. Tool Kit for No. 13J020 and 1 1/2" dia. Tool Kit for No. 13J021.

6 and 8-Gal.—Heavy-duty 2-stage bypass motors deliver quiet operation. Vacs feature a HEPA cartridge filter, foam sleeve, and a 2 1/2" tank orifice. No. 4TB90 includes 18-ft. x 1 1/2" Lock-On® hose, poly 1 1/2" dia. accessories, wall mounting bracket, and cartridge filter. No. 4UAC7 includes 1 1/2" dia. professional tool kit with 20-ft. max. stretch hose.



Description	Tank (gal.)	Tank Type	Peak HP	Amps AC	Voltage	Airflow	Static Pressure	Item No.
Vacuums								
Single Stage	3.5	Plastic	3.5	7.5	120	52	50"	13J020 ✓
Single Stage	5	Plastic	5.5	9.2	120	120	58"	13J021 ✓
2-Stage	6	Stainless Steel	2	7.4	120	85	75"	4TB90 ✓
2-Stage	8	Stainless Steel	2.5	8	120	80	85"	4UAC7 ✓
Filters								
Filter Bag for No. Mfr. No. 13J019								13J022
Filter Bag for Nos. Mfr. No. 13J021, 4TB89								13J023
Accessories								
Portable Vac Cartridge Filter and Foam Sleeve Pkg. for Nos. 1VHF8, 4YE74, 13J020, 13J021, 48UH44								4TB95
Filters								
Foam Sleeve for Nos. 4TB90, 2NYE3, 2NYE4, and 4UAC7								5X879
HEPA Filter for Nos. 4TB90 and 4UAC7								4TB93
Portable Vac HEPA Filter for Nos. 1VHF8, 4TB89, 4YE74, 13J019, 13J020, 13J021, 44UH44								6AKY8

Portable Vacs

Plastic tank
ASTM Tested with an 8-ft. x 2 1/2" dia. hose.

1.5- and 2.5-Gal. Wet/Dry—Efficient, single-stage bypass motors provide powerful pick-up. Durable, rustproof, dent-resistant tanks stand up to tough use. Feature onboard tool storage with 6-ft. x 1 1/4" hose, crevice tool, utility nozzle, dusting brush, dry disc filter, foam sleeve, wall mount, tool holder, and 18-ft. power cord.

2.5-Gal. Toolbox Wet/Dry—Features 3.5-HP single stage motor and a dent-resistant, rustproof tank. Includes 4-ft. x 1.25" hose, dusting brush, utility nozzle, and crevice tool. Vacuum detaches from toolbox for portable cleaning. 18-ft. power cord. Toolbox features a full-storage tray with removable partitions and a large, fold-away handle.

4-Gal. Quiet Canister Wet/Dry—Vacuum has a powerful, single-stage, permanently lubricated bypass motor, and rustproof, dent-resistant poly tank. Motor housing is designed for quiet operation. Compact, lightweight design with convenient integral cord wrap, wall-mount bracket, on-board tool storage, 18-ft. power cord, and 4-wheel dolly system.



★★★★★
CUSTOMER RATED
ON GRAINGER.COM®

4-Gal. Quiet Canister Wet/Dry No. 48UH44



Includes: 7-ft. x 1 1/4" hose, 2 extension wands, bare/carpet nozzle, 10" wet/dry floor nozzle, utility nozzle, crevice tool, round brush, foam sleeve and cartridge filter, and collection filter bags.

5 and 10-Gal., Heavy-Duty Wet/Dry—Compact vacs come with a powerful single-stage bypass motor. The rustproof, dent-resistant poly tank has onboard accessory and cord storage. No. 1VHF8 includes: 7-ft. x 1 1/2" Lock-On® hose, crevice tool, claw-style utility nozzle, heavy-duty cartridge filter, and high-efficiency collection bag filter. 20-ft. power cord. No. 6AKY2 includes 12-ft. x 1 1/2" Lock-On® hose, two plastic extension wands, 14" wet/dry floor nozzle, crevice tool, "claw" utility nozzle, quick release 4-wheel dolly, on-board tool holder, Ultra Web® cartridge filter, and a high efficiency collection filter bag.

Portable Hand Vacuum—Lightweight, dry pickup-only vac includes adjustable shoulder strap, removable soft-snout with wide mouth for direct cleaning, 3-ft. x 1 1/4" dia. hose, utility nozzle, crevice tool, dry disc filter, foam disc, and wall-mount bracket. 18-ft., 3-conductor cord.

Description	Peak HP	Amps	Air Flow	Static Pressure	Item No.
Vacuums					
1.5-gal. Wet/Dry	2	7.4	120 cfm	46	2NYE3 ✓
2.5-gal. Wet/Dry	2.5	8	130 cfm	56	2NYE4 ✓
2.5-gal. Toolbox Wet/Dry	3.5	7.5	135 cfm	55	13J019 ✓
4-gal. Quiet Canister Wet/Dry	4 HP	9	75 cfm	56	48UH44 ✓
5-gal., Heavy-Duty Wet/Dry	6 HP	11.5	195 cfm	50	1VHF8 ✓
10-gal., Heavy-Duty Wet/Dry	12	12	195 cfm	50	6AKY2 ✓
Portable Hand Vacuum	1	6.3	40 cfm	43	48UH43
Filters and Bags					
Foam Sleeve for Nos. 4TB90, 2NYE3, 2NYE4, and 4UAC7					5X879
Filter for Nos. 2NYE3 and 2NYE4					6H008
Accessories					
Portable Vac Cartridge Filter and Foam Sleeve Pkg. for Nos. 1VHF8, 4YE74, 13J020, 13J021, 48UH44					4TB95
Filters and Bags					
Collection Bag for No. 4YE74					4YJ85
Wall Mount Bracket for No. 1VHF8					4UAD2
Filter Bag for No. Mfr. No. 4Z906					6H020
Portable Vac HEPA Filter for Nos. 1VHF8, 4TB89, 4YE74, 13J019, 13J020, 13J021, 44UH44					6AKY8
Collection Bag for No. 44UH44					48UH45



ESD-Safe and Critical-Area Portable Dry Vacs

- Automatic thermal cutoff prevents motor overheating
- HEPA cartridge filter captures 99.97% of particulate at 0.3 microns
- 12-ft. power cord

Vacs dissipate static electricity to safely clean sensitive electronic equipment. HEPA system captures hazardous particles such as toners, drywall dust, lead dust, mold and other allergens. No. 1VHH4 includes shoulder strap for easy portability.

EXPRESS

Ultra-lightweight handheld vac has a disposable, easy-to-seal HEPA cartridge filter that simply snaps in and out for safe, efficient disposal. 110VAC motor. Includes 6-ft. ESD-safe stretch hose and crevice tool, round utility nozzle with brush, a 12" ESD-safe flexible gooseneck suction tool, and shoulder strap.

OMEGA VAC SUPREME

Sound baffles provide quiet operation; 69dB at 5 ft.; 63dB at 15 ft. Includes HEPA filter; can also be used with optional standard filter. Onboard storage for included tools: 6-ft. crush-resistant no-clog flex hose, 16" flexible gooseneck tool, ESD-safe crevice tool with brush, and shoulder strap.

HIGH-CAPACITY VAC

With the same features as the Omega Supreme, this vac also has a resealable, no-mess HEPA pail cartridge that eliminates cross-contamination risk from filter bag tears. Includes 10-ft. ESD crushproof stretch hose, 16" flexible wand, crevice tool, brush, and detachable free-wheeling roller base. Hose may be extended by Nos. 2FTK5 and 2FTK4.

Description	Tank Size	Amps AC	Air Flow	Static Pressure	Mfr. Model	Item No.
Express	0.25 gal.	6.36	79 cfm	85"	VACEXP-04	1VHH2 ✓
Omega Vac Supreme	1 gal.	5.4	99 cfm	66"	VACOMEGASLFH	1VHH4 ✓
High-Capacity Vac	7 gal.	5.4	99 cfm	66"	HCVAC7H-ESD	2FTK2 ✓
Vacuum Filters and Accessories						
HEPA Cartridge Filter for No. 1VHH2, Pkg. of 2					730333	1VHH3
Standard Cartridge Filter for No. 1VHH4					31700-1P	1VHH5
HEPA Cartridge Filter for No. 1VHH4					OF612HE	1VHH6
ULPA Cartridge Filter for No. 1VHH4					OF712UL	2FTK6
HEPA Cartridge Filter for No. 2FTK2					421-000-007	2FTK3
10-Ft. ESD Stretch Hose for No. 2FTK2					31671	2FTK4
Hose Connector/Extender for No. 2FTK2					SCHENG600	2FTK5



Remove Watermark Now



Accessories for Dayton 1 1/2" Vac Hoses



Description	METAL Item No.	PLASTIC Item No.
Pipe Cleaning Tool	6X887	2NYE5
3" Round Brush (use with hose only)	6X885	2NYE6
7" Gulper Tool (use with hose only)	6X886	2NYE7
15" Crevice Tool (use with hose only)	6X884	2NYE8
Set of 2 6-ft. Overhead Extension Wands	3W160	—



1 1/2" Vac Kits

4-PC. FLOOR KIT

Contains: 2 interlocking metal extension wands, 14" metal master nozzle (with brush), and squeegee insert.

7-PC. POLY TOOL KIT

Provides all the tools for general wet and dry debris pick-up. Includes two plastic extension wands, 14" wet/dry floor nozzle, dusting brush, utility nozzle, crevice tool, and curved elbow grip.

9-PC. COMMERCIAL KIT

Contains: 2 interlocking metal extension wands, 14" ABS master nozzle, brush, rug and squeegee shoes, crevice tool, dusting brush, and utility nozzle.



4-pc. Floor Kit

9-PC. PROFESSIONAL METAL KIT

Contains: two 2-ft. interlocking metal extension wands, 14" master nozzle with brush, rug and squeegee shoes, utility nozzle, crevice tool, and dusting brush.

Description	Item No.
4-pc. Floor Kit	6Z776
7-pc. Poly Tool Kit	6AKY5
9-pc. Commercial Kit	3UP63
9-pc. Professional Metal Kit	2Z978



Gutter-Cleaning Kit

Durable poly attachments extend the reach of most Dayton brand wet/dry vacs. Fits 2 1/2" dia. ports and hoses. Includes 2 extension wands, 120° elbow, and a concentrator nozzle.



Item No. 4TB92

Vehicle Detail/Cleaning Kit



Use with Dayton wet/dry vacs to help in bulk pickup, small or narrow hard-to-reach areas, and dry dust/debris cleaning. Includes: 12-ft. x 1 1/2" dia. hose, crevice tool, round dusting brush, and efficient claw-style nozzle.



Item No. 3VE24

Floating Floor Nozzle



Adjustable-height nozzle picks up wet and dry material in both forward and reverse directions. 20" wide vac nozzle front mounts easily to Nos. 22XJ56 through 22XJ60, 1VHG8, 4YE62, 6AKZ1, and 6AKZ2. Includes variegated polyurethane squeegee blades and all necessary hose and mounting hardware.



Item No. 3UP60

Hoses and Adapt

Description	Item No.
Universal Tool Adapter	4YJ86
1 1/4" x 8 ft. Crush-Resistant Hose	22290
1 1/4" x 12 ft. max. Stretchable Hose	4UAC8
1 1/2" x 7 ft. Crush-Resistant Hose	5X882
1 1/2" x 12 ft. Crush-Resistant Hose	3UP61
1 1/2" x 12 ft. Premium Crush-Resistant Hose	5AU40
1 1/2" x 12 ft. max. Stretchable Hose	4UAD1
1 1/2" x 18 ft. Crush-Resistant Hose	6X077
1 1/2" x 25 ft. Crush-Resistant Hose	3UP59
1 1/2" x 25 ft. Premium Crush-Resistant Hose	5AU41
2 1/2" x 8 ft. Hose with 2 1/2" Coupler	22212
2 1/2" x 12 ft. max. Stretchable Hose	4UAC9



Universal Tool Adapter

Wet/Dry Vac Pickup Kits



1 1/4" DIA. PICKUP KIT

Contains: 2 plastic extension wands, deluxe 12" master nozzle, brush insert, squeegee insert, crevice tool, dusting brush, and utility nozzle.

2 1/2" DIA. BULK PICKUP KIT

Contains: two 20" extension tubes, 6-ft. x 2 1/2" hose, car tool, crevice tool, dusting brush, and 14" floor nozzle.



Description	Item No.
1 1/4" dia. Pickup Kit	22976
2 1/2" dia. Bulk Pickup Kit	22975

2 1/2" Dia. Bulk Wet/Dry Pickup Kit

Drain Maintenance Tool



Use with wet/dry utility vac to remove clogs from drains. Retrieves jewelry, valuables, and coins from drains. Fits 1.25, 1.5, or 2.5" dia. hose.



Item No. 6AKY7

Claw Utility Nozzle



Claw-style utility nozzle provides efficient pick-up of general dirt, dust and debris. Attach to vacuum hose for vacuuming vehicles, work benches, and industrial sites. Fits 1.25", 1.5", or 2.5"-dia. hose.



Item No. 6AKY6

Micro Cleaning Kit for 1 1/4" Dia. Hose

6-pc. kit cleans keyboards, computers, and small appliances.



Item No. 4YJ84

Replacement Parts for Dayton Vacuums



Description	For Use With Dayton Model Nos.	Item No.
Single-Stage/By-Pass Service Power Unit	3VE18	1UNC9 ✓
	3VE19	1UND1 ✓
	3VE20	1UND2
	22XJ48, 3VE21, 1UG91, 6AKY1	1UND3
	4YE65	1UND7 ✓
	3VE22	1UNE1 ✓
Two-Stage/By-Pass Service Motor, 2HP	22XJ46, 22XJ49, 4TB82 to 4TB85, 4YE64 to 4YE68, 4TB90	1UND4
	4YE58, 4YE59, 4YE60, 22XJ50	1UND5 ✓
	4YE62, 4YE63	1UND6 ✓
Two-Stage/By-Pass Service Motor	22XJ52, 4TB86, 4YE69, 6AKZ0, 6AKY9	1UND8 ✓
	4YE71, 4YE72, 6AKZ1, 6AKZ0	1UND9 ✓



No. 26W721



No. 26W722

Rechargeable Vacuums

- Plastic tanks

Portable Handheld Vac—Lightweight, cordless operation vacuum is designed for dry pick up only. Powerful motor provides quiet operation for efficient dry debris vacuuming. Includes removeable soft-snout wide nozzle for direct cleaning, utility nozzle with brush shoe, crevice tool, dusting brush, wall-mount battery charger, cartridge filter and foam sleeve.

1-Gal. Portable Wet/Dry Vac

Single-stage, by-pass motor provides quiet operation for efficient wet/dry debris vacuuming. Includes 4-ft. x 1 1/4" hose, utility nozzle with brush shoe, dusting brush, crevice tool, wall-mount bracket, tool holder, battery charger, vehicle power cord, disposable collection bag filter and foam sleeve.



Description	Voltage	Static Pressure	Item No.	Pkg. Qty.
Vacuums				
Portable Handheld Vac	120V	17"	26W721	✓ 1
1-Gal. Portable Wet/Dry Vac	12VDC	22"	26W722	✓ 1
Collection Bag				
Disposable Collection Bag Filter for No. 26W722			26W723	3



No. 45UZ59



No. 45UZ64



No. 45UZ62

Tear-Resistant Collection Bag Filters



Use for dry pick-up for easy disposal of debris and to keep tank clean. Tear-resistant material prevents the bag from ripping during filling and disposal. Plastic mounting collar that will not tear, built-in handle for easy removal of full bag. Collar cover seals opening to keep dirt in bag during disposal. Bag fills to capacity. Wet/Dry bags filter out medium to larger debris as the liquid passes through the bag into the vacuum tank. HEPA filtration stops fine debris, dust, 99.97% efficient down to 0.3 microns.

Description	Item No.	Pkg. Qty.
Dry		
Fits 5 to 10-Gal. Tank	45UZ59	2
Fits 12 to 20-Gal. Tank	45UZ60	2
Wet/Dry		
Fits 5 to 10-Gal. Tank	45UZ61	2
Fits 12 to 20-Gal. Tank	45UZ62	2
HEPA		
Fits 5 to 10-Gal. Tank	45UZ63	2
Fits 12 to 20-Gal. Tank	45UZ64	2



Full Polyester Filter

Full-circumference tank filter fits 16" dia. tanks. Large filtration area provides efficient filtration in general purpose dry pickup applications. Durable, reusable, and economical.

Item No. 6H015



Foam Sleeve Filter

For general and large-volume wet pickup applications. Use with wet/dry vacs only.

Item No. 5X879



Heavy-Duty Cartridge Filter

Reusable filter provides efficient wet/dry filtration in general applications. Easy to install, remove, and clean.

Item No. 2W435



Ultra Web® Cartridge Filter

Nanofiber filtration media provides efficient wet/dry filtration in general heavy-duty to fine filtration applications. Has 25% more filtration area than No. 2W435, and is up to 5 times more efficient; removes most allergens. Easy to clean surface improves airflow and suction. Use with wet/dry vacs.

Item No. 45UZ58



HEPA Cartridge Filter

Abrasion-resistant HEPA filtration media has a nonstick surface to resist clogging and help maintain suction power. Up to 99.97% efficient down to 0.3 microns on wet/dry debris, fine particles, and dust. Highly durable, reusable filter is easy to clean, install, and remove. Not intended for hazardous materials.

For Use With	Item No.
Mfr. No. 4UAC7, 4TB90 and Most Dayton Canister Vacs	4TB93
Mfr. No. 1VHF8, 4TB89, 4YE74, 1TFX2, 1VHF9, 1VHG1, 13J019, 13J020, 13J021	6AKY8



High-Efficiency Collection Filter Bags

Improve air quality in fine dust applications and allow excellent airflow, reducing loss of suction power. Durable 2-ply construction with micro inner liner. Dry filtration only.

Note: High-efficiency filters are designed for maximum air quality and are not intended for hazardous materials.

Size	Filter Area	Item No.	Pkg. Qty.
6 gal. (Short)	866 sq. in.	3UP64	5
5 to 8 gal.	915 sq. in.	3UP65	5
10 to 14 gal.	1560 sq. in.	3UP66	5
15 to 22 gal.	1560 sq. in.	1UG85	5

Remove Watermark Now

Walk-Behind Carpet Extractor bissell® BigGreen Commercial

Extractor machine includes 2 motors and is for commercial deep cleaning. Designed to clean forward and backward. Flow indicator monitors water and solution levels and lets you know when it's time to refill the tank. Large clean water tank removes for easy filling. Powerful edge-to-edge suction. No. 36RE93 is a commercial 10-ft. long hose with 5½" wide upholstery tool.

Description	Cleaning Path	Solution Tank Capacity	Recovery Tank Capacity	Pump Pressure	Cord Length	Item No.
Walk Behind Carpet Extractor	10½"	1.75 gal.	1.75 gal.	26 psi	25 ft.	36RE52
Vacuum Hose						36RE93

No. 36RE52



Commercial Carpet Extractors Sanitaire

Powerful vacuum motors create sealed suction water lift to reduce drying time and improve cleaning efficiency.

PORTABLE

Compact and lightweight with large front drain opening for easy disposal of dirty water. Rear wheels and built-in carrying handle. Includes stainless steel cleaning tool and 8-ft. accessory hose.



No. 30RR57

CANISTER

Includes 12" stainless steel wand for deep-cleaning and reaching around furniture and into tight places. Rear wheels are large enough to climb stairs. Large canister lid allows easy access to inside of recovery tank. Includes 15-ft. accessory hose.



No. 30RR58

Description	Cleaning Path	Solution Tank Capacity	Recovery Tank Capacity	Pump Pressure	Cord Length	Item No.
Portable	3" and 10" wand	1.5 gal.	1.5 gal.	58 psi	15 ft.	30RR57 ✓
Canister	12"	10 gal.	10 gal.	100 psi	50 ft.	30RR58 ✓

Restroom Cleaner

- Select operating pressure: 45/300 psi
- 25-ft. power cord

Cleans and rinses hard surfaces, blow dries them, then recovers the dirty water without operator touching any contaminated surfaces. Rotationally molded construction with large wheels. Includes floor wand, pressure gun, scrub brush, floor and hand squeegee, blower, and gulper tool.



Description	Solution Tank Capacity	Vacuum Tank Capacity	Item No.
ASC-15	15 gal.	19 gal.	4VDV8 ✓

CORTECH

Intense Use Floor Machines

- 50-ft. power cord
- 115V, 60 Hz

Tamperproof machines are ideal for institutional use where security and safety is an issue. With cast-aluminum base and powder-coated finish.



No. 2CDP1

No. 2CDP2

Machine Size	Motor	Power Source	Brush Speed	Mfr. Model	Item No.
Floor Polishers					
17"	1.5 HP	115VAC @ 15A, 60 Hz	175 rpm	535403	2CDP3 ✓
20"	1.5 HP	115VAC @ 15A, 60 Hz	175 rpm	535414	2CDP1 ✓
Dual-Speed Floor Polisher					
20"	1.5 HP	115VAC @ 15A, 60 Hz	175/300 rpm	535433	2CDP4 ✓
Floor Burnisher					
20"	1.5 HP, DC Rectified	115VAC, 60 Hz, 15A	1500 RPM	545402	2CDP2 ✓
Pad Drivers					
17" Pad Driver for No. Mfr. No. 485494TP				505903	4KYA9
20" Pad Driver for No. 2CDP1				505905	4KYC1
20" Pad Driver for No. 2CDP4				505909	4KYC2

ORECK

Carpet and Hard Floor Scrubber

- 70 cfm vacuum motor
- 50 psi pump
- Handheld nozzle with 12-ft. hose
- 25-ft. power cord with quick release cord wrap
- 95% extraction efficiency for virtually dry carpets

Utilizes prefilled cleaning solution cartridges, eliminating need to mix and measure solutions. No contamination; separate tanks hold clean and extracted water. Compact with retractable wheels, takes up only 1 sq.-ft. of storage space. Made with antimicrobial plastics. Includes squeegee for cleaning hard surfaces.



No. 4LPD8

CLEANER

Carpet cleaner is a 16-oz. self-contained, easy-loading cartridge of specially formulated cleaner that automatically delivers a precise amount of solution.

Description	Cleaning Path	Solution Tank Capacity	Recovery Tank Capacity	Pump Pressure	Item No.
Carpet and Hard Floor Scrubber	12"	1 gal.	1 gal.	50 psi	4LPD8 ✓
Carpet Cleaner					4LPD9

Hard Floor Cleaner

- Solution flow: 400-1200 psi
- 40-ft. power cord

Rugged cleaner delivers exceptional results on tile, grout, and other hard surfaces. Ease of operation allows you to spend more time cleaning than setting up, tearing down, and moving between jobs. Includes hard surface turbo tool, 25-ft. vacuum and solution hoses, and hospital-grade safety yellow electrical cords. CRI Green Seal of Approval.



No. 19YA01

Cleaning Path	Solution Tank Capacity	Recovery Tank Capacity	Max. Productivity	Brush Speed	Item No.
4½"	15 gal.	13.5 gal.	800 to 1000 sq. ft./hr.	1400 rpm	19YA01 ✓
Accessories					
Upholstery Tool					19XZ95
Corner Tool					19XZ96
Hose Bag					19YA02
Hard Surface Tool					19YA03

CORTECH

Intense Use Tile and Baseboard Cleaner

- 6-ft. power cord

Tamper-resistant machine for intense scrubbing of hard-to-reach areas that are common to institutional or correctional environments. Lightweight and versatile. Sturdy comfort grip handle can be rotated for use at a right angle.



No. 1YMR1

Machine Size	Power Source	Brush Speed	Mfr. Model	Item No.
6½"	120VAC @ 60 Hz	765 rpm	515460	1YMR1 ✓
Accessories				
6½" Mal-Grit Brush			510950	1YMR2
6" Pad Driver			515950	1YMR3



No. 1MEJ1

No. 4VDX6

Nobles Floor Machines

FLOOR MACHINES

Speedshine™ multipurpose floor machines clean, strip, and polish hard floors, and clean carpeted floors. Durable, corrosionproof polyethylene construction. Feature twist-grip operation with safety lock. Include pad driver.

Single-Speed—60 dBA.

Dual-Speed—71 dBA. Can switch from 185 rpm low-speed scrubber to a 330 rpm floor polisher for additional versatility.

ROTARY BRUSHES AND PAD DRIVERS

Brushes won't tear or lose their shape on any surface: new, old, or uneven.

Polypropylene Scrub Brushes—

An economical choice for general scrubbing.

Grit Brushes—

Heavy-duty brushes for aggressive scrubbing of concrete, as well as stripping of resilient floors, terrazzo, and tile.



Machine Size (in.)	Motor	Power Source	Brush Speed	Cord Length	Mfr. Model	Item No.
Single-Speed						
17	1.5 HP	115VAC @ 15A, 60 Hz	175 rpm	50 ft.	9007330	4VDX6 ✓
20	1.5 HP	115VAC @ 15A, 60 Hz	175 rpm	50 ft.	9007336	4VDX7 ✓
20	1.5 HP	120VAC @ 9A, 60 Hz	1740 rpm	50 ft.	1071994	21ML52 ✓
Dual-Speed						
20	1.5 HP	120VAC @ 12A, 60 Hz	185/330 rpm	50 ft.	9007334	4VDX8 ✓
Solution Tank						
4-gal. Tank Includes Solution Hoses and Connection Fittings, For Use With 4VDX6, 4VDX7, 4VDX8					1045875	4VLZ9
Fits Machine Scrub Path		TOUGH GUY PAD DRIVERS		TOUGH GUY POLYPROPYLENE SCRUB		TOUGH GUY GRIT
		Item No.		Item No.		Item No.
13"		1MEK2		1MEK1		1MEJ9
17"		1MEJ1		1MEJ2		1MEJ3
20" - Single Speed		1MEJ5		1MEJ6		1MEJ7
				1MEJ6 †		1MEJ7 †

† Do not use brushes in 300 rpm mode.



No. 6UFR4

Dayton
Dayton Floor Machines

All-metal construction and an all-steel, triple planetary gear box provides durability. Safety lockout switch ensures machine is only used by a trained operator. Include pad driver.

Machine Size	Motor	Power Source	Brush Speed	Cord Length	Item No.
Single-Speed					
17"	1.5 HP	115VAC @ 15A, 60 Hz	175 rpm	50 ft.	6UFR5 ✓
20"	1.5 HP	115VAC @ 15A, 60 Hz	175 rpm	50 ft.	6UFR4 ✓
Dual-Speed					
20"	1.5 HP	115VAC @ 15A, 60 Hz	185/330 rpm	50 ft.	4NEK1 ✓
Polyethylene Solution Tank, 2.5 gal.					
2.5-gal. Tank, For Use With Nos.					6XKJ0
Replacement Pad Drivers					Description
16" Pad Driver for No. 6UFR5					4NEK2
19" Pad Driver for No. 6UFR4					4NEK3



No. 31YA62

No. 49H330



Nobles Battery-Operated Floor Burnishers

Provide 15 to 40 lb. of pad pressure and floating suction head for excellent pad-to-floor contact. Deliver propane-like gloss in an ultra-quiet, ergonomic, and easy to use machine. Built-in dust control system captures 0.3 micron particles for improved air quality. Low-profile design for cleaning under shelves and fixtures. Feature onboard user graphics and trouble shooting guide. Burnish small and large areas quickly and efficiently. Cover up to 21,000 sq. ft./hr. with 2.5 hr. run time on a single charge.



Brush Speed	Motor	Power Source	Pad Size	Item No.
Active Dust Control with HEPA Filtration at 99.97% and At 0.3 Micron				
2100 RPM	2.8 HP	(3) 12V 185A	20"	31YA62 ✓
2100 RPM	2.8 HP	(3) 12V 225A	20"	31YA63 ✓
1875 RPM	3.6 HP	(6) 6V 240A	24"	31YA64 ✓
1875 RPM	3.6 HP	(6) 6V 330A	27"	31YA65 ✓
Active Dust Control with HEPA Filtration				
1500 to 1600 rpm	4 HP	(6) 6V 435A Lead Acid Batteries	24"	49H331 ✓
1500 to 1600 rpm	4 HP	(6) 6V 435A Lead Acid Batteries	27"	49H333 ✓
Passive Dust Control				
1500 to 1600 rpm	4 HP	(6) 6V 435A Lead Acid Batteries	24"	49H330 ✓
1500 to 1600 rpm	4 HP	(6) 6V 435A Lead Acid Batteries	27"	49H332 ✓



No. 4NEK5

Dayton
High-Speed Burnishers
NO. 4NEK5

High-speed all-metal burnisher has large transport wheels for easy maneuverability. Safety lockout switch ensures machine free-floating head is only used by a trained operator. Includes pad driver.

NO. 14X834

High-speed dust control burnisher provides a high gloss finish. Includes folding handle, handle mounted release, safety lockout switch, and pad driver.

Description	Brush Speed	Motor	Pad Size	Item No.
Dayton				
DC Burnisher	1500 RPM	1.5 HP, DC Rectified	20"	4NEK5 ✓
DC Burnisher	2000 RPM	1.5 HP, DC Rectified	20"	14X834 ✓
Collection Bags for No. 14X834				
1 L Capacity Bags, Pkg. of 5				14X835



No. 4VDX5

High-Speed Burnishers

BR-1600-NDC—Free-floating pad driver provides a high shine on uneven floors. Constructed of noncorrosive rotationally-molded plastic. Can operate off a 15 amp circuit and can cover over 10,000 sq. ft./hr.

BR-2000-DC—Smooth operation with extremely low vibration reduces operator fatigue. Free-floating head produces even results on uneven floors with a 2000 rpm motor for excellent gloss. Flexible dust skirt and dust control system captures 0.3 micron particles. Folding handle for easy storage and transport. Covers 15,000 sq. ft./hr.

Description	Brush Speed	Motor	Pad Size	Item No.
BR-1600-NDC	1600 RPM	1.5 HP	20"	4VDX5 ✓
BR-2000-DC	2000 RPM	1.5 HP	20"	4VDX4 ✓



Remove Watermark Now

Tennant Industrial Walk-Behind Floor Sweeper



Cleans hard floor surfaces up to 40,000-sq.-ft. per hr. Up to 3 hr. run time. Hopper can hold up to 150 lb. Mechanical filter shaker and filter panel capture dust down to 3 microns. Includes 155A battery, charger, main and side broom.

Cleaning Path	Power Source	Hopper Capacity	Side Broom Size	Max. Productivity	Mfr. Model	Item No.
34"	24V	2.8 cu. ft.	15"	40,800 sq. ft./hr.	M-S10	4VDW7 ✓

Description	Mfr. Model	Item No.
Replacement Parts		
Side-Mounted Main Broom	28007P	4VMC3
Top-Mounted Side Brush	28096P	4VMC4



No. 4VDW7

Tennant Compact Rider Floor Sweeper



Unit cleans carpeted or hard floor surfaces up to 56,000-sq.-ft. per hr. 30" cleaning path allows unit to clean in tight spaces. Hopper can hold up to 200 lb. Automatic filter shaker and patented VCS filter panel capture dust down to 3 microns. Includes 220A battery, charger, main and side broom. Sweeper is 59.9"L x 31.75"W x 46.38"H.



No. 4VDW8

Cleaning Path	Power Source	Hopper Capacity	Side Broom Size	Max. Productivity	Mfr. Model	Item No.
30"	36V	3 cu. ft.	16"	56,000 sq. ft./hr.	MV-6100-0005	4VDW8 ✓

Description	Mfr. Model	Item No.
Replacement Parts		
Side-Mounted Main Broom	81888	4VMC1
Top-Mounted Side Brush	80042	4VMC2

Nobles Walk-Behind Floor Sweeper



This large-capacity cordless machine has the power and portability you need to sweep large areas, indoors or out. Effective on most surfaces, from carpeting to concrete. Quiet, 62 dBA sound level lets you sweep anytime, even in noise-sensitive environments. Runs on a maintenance-free rechargeable 12V battery. 0.3 micron filtration. Includes brushes, battery, and on-board charger.



Cleaning Path	Power Source	Hopper Capacity	Side Broom Size	Max. Productivity	Mfr. Model	Item No.
35"	12V	2.2 cu. ft.	14"	23,620 sq. ft./hr.	9010139	21ML71

Floor Sweepers



- Adjustable main and side brooms
- Easy-to-empty hopper

Battery-Powered Sweepers—Compact machines easily clean most indoor and outdoor surfaces in a single pass. Quiet, 62 dBA sound level lets you sweep anytime, even in noise-sensitive environments. 0.3 micron filtration. Run on a maintenance-free rechargeable 12V battery. Include brushes, battery, and on-board charger.

Push Sweepers—Lightweight, durable sweepers are easy to maneuver for cleaning dirt, dust, and litter from hard surfaces such as asphalt, wood, or cement. Rotary side broom sweeps debris into the path of the main broom, which feeds the large hopper. Dent- and rust-resistant construction stands up to rough use. No. 21ML62 can also be used on carpeting.



No. 21ML67



No. 52042

Description	Cleaning Path	Power Source	Hopper Capacity	Side Broom Size	Max. Productivity	Brand	Mfr. Model	Item No.	Description	Item No.
Battery Powered Sweepers	24"	12V	1.3 cu. ft.	12"	13,850 sq. ft./hr.	Nobles	1071118	21ML67	Dayton® Replacement Parts	
Push Sweepers	27"	—	8 gal.	12"	—	Dayton	52042	52042 ✓	Main Broom for No. 52042	1UNE3
	34"	—	1.3 cu. ft.	13"	18,750 sq. ft./hr.	Nobles	1071116	21ML62	Side Broom for No. 52042	1UNE2



Wide-Area Carpet Vacuums

Dayton® Dual Motor—Compact, rugged vacuum has dual-motor power and a highly maneuverable design, with simple controls and adjustable height for comfortable, easy use. Features 2.6 gallon capacity and 1300 rpm brush.

No. 4VDW1 has a 9-qt. capacity, 99% filtration efficiency at 0.1 microns. Includes a 50-ft. power cord.

No. 15A757 has a 1.6-bushel capacity, 99% filtration efficiency at 0.3 microns. Includes 75-ft. power cord.

Nobles Wide Area—Both have an 1800 rpm brush.

Description	Cleaning Path	HP	Amps	Mfr. Model	Item No.
Dayton®					
Dual Motor	26"	1.57	11	5UMR1	5UMR1 ✓
Nobles Wide Area					
V-WA-26	26"	1	10	9007457	4VDW1 ✓
V-WA-30	30"	1	12.6	1068029	15A757 ✓



No. 5UMR1



No. 15A757